

ABICHOU T., CHANTON J., POWELSON D., FLEIGER J., ESCORIAZA S., LEI Y., STERN J., 2006 - Methane flux and oxidation at two types of intermediate landfill covers. *Waste Manage.*, 26 (11), 1305-1312. <https://doi.org/10.1016/j.wasman.2005.11.016>

ABUSHAMMALA M.F.M., BASRI N.E.A., IRWAN D., YOUNES M.K., 2014 - Methane oxidation in landfill cover soils: A review. *Asian J. Atmosph. Env.*, 8 (1), 1-14. <https://doi.org/10.5572/ajae.2014.8.1.001>

AELION C.M., HÖHENER P., HUNKELER D., ARAVENA R., 2009 - Environmental isotopes in biodegradation and bioremediation. Taylor & Francis Group, Boca Raton. <https://doi.org/10.1201/9781420012613>

AFFEK H.P., RONEN D., YAKIR D., 1998 - Production of CO₂ in the capillary fringe of a deep phreatic aquifer. *Water Resour. Res.*, 34 (5), 989-996. <https://doi.org/10.1029/98WR00095>

ALFOLDI L., 1988 - Groundwater microbiology: problems and biological treatment - state of the art report. *Wat. Sci. Technol.*, 20 (3), 1-31. <https://doi.org/10.2166/wst.1988.0077>

ALLOWAY B.J., AYRES D.C., 1999 - Chemiczne podstawy zanieczyszczenia środowiska. Wyd. Nauk. PWN, Warszawa.

ALVAREZ-VAZQUEZ H., JEFFERSON B., JUDD S.J., 2004 - Membrane bioreactors vs conventional biological treatment of landfill leachate: a brief review. *J. Chem. Technol. Biot.*, 79 (10), 1043-1049. <https://doi.org/10.1002/jctb.1072>

AMIOTTE-SUCHET P., AUBERT D., PROBST J.L., GAUTHIER-LAFAY F., PROBST A., ANDREUX F., VIVILLE D., 1999 - δ¹³C pattern of dissolved inorganic carbon in a small granitic catchment: the Strengbach case study Vosges mountains, France. *Chem. Geol.*, 159 (1-4), 129-145. [https://doi.org/10.1016/S0009-2541\(99\)00037-6](https://doi.org/10.1016/S0009-2541(99)00037-6)

ANDREWS J.A., HARRISON K.G., MATAMALA R., SCHLESINGER W.H., 1999 - Separation of root respiration from total soil respiration using carbon-13 labeling during Free-Air Carbon Dioxide Enrichment (FACE). *Soil Sci. Soc. Am. J.*, 63 (5), 1429-1435. <https://doi.org/10.2136/sssaj1999.6351429x>

ANDREWS J.E., BRIMBLECOMBE P., JICKELLS T.D., LISS P.S., 2000 - Wprowadzenie do chemii środowiska. Wyd. Nauk.-Tech., Warszawa.

ANDREWS W.J., MASONER J.R., COZZARELLI I.M., 2012 - Emerging contaminants at a closed and an operating landfill in Oklahoma. *Ground Water Monit. R.*, 32 (1), 120-130. <https://doi.org/10.1111/j.1745-6592.2011.01373.x>

APPELO C.A.J., POSTMA D., 1996 - Geochemistry, groundwater and pollution. A.A. Balkema/Rotterdam, Brookfield, Printed in the Netherlands.

ARORA B., MOHANTY B.P., MCGUIRE J.T., COZZARELLI I.M., 2013 - Temporal dynamics of biogeochemical processes at the Norman Landfill site. *Water Resour. Res.*, 49, 1-18. <https://doi.org/10.1002/wrcr.20484>

ATEKWANA E.A., KRISHNAMURTHY R.V., 2004 - Dissolved inorganic carbon (DIC) in natural waters for isotopic analysis. W: De Groot P. A., (red.) - Handbook of stable isotope analytical techniques. Vol. I, Elsevier, 203-228. <https://doi.org/10.1016/B978-044451114-0/50012-0>

AUCOUR A.M., SHEPPARD S.M.F., GUYOMAR O., WATTELET J., 1999 - Use of $\delta^{13}\text{C}$ to trace origin and cycling of inorganic carbon in the Rhône river system. *Chem. Geol.*, 159, 87-105.

[https://doi.org/10.1016/S0009-2541\(99\)00035-2](https://doi.org/10.1016/S0009-2541(99)00035-2)

BAEDECKER M.J., BACK W., 1979 - Hydrogeological processes and chemical reactions at a landfill. *Ground Water*, 17 (5), 429-437. <https://doi.org/10.1111/j.1745-6584.1979.tb03338.x>

BAEDECKER M.J., COZZARELLI I., 1992 - The determination and fate of unstable constituents of contaminated groundwater. W: Lesage S., Jackson R.E. (red.), *Groundwater contamination and analysis at hazardous waste site*. Marcel Dekker Inc, Madison Avenue, New York.

BARANIECKA M.D., KONECKA-BETLEY K., 1987 - Fluvial sediments of the Vistulian and Holocene in the Warsaw basin. *Geograph. Stud.*, 4, 151-170.

BARKER J.F., FRITZ P., 1981 - Carbon isotope fractionation during microbial methane oxidation. *Nature*, 293, 289-291. <https://doi.org/10.1038/293289a0>

BASBERG L., BANKS D., SÆTHER O.M., 1998 - Redox processes in groundwater impacted by landfill leachate. *Aquat. Geochem.*, 4, 253-272. <https://doi.org/10.1023/A:1009623205558>

BAUN A., CHRISTENSEN T.H., 2004 - Speciation of heavy metals in landfill leachate: a review. *Waste Manage. Res.*, 22 (1), 3-23. <https://doi.org/10.1177/0734242X04042146>

BAUN A., LEDIN A., REITZEL L.A., BJERG P.L., CHRISTENSEN T.H., 2004 - Xenobiotic organic compounds in leachates from ten Danish MSW landfills - chemical analysis and toxicity tests. *Water Res.*, 38, 3845-3858. <https://doi.org/10.1016/j.watres.2004.07.006>

BENNER R., 2003 - Molecular indicators of the bioavailability of dissolved organic matter. W: Findlay S., Sinsabaugh R. (red.). *Aquatic ecosystems: interactivity of dissolved organic matter*. Elsevier, San Diego, 121-137. <https://doi.org/10.1016/B978-012256371-3/50006-8>

BERGAMASCHI P., 1997 - Seasonal variation of stable hydrogen and carbon isotope ratios in methane from a Chinese rice paddy. *J. Geophys. Res.*, 102, 25 383-25 393. <https://doi.org/10.1029/97JD01664>

BERGAMASCHI P., LUBINA C., KÖNIGSTEDT R., FISCHER H., VELTKAMP A.C., ZAAGSTRA O., 1998 - Stable isotope signatures ($\delta^{13}\text{C}$, δD) of methane from European landfill sites. *J. Geophys. Res.*, 103, 8251-8265. <https://doi.org/10.1029/98JD00105>

BERRITTELLA C., HUISSTEDEN J., 2011 - Uncertainties in modelling CH₄ emissions from northern wetlands in glacial climates: the role of vegetation parameters. *Clim. Past*, 7, 1075-1087.

<https://doi.org/10.5194/cp-7-1075-2011>

BETHKE C.M., 2008 - Geochemical and biogeochemical reaction modeling. 2 wyd., Cambridge University Press.

BISHOP P.K., 1990 - Precipitation of dissolved carbonate species from natural waters for $\delta^{13}\text{C}$ analysis - A critical appraisal. *Chem. Geol. (Isotope Geoscience Section)*, 80, 251-259.

[https://doi.org/10.1016/0168-9622\(90\)90032-8](https://doi.org/10.1016/0168-9622(90)90032-8)

BLUHM-KWIATKOWSKI J., PEJDA K., 1992 - Projekt techniczny rekultywacji wysypiska w Otwocku. Uksztalتوwanie bryły wysypiska - odwodnienie powierzchniowe. Dokumentacja. Arch. MPO, Warszawa.

BOGNER J.E., MATTHEWS E., 2003 - Global methane emissions from landfills: new methodology and annual estimates 1980-1996. *Global Biogeochem. Cy.*, 17 (2), od str. 34-1 do 34-18.

<https://doi.org/10.1029/2002GB001913>

BOGNER J., SPOKAS K.A., 1993 - Landfill CH₄: rates, fates, and role in global carbon cycle. *Chemosphere*, 26 (1-4), 369-386. [https://doi.org/10.1016/0045-6535\(93\)90432-5](https://doi.org/10.1016/0045-6535(93)90432-5)

BOGNER J., SWEENEY R., COLEMAN D., HUITRIC R., RIRIE G.T., 1996 - Using isotopic and molecular data to model landfill gas processes. *Waste Manage. Res.*, 14, 367-376.

<https://doi.org/10.1177/0734242X9601400404>

BOLTZE U., DE FREITAS M.H., 1997 - Monitoring gas emissions from landfill sites. *Waste Manage. Res.*, 15 (5), 463-476. <https://doi.org/10.1177/0734242X9701500503>

BÖRJESSON G., CHANTON J., SVENSSON B.H., 2001 - Methane oxidation in two Swedish landfill covers measured with Carbon-13 to Carbon-12 isotope ratios. *J. Environ. Qual.*, 30, 369-376.

<https://doi.org/10.2134/jeq2001.302369x>

BÖRJESSON G., CHANTON J., SVENSSON B.H., 2007 - Methane oxidation in Swedish landfill quantified with the stable carbon isotope technique in combination with an optical method for emitted methane. *Environ. Sci. Technol.*, 41, 6684-6690. <https://doi.org/10.1021/es062735v>

BÖRJESSON G., SVENSSON G.H., 1997 - Seasonal and diurnal methane emissions from a landfill and their regulation by methane oxidation. *Waste Manage. Res.*, 15, 33-54.

<https://doi.org/10.1177/0734242X9701500104>

BOURG A.C.M., BERTIN C., 1993 - Biogeochemical processes during the infiltration of river water into an alluvial aquifer. *Environ. Sci. Technol.*, 27, 661-666. <https://doi.org/10.1021/es00041a009>

BOUTTON T.W., 1991 - Stable carbon isotope ratios of natural materials, XI. Atmospheric, terrestrial, marine and freshwater environment. W: Coleman D.C, Fry B. (red.), *Carbon Isotope Techniques*. Academic Print, San Diego California, 173-186. <https://doi.org/10.1016/B978-0-12-179730-0.50016-3>

BOUTTON T.W., 1996 - Stable isotope ratios of soil organic matter and their use as indicators of vegetation and climate change. W: *Mass Spectrometry of Soils*, New York, 47-82.

BRUGNOLI E., FARQUHAR G.D., 2000 - Photosynthetic fractionation of carbon isotopes. W: Leegood R.C., Sharkey T.D., Von Caemmerer S. (red.), *Photosynthesis: physiology and metabolism*. Kluwer, Dordrecht, 399-434. https://doi.org/10.1007/0-306-48137-5_17

BRUNET R.C., GARCIA-GIL L.J., 1996 - Sulfide-induced dissimilatory nitrate reduction to ammonia in anaerobic freshwater sediments. *FEMS Microbiol. Ecol.*, 21, 313-138. <https://doi.org/10.1111/j.1574-6941.1996.tb00340.x>

BUCKAU G., ARTINGER R., FRITZ P., GEYER S., KIM J.I., WOLF M., 2000a - Origin and mobility of humic colloids in the Gorleben aquifer system. *Appl. Geochem.*, 15, 171-179.

[https://doi.org/10.1016/S0883-2927\(99\)00043-8](https://doi.org/10.1016/S0883-2927(99)00043-8)

BUCKAU G., ARTINGER R., FRITZ P., GEYER S., WOLF M., FRITZ P., KIM J.I., 2000b - 14C dating of Gorleben aquifer system. *Appl. Geochem.*, 15, 583-597. [https://doi.org/10.1016/S0883-2927\(99\)00071-2](https://doi.org/10.1016/S0883-2927(99)00071-2)

BUCKAU G., ARTINGER R., GEYER S., WOLF M., FRITZ P., KIM J.I., 2000c - Groundwater in-situ generation of aquatic humic and fulvic acids and the mineralization of sedimentary organic carbon. Appl. Geochem., 15, 819-832. [https://doi.org/10.1016/S0883-2927\(99\)00078-5](https://doi.org/10.1016/S0883-2927(99)00078-5)

CABRAL A.R., CAPANEMA M.A., GEBERT J., MOREIRA J.F., JUGNIA L.B., 2010 - Quantifying microbial methane oxidation efficiencies in two experimental landfill biocovers using stable isotopes. Water Air Soil Poll., 209 (1), 157-172. <https://doi.org/10.1007/s11270-009-0188-4>

CERLING T.E., 1984 - The stable isotopic composition of modern soil carbonate and its relationship to climate. Earth Planet. Sc. Lett., 71 (2), 229-240. [https://doi.org/10.1016/0012-821X\(84\)90089-X](https://doi.org/10.1016/0012-821X(84)90089-X)

CERLING T.E., QUADE J., 1993 - Stable carbon and oxygen isotopes in soil carbonates. W: Swart P.K., Lohmann K.C., Mckenzie J., Savin S., Climate Change in Continental Isotopic Records. Copyright 1993 by the American Geophysical Union, Florida Avenue, NW, Washington.

CERLING T.E., SOLOMON D.K., QUADE J., BOWMAN J.R., 1991 - On the isotopic composition of carbon in soil carbon dioxide. Geochim. Cosmochim. Ac., 55, 3403-3405. [https://doi.org/10.1016/0016-7037\(91\)90498-T](https://doi.org/10.1016/0016-7037(91)90498-T)

CHANTON J.P., 2005 - The effect of gas transport on the isotope signature of methane in wetlands. Org. Geochem., 36, 753-768. <https://doi.org/10.1016/j.orggeochem.2004.10.007>

CHANTON J.P., POWELSON D.K., ABICHOU T., FIELDS D., GREEN R., 2008 - Effect of temperature and oxidation rate on carbon isotope fractionation during methane oxidation by landfill cover materials. Environ. Sci. Technol., 42 (21), 7818-7823. <https://doi.org/10.1021/es801221y>

CHANTON J.P., RUTKOWSKI C.M., MOSHER B., 1999 - Quantifying methane oxidation from landfills using stable isotope analysis of downwind plumes. Environ. Sci. Technol., 33 (21), 3755-3760. <https://doi.org/10.1021/es9904033>

CHAPELLE F.H., 1993 - Ground-water microbiology and geochemistry. John Wiley & Sons. Inc, United States Geological Survey Columbia, South Carolina.

CHAPELLE F.H., BRADLEY P.M., GOODE D.J., TIEDEMAN C., LACOMBE P.J., KAISER K., BENNER R., 2009 - Biochemical indicators for the bioavailability of organic carbon in ground water. Ground Water, 47 (1), 108-121. <https://doi.org/10.1111/j.1745-6584.2008.00493.x>

CHARLTON S.R., PARKHURST D.L., 2011 - Modules based on the geochemical model PHREEQC for use in scripting and programming languages. Comput. Geosci., 37, 1653-1663. <https://doi.org/10.1016/j.cageo.2011.02.005>

CHASAR L.S., CHANTON J.P., GLASER P.H., SIEGEL D.I., 2000 - Methane concentration and stable isotope distribution as evidence of rhizospheric processes: comparison of a fen and bog in the glacial lake Agassiz peatland complex. Ann. Bot. London, 86, 655-663. <https://doi.org/10.1006/anbo.2000.1172>

CHEŁMICKI W., 2001 - Woda, zasoby, degradacja, ochrona. Wyd. PWN, Warszawa.

CHOWANIEC J., CIĘŻKOWSKI W., DULIŃSKI M., JÓZEFKO I., PORWISZ B., ZUBER A., 2009 - Typy chemiczne szczaw w Karpatach fliszowych a wiek wody. Biul. Państw. Inst. Geol., 436 (9/1), 47-53.

CHRISTENSEN T.H., COSSU R., STEGMANN R. (red.), 1996 - Landfilling of waste: Biogas. E & FN Spon, London.

CHRISTENSEN T.H., KJELDSEN P., 1989 - Basic biochemical processes in landfills, sanitary landfilling: process, technology and environmental impact. Academic Press, San Diego, CA, 29-49.
<https://doi.org/10.1016/B978-0-12-174255-3.50008-6>

CHRISTOPHERSEN T.H., KJELDSEN P., 2000a - Field investigations of methane oxidation in soil adjacent to an old landfill. Intercontinental Landfill Research Symposium, Luleå University of Technology, Luleå, Sweden, 1-8.

CHRISTOPHERSEN T.H., KJELDSEN P., 2000b - Factors governing lateral gas migration and subsequent emission in soil adjacent to an old landfill. Intercontinental Landfill Research Symposium, Luleå University of Technology, Luleå, Sweden, 1-8.

CHRISTENSEN T.H., KJELDSEN P., 2001 - Composition of leachate from old landfills in Denmark. Waste Manage. Res., 19 (3), 249-256. <https://doi.org/10.1177/0734242X0101900306>

CHRISTENSEN T.H., KJELDSEN P., BJERG P.L., JENSEN D.L., CHRISTENSEN J.B., BAUN A., ALBRECHTSEN H.-J., HERON G., 2001 - Biogeochemistry of landfill leachate plumes. Appl. Geochem., 16 (7-8), 659-718. [https://doi.org/10.1016/S0883-2927\(00\)00082-2](https://doi.org/10.1016/S0883-2927(00)00082-2)

CHRISTENSEN T.H., PAUL L., BJERG P.L., KJELDSEN P., 2000 - Natural attenuation: a feasible approach to remediation of ground water pollution at landfills. Ground Water Monit., 20 (1), 69-77.
<https://doi.org/10.1111/j.1745-6592.2000.tb00253.x>

CHRISTOPHERSEN M., KJELDSEN P., 2001 - Lateral gas transport in soil adjacent to an old landfill: factors governing gas migration. Waste Manage. Res., 19 (2), 144-159.
<https://doi.org/10.1177/0734242X0101900206>

CHRISTOPHERSEN M., KJELDSEN P., HOLST H., CHANTON J., 2001 - Lateral gas transport in soil adjacent to an old landfill: factors governing emissions and methane oxidation. Waste Manage. Res., 19 (6), 595-612. <https://doi.org/10.1177/0734242X0101900616>

CIĘŻKOWSKI W. (red.), 2002 - Występowanie, dokumentowanie i eksploatacja endogenicznego dwutlenku węgla w Polsce. Wyd. Wrocław Towarzystwo Nauk., Wrocław.

CIĘŻKOWSKI W., CISEK J., PORWISZ B., ŻAK S., 1999 - Dwutlenek węgla w powietrzu glebowym na obszarze zlewni Muszynki w Beskidzie Sądeckim w świetle wstępnych badań. W: Współcz. Probl. Hydrogeol., Warszawa-Kielce, 9, 395-397.

CLARK I., 2015 - Groundwater geochemistry and isotopes. CRC Press, Taylor & Francis Group, Boca Raton. <https://doi.org/10.1201/b18347>

CLARK I.D., FRITZ P., 1997 - Environmental isotopes in hydrogeology. Lewis Publishers, New York.

CLYMO R.S., BRYANT C.L., 2008 - Diffusion and mass flow of dissolved carbon dioxide, methane, and dissolved organic carbon in a 7-m deep raised peat bog. Geochim. Cosmochim. Ac., 72, 2048-2066.
<https://doi.org/10.1016/j.gca.2008.01.032>

CLYMO R.S., PEARCE D.M.E., 1995 - Methane and carbon dioxide production in, transport through, and efflux from a peatland. Philos. T. Roy. Soc. A, 351, 249-259.
<https://doi.org/10.1098/rsta.1995.0032>

CLYMO R.S., WILLIAMS M.M.R., 2012 - Diffusion of gases dissolved in peat pore water. Mires and Peat, 10 (6), 1-10.

COLEMAN D.D., LIU C.L., HACKLEY K.C., BENSON L.J., 1993 - Identification of landfill methane using carbon and hydrogen isotope analysis. Proceedings of 16th International Madison Waste Conference, Municipal & Industrial Waste, Dept. of Engineering Professional Development, Univ. of Wisconsin Madison, 303-314.

COLEMAN D.D., LIU C.L., HACKLEY K.C., PELPHREY S.R., 1995 - Isotopic identification of landfill methane. Environ. Geosci., 2 (2), 95-103.

CONRAD R., 1989 - Control of methane production in terrestrial ecosystems. W: Andreae M.O., Schimel D.S. (red.), Exchange of trace gases between terrestrial ecosystems and the atmosphere. John Wiley, New York, 39-58.

CONRAD R., 2005 - Quantification of methanogenic pathways using stable carbon isotopic signatures: a review and a proposal. Org. Geochem., 36, 739-752.

<https://doi.org/10.1016/j.orggeochem.2004.09.006>

COOPER D.M., KINNIBURGH D.G., 2011 - PhreePlot - Creating graphical output with PHREEQC, <http://www.phreeplot.org/>

COZZARELLI I.M., BÖHLKE J.K., MASONER J., BREIT G.N., LORAH M.M., TUTTLE M.L.W., JAESCHKE J.B., 2011 - Biogeochemical evolution of a landfill leachate plume, Norman, Oklahoma. Ground Water, 49 (5), 663-687. <https://doi.org/10.1111/j.1745-6584.2010.00792.x>

COZZARELLI J.M., SUFLITA J.M., ULRICH G.A., HARRIS S.H., SCHOLL M.A., SCHLOTTMAN I.L., CHRISTENSON S., 2000 - Geochemical and microbiological methods for evaluating anaerobic processes in an aquifer contaminated by landfill leachate. Environ. Sci. Technol., 34, 4025-4033. <https://doi.org/10.1021/es991342b>

DANDURAND J.L., GOUT R., HOEFS J., MENSCHELL G., SCHOTT J., USDOWSKI E., 1982 - Kinetically controlled variations of major components and carbon and oxygen isotopes in a calcite precipitating spring. Chem. Geol., 36, 299-315. [https://doi.org/10.1016/0009-2541\(82\)90053-5](https://doi.org/10.1016/0009-2541(82)90053-5)

DARLING W., BATH A.H., GIBSON J.J., RÓŻAŃSKI K., 2005 - Isotopes in water. W: Leng M.J. (red.) - Isotopes in palaeoenvironmental research. Springer, Dordrecht, The Netherlands, 1-66. de GROOT P.A., (red.), 2004 - Handbook of Stable Isotope Analytical Techniques, vol. I, Elsevier.

DEINES P., 1980 - The isotopic composition of reduced organic carbon. W: Fritz P., Fontes J.C. (red.) - Handbook of Environmental Isotope Geochemistry. Elsevier, Amsterdam, vol. 1, 329-406. <https://doi.org/10.1016/B978-0-444-41780-0.50015-8>

DEINES P., LANGMUIR D., HARMON R.S., 1974 - Stable isotope ratios and the existence of a gas phase in the evolution of carbonate groundwaters. Geochim. Cosmochim. Ac., 38: 1147-1164. [https://doi.org/10.1016/0016-7037\(74\)90010-6](https://doi.org/10.1016/0016-7037(74)90010-6)

DEUTSCH W.J., 1997 - Groundwater geochemistry: fundamentals and applications to contamination. Taylor & Francis, Inc., Boca Raton.

DOBRZYŃSKI D., 2006 - Modelowanie geochemiczne narzędziem poznania geochemii systemów wód podziemnych. Przykłady zastosowań, aktualny stan w Polsce. Prz. Geol., 54 (11), 976-981.

DOBRZYŃSKI D., 2008 - Estimation of inorganic carbon sources in groundwater recharge by inverse geochemical modelling (Carboniferous aquifer, the Intra-Sudetic Basin, SW Poland). Geol. Quart., 52 (2), 191-196.

DOBRZYŃSKI D., 2009 - Geochemistry and age of groundwater in a hydrochemically diversified aquifer (Permo-Carboniferous, the Intra-Sudetic Synclinorium, SW Poland) derived from geochemical modelling and isotopic studies. *Acta Geol. Pol.*, 59, 371-411.

DOBRZYŃSKI D., 2010 - Wymóg badania potencjału redoks w wodach leczniczych z punktu widzenia hydrogeochemii. *Acta Balneol.*, 53 (3), 207-213.

DOCTOR D.H., ALEXANDER Jr.E.C., PETRIČ M., KOGOVŠEK J., URBANC J., LOJEN S., STICHLER W., 2006 - Quantification of karst aquifer discharge components during storm events through end-member mixing analysis using natural chemistry and stable isotopes as tracers. *Hydrogeol. J.*, 14 (7), 1171-1191. <https://doi.org/10.1007/s10040-006-0031-6>

DOWGIAŁŁO J., 1978 - Pochodzenie dwutlenku węgla w szczawach Karpat i Sudetów na obszarze Polski. *Biul. Inst. Geol.*, 312, 191-213.

DOWGIAŁŁO J., HAŁAS S., LIS J., SZARAN J., 1975 - The isotopic composition of carbon in mineral waters of the Polish Flysch Carpathians. *Bull. Acad. Pol. Sci., Sér. Sci. Terre*, 23 (1), 9-18.

DREVER J.I., 1982 - The geochemistry of natural waters. Prentice Hall, Inc, Englewood Cliffs, Printed in the United States of America.

DUDZIAK A., HAŁAS S., 1996a - Influence of freezing and thawing on the carbon isotope composition in soil CO₂. *Geoderma*, 69, 209-216. [https://doi.org/10.1016/0016-7061\(95\)00060-7](https://doi.org/10.1016/0016-7061(95)00060-7)

DUDZIAK A., HAŁAS S., 1996b - Diurnal cycle of carbon isotope ratio in soil CO₂, in various ecosystems. *Plant Soil*, 183, 291-299. <https://doi.org/10.1007/BF00011444>

DULIŃSKI M., 1999 - Problem składu izotopowego dwutlenku węgla w wodach leczniczych Krynicy. *Prz. Geol.*, 47 (6), 567-570.

DULIŃSKI M., KAPUSTA M., KARPIŃSKA-RZEPA A., RÓŻAŃSKI K., WITCZAK S., 2007 - Ewolucja składu izotopowego węgla (13C/12C, 14C/12C) rozpuszczonych węglanów w strefie aeracji. W: Współczesne problemy hydrogeologii, Kraków, 13 (2), 65-74.

DULIŃSKI M., RAJCHEL L., FELTER A., 2015 - Zmienność parametrów izotopowych i chemicznych w wybranych wodach mineralnych Piwnicznej-Zdroju. *Prz. Geol.*, 63 (10/1), 700-704.

DYMACZEWSKI Z., SOZAŃSKI M.M., OLESZKIEWICZ J.A., 1995 - Poradnik eksploataatora oczyszczalni ścieków. PZITS, Poznań.

DZIERŻEK J. (red.), 1996 - Rzeźba i osady czwartorzędu Polski Środkowej - przewodnik do ćwiczeń terenowych z geomorfologii i geologii czwartorzędu. Wydz. Geol. UW, Warszawa.

Dz.U. 2002 nr 220 poz. 1858 - Rozporządzenie Ministra Środowiska z dnia 9 grudnia 2002 r. w sprawie zakresu, czasu, sposobu oraz warunków prowadzenia monitoringu składowisk odpadów.

Dz.U. 2003 nr 61 poz. 549 - Rozporządzenie Ministra Środowiska z dnia 24 marca 2003 r. w sprawie szczegółowych wymagań dotyczących lokalizacji, budowy, eksploatacji i zamknięcia, jakim powinny odpowiadać poszczególne typy składowisk odpadów.

Dz.U. 2010 nr 238 poz. 1588 - Rozporządzenie Ministra Środowiska z dnia 8 grudnia 2010 r. zmieniające rozporządzenie w sprawie zakresu, czasu, sposobu oraz warunków prowadzenia monitoringu składowisk odpadów.

EHLERINGER J.R., BUCHMANN N., FLANAGAN L.B., 2000 - Carbon isotope ratios in belowground carbon cycle processes. *Ecol. Appl.*, 10, 412-422. [https://doi.org/10.1890/1051-0761\(2000\)010\[0412:CIRIBC\]2.0.CO;2](https://doi.org/10.1890/1051-0761(2000)010[0412:CIRIBC]2.0.CO;2)

EHRIG H.J., 1983 - Quality and quantity of sanitary landfill leachate. *Waste Manage. Res.*, 1, 53-68. <https://doi.org/10.1177/0734242X8300100105>

EPA (Environmental Protection Agency)
(http://www.epa.sa.gov.au/xstd_files/Water/Guideline/guide_gws.pdf) - korzystano maj 2006 r. i 3.02.2015 r.

ETTLER V., ZELENÁ O., MIHALJEVIČ M., ŠEBEK O., STRNAD L., COUFAL P., BEZDIČKA P., 2006 - Removal of trace elements from landfill leachate by calcite precipitation. *J. Geochem. Explor.*, 88, 28-31. <https://doi.org/10.1016/j.gexplo.2005.08.010>

FARQUHAR G.D., O'LEARY M.H., BERRY J.A., 1982 - On the relationship between carbon isotope discrimination and intercellular carbon dioxide concentration in leaves. *Aust. J. Plant Physiol.*, 9, 21-37. <https://doi.org/10.1071/PP9820121>

FARQUHAR G.J., ROVERS F.A., 1973 - Gas production during refuse decomposition. *Water Air Soil Poll.*, 2 (4), 483-495. <https://doi.org/10.1007/BF00585092>

FAURE G., 1986 - Principles of isotope geology. Second edition, John Wiley & Sons, New York.

FETTER C.W., 1994 - Applied hydrogeology. Prentice Hall, Inc A. Simon & Schuster Company Englewood Cliffs, New Jersey USA.

FIC M., WIERZBICKI A., 1994 - Organizacja sieci monitoringu wód podziemnych na terenie rezerwatu "Pożary" w Kampinoskim Parku Narodowym. *Prz. Geol.*, 42 (12), 1004-1008.

FISCHER H., WAHLEN M., SMITH J., 2003 - Reconstruction of glacial/interglacial changes in the global carbon cycle from CO₂ and δ¹³CO₂ in Antarctic ice cores. *Memoirs of the National Institute for Polar Research, Special Issue*, 57, 121-138.

FRANKIGNOULLE M., BORGES A.V., 2001 - Direct and indirect pCO₂ measurements in a wide range of pCO₂ and salinity values (the Scheldt estuary). *Aquat. Geochem.*, 7, 267-273. <https://doi.org/10.1023/A:1015251010481>

FRITZ P., FONTES J.C. (red.), 1980 - Handbook of Environmental Isotope Geochemistry. Elsevier, Amsterdam, vol. 1.

FRITZ P., FONTES J.C. (red.), 1986 - Handbook of Environmental Isotope Geochemistry, Elsevier, Amsterdam, vol. 2.

FRITZ P., MOZETO A.A., REARDON E.J., 1985 - Practical considerations on carbon isotope studies on soil carbon dioxide. *Chem. Geol.*, 58, 89-95. [https://doi.org/10.1016/0168-9622\(85\)90029-6](https://doi.org/10.1016/0168-9622(85)90029-6)

GALAND P.E., YRJÄLÄ K., CONRAD R., 2010 - Stable carbon isotope fractionation during methanogenesis in three boreal peatland ecosystems. *Biogeosciences*, 7, 3893-3900. <https://doi.org/10.5194/bg-7-3893-2010>

GAMES L.M., HAYES J.M., 1976 - On the mechanisms of CO₂ and CH₄ production in natural anaerobic environments. Chapt. 5, Environmental Biogeochemistry, V. 1, Carbon, Nitrogen, Phosphorus, Sulfur and Selenium Cycles, Jerome O. Nriagu (red.), 51-73.

GARNETT M.H., HARDIE S.M.L., MURRAY C., 2011 - Radiocarbon and stable carbon analysis of dissolved methane and carbon dioxide from the profile of a raised peat bog. Radiocarbon, 53 (1), 71-83. <https://doi.org/10.1017/S0033822200034366>

GASTEC HANDBOOK, 2004 - Environmental Analysis Technology, Fukaya, Ayase-shi, Kanagawa, Japan, 5th edition.

GAUCI V., FOWLER D., CHAPMAN S.J., DISE N.B., 2005 - Sulfate deposition and temperature controls on methane emission and sulfur forms in peat. Biogeochemistry, 71, 141-162.
<https://doi.org/10.1007/s10533-005-0681-9>

GAŚIOWSKI M., HERCMAN H., SOCHA P., 2014a - Isotopic analysis (C, N) and species composition of rodent assemblage as a tool for reconstruction of climate and environment evolution during Late Quaternary: A case study from Biśnik Cave (Częstochowa Upland, Poland). Quatern. Int., 339, 139-147. <https://doi.org/10.1016/j.quaint.2013.09.021>

GAŚIOWSKI M., HERCMAN H., RIDUSH B., STEFANIAK K., 2014b - Environment and climate of the Crimean Mountains during the Late Pleistocene inferred from stable isotope analysis of red deer (*Cervus elaphus*) bones from the Emine-Bair-Khosar Cave. Quatern. Int., 326, 243-249.

<https://doi.org/10.1016/j.quaint.2013.12.020>

GLEASON J.D., FRIEDMAN J., HANSHAW B.B., 1969 - Extraction of dissolved carbonate species for carbon isotope analysis. Geol. Surv. Prof. Paper, 650 LD, 248-250.

GORCZYCA Z., RÓŻAŃSKI K., KUC T., MICHALEC B., 2003 - Seasonal variability of the soil CO₂ flux and its isotopic composition in southern Poland. Nukleonika, 48 (4), 187-196.

GOUVEIA S.E.M., PESSENDIA L.C.R., ARAVENA R., BOULET R., SCHEEL-YBERT R., BENDASSOLI J.A., RIBEIRO A.S., FREITAS H.A., 2002 - Carbon isotopes in charcoal and soils in studies of paleovegetation and climate changes during the late Pleistocene and the Holocene in the southeast and centerwest regions of Brazil. Global Planet. Change, 33, 95-106. [https://doi.org/10.1016/S0921-8181\(02\)00064-4](https://doi.org/10.1016/S0921-8181(02)00064-4)

GÓRKA M., SAUER P.E., LEWICKA-SZCZEBAK D., JĘDRYSEK M.O., 2011 - Carbon isotope signature of dissolved inorganic carbon (DIC) in precipitation and atmospheric CO₂. Environ. Pollut., 159, 294-301. <https://doi.org/10.1016/j.envpol.2010.08.027>

GREEN D.M., KAUFFMAN J.B., 1989 - Nutrient cycling at the land-water interface: the importance of the riparian zone. Technical Paper No 8724, Oregon Agricultural Experiment Station Corvallis, 61-68.

GRIFFIS T.J., ZHANG J., BAKER J.M., KLJUN N., BILLMARK K., 2007 - Determining carbon isotope signatures from micrometeorological measurements: Implications for studying biosphere-atmosphere exchange processes. Bound-Lay. Meteorol., 123 (2), 295-316.

<https://doi.org/10.1007/s10546-006-9143-8>

GROSSMAN E.L., 1997 - Stable carbon isotopes as indicators of microbial activity in aquifers. W: Hurst C. I. (red.), Manual of environmental microbiology. American Society for Microbiology, Washington DC, 565-576.

GROSSMAN E.L., CIFUENTES L.A., COZZARELLI I.M., 2002 - Anaerobic methane oxidation in a landfill-leachate plume. Environ. Sci. Technol., 36 (11), 2436-2442. <https://doi.org/10.1021/es015695y>

GROSSMAN E.L., COFFMAN B.K., FRITZ S.J., WADA H., 1989 - Bacterial production of methane and its influence on ground-water chemistry in east-central Texas aquifer. Geology, 17, 495-497.

[https://doi.org/10.1130/0091-7613\(1989\)017<0495:BPOMAI>2.3.CO;2](https://doi.org/10.1130/0091-7613(1989)017<0495:BPOMAI>2.3.CO;2)

GRUSZCZYŃSKI T., 2003 - Modyfikacja metody dynamicznej wyznaczania współczynnika opóźnienia dla matematycznego opisu migracji substancji rozpuszczonych w wodach podziemnych. Rozprawa doktorska, Biblioteka Wydziału Geologii UW, Warszawa.

GRUSZCZYŃSKI T., KROGULEC E., 2012 - Wybór wariantu renaturalizacji obszarów podmokłych w Kampinoskim Parku Narodowym na podstawie hydrodynamicznych badań modelowych. Biul. Państw. Inst. Geol., 451, 45-52.

GRUSZCZYŃSKI T., MAŁECKI J.J., 2006 - Numeryczny model filtracji nieustalonej dla fragmentu doliny Wisły w rejonie ujścia rzeki Świdra. Geologos, 10, 65-74.

HAARSTAD K., MÆHLUM T., 2013 - Tracing solid waste leachate in groundwater using $\delta^{13}\text{C}$ from dissolved inorganic carbon. Isot. Environ. Health S., 9 (1), 48-61.

<https://doi.org/10.1080/10256016.2012.668902>

HACKLEY K.C., LIU C.L., COLEMAN D.D., 1996 - Environmental isotope characteristics of landfill leachates and gases. Ground Water, 34, 827-836. <https://doi.org/10.1111/j.1745-6584.1996.tb02077.x>

HACKLEY K.C., LIU C.L., TRAINOR D., 1999 - Isotopic identification of the source of methane in subsurface sediments of an area surrounded by waste disposal facilities. Appl. Geochem., 14 (1), 119-131. [https://doi.org/10.1016/S0883-2927\(98\)00036-5](https://doi.org/10.1016/S0883-2927(98)00036-5)

HAKALA J.A., 2014 - Use of stable isotopes to identify sources of methane in Appalachian Basin shallow groundwaters: a review. Environ. Sci. Processes Impacts, 16, 2080-2086.

<https://doi.org/10.1039/C4EM00140K>

HAŁAS S., SZARAN J., NIEZGODA H., 1997 - Experimental determination of carbon isotope equilibrium fractionation between dissolved carbonate and carbon-dioxide. Geochim. Cosmochim. Ac., 61, 2691-2695. [https://doi.org/10.1016/S0016-7037\(97\)00107-5](https://doi.org/10.1016/S0016-7037(97)00107-5)

HANCOCK P.J., 2002 - Human impacts on the stream-groundwater exchange zone. Environ. Manage., 29 (6), 763-781. <https://doi.org/10.1007/s00267-001-0064-5>

HANSON P.J., EDWARDS N.T., GARTEN C.T., ANDREWS J.A., 2000 - Separating root and soil microbial contributions to soil respiration: A review of methods and observations. Biogeochemistry, 48, 115-146. <https://doi.org/10.1023/A:1006244819642>

HARTZ K.E., KLINK R.E., HAM R.K., 1982 - Temperature effects: methane generation from landfill samples. J. Env. Eng., 108, 629-638.

HAYES J.M., 2001 - Fractionation of carbon and hydrogen isotopes in biosynthetic processes. W: Valley J.W., Cole D. (red.), Stable isotope geochemistry. Reviews in mineralogy and geochemistry, vol. 43. Mineralogical Society of America, Washington, D.C. 225-277
<https://doi.org/10.1515/9781501508745-006>

HEDGE U., CHANG T-CH., YANG S-S., 2003 - Methane and carbon dioxide emission from Shan-Chu-Ku landfill site in northern Taiwan. Chemosph., 52, 1275-1285. [https://doi.org/10.1016/S0045-6535\(03\)00352-7](https://doi.org/10.1016/S0045-6535(03)00352-7)

HELLINGS L., VAN DEN DRIESSCHE K., BAEYENS W., KEPPENS E., DEHAIRS F., 2000 - Origin and fate of dissolved inorganic carbon in interstitial waters of two freshwater intertidal areas: A case study of the Scheldt Estuary, Belgium. Biogeochem., 51 (2), 141-160. <https://doi.org/10.1023/A:1006472213070>

HERMANOWICZ W., DOJLIDO J., DOŽAŃSKA W., KOZIOROWSKI B., ZERBE J., 1999 - Fizyczno-chemiczne badanie wody i ścieków. Wyd. Arkady, Warszawa.

HESTER R.E., HARRISON R.M. (red.), 2002 - Environmental and health impact of solid management actives. Series: Issues in Environmental Science and Technology, vol. 18, 1-220.

HILGER H., HUMER M., 2003 - Biotic landfill cover treatments for mitigating methane emissions. Environ. Monit. Assess., 84, 71-84. <https://doi.org/10.1023/A:1022878830252>

HONGVE D., 1999 - Production of dissolved organic carbon in forested catchments. J. Hydrol., 224, 91-99. [https://doi.org/10.1016/S0022-1694\(99\)00132-8](https://doi.org/10.1016/S0022-1694(99)00132-8)

HORNIBROOK E.R.C., LONGSTAFFE F.J., FYFE W.S., 2000a - Factors influencing stable-isotope ratios in CH₄ and CO₂ within subenvironments of freshwater wetlands: implications for signatures of emissions. Isot. Environ. Health S., 36, 151-176. <https://doi.org/10.1080/10256010008032940>

HORNIBROOK E.R.C., LONGSTAFFE F.J., FYFE W.S., 2000b - Evolution of stable carbon-isotope compositions for methane and carbon dioxide in freshwater wetlands and other anaerobic environments. Geochim. Cosmochim. Ac., 64, 1013-1027. [https://doi.org/10.1016/S0016-7037\(99\)00321-X](https://doi.org/10.1016/S0016-7037(99)00321-X)

HOUNSLOW A.W., 1995 - Water Quality Data: Analysis and Interpretation. CRC Lewis Publishers, Boca Raton.

HYNES H.B.N., 1983 - Groundwater and stream ecology. Hydrobiol., 100, 93-99.
<https://doi.org/10.1007/BF00027424>

JETTEN M.S.M., LOGEMANN S., MUYZER G., ROBERTSON L.A., DE VRIES S., VAN LOOSDRECHT M.C.M., KUENEN J.G., 1997 - Novel principles in the microbial conversion of nitrogen compounds. Antonie van Leeuwenhoek, 71, 75-93. <https://doi.org/10.1023/A:1000150219937>

JĘDRZAK A., 2008 - Biologiczne przetwarzanie odpadów. Wyd. Nauk. PWN, Warszawa.

JĘDRZAK A., HAZIAK K., 2005 - Określenie wymagań dla kompostowania i innych metod biologicznego przetwarzania odpadów. Pracownie Bad.-Projektowe "Ekosystem", Narodowy Fundusz Ochr. Środ. i Gosp. Wod., Zielona Góra, 1-248.

JĘDRYSEK M.O., SKRZYPEK G., WADA E., DOROSZKO B., KRAL T., PAZUR A., VIJARNSORN P., YASUO T., 1995 - Analiza δ¹³C i δ³⁴S w profilach torfowych a zmiany globalne. Prz. Geol., 43 (12), 1004-1010.

JÓZWIAK K., 2011 - Rudy darniowe w obszarach mokradłowych - na przykładzie Kampinoskiego Parku Narodowego. Biul. Państw. Inst. Geol., 445, 237-244.

JÓZWIAK K., 2013 - Konstrukcja i typowe uproszczenia w modelu geochemicznym - na przykładzie programu Phreeqc. Prz. Geol., 61 (1), 54-61.

JÓZWIAK K., 2015 - Azot mineralny w płytkich wodach podziemnych Kampinoskiego Parku Narodowego. Prz. Geol., 63 (10/1), 791-795.

JUGNIA L.-B., CABRAL A.R., GREER CH.W., 2008 - Biotic methane oxidation within an instrumented experimental landfill cover. Ecol. Eng., 33 (2), 102-109.

<https://doi.org/10.1016/j.ecoleng.2008.02.003>

KADZIKIEWICZ-SCHOENEICH M., 2003 - Zmienność stężeń miedzi i cynku w strefie płytkiego krążenia wód na przykładzie wybranych poligonów badawczych w okolicach Warszawy. Rozprawa doktorska, Bibl. Wydz. Geol. UW, Warszawa.

KALBITZ K., SOLINGER S., PARK J.H., MICHALZIK B., MATZNER B., 2000 - Controls on the dynamics of dissolved organic matter in soils: A review. *Soil Sci.*, 165 (4), 277-304.

<https://doi.org/10.1097/00010694-200004000-00001>

KARLSSON J., JANSSON M., JONSSON A., 2007 - Respiration of allochthonous organic carbon in unproductive forest lakes determined by the Keeling plot method. *Limnol. Oceanogr.*, 52 (2), 603-608. <https://doi.org/10.4319/lo.2007.52.2.0603>

KEELING C.D., 1958 - The concentration and isotopic abundances of atmospheric carbon dioxide in rural areas. *Geochim. Cosmochim. Ac.*, 13, 322-334. [https://doi.org/10.1016/0016-7037\(58\)90033-4](https://doi.org/10.1016/0016-7037(58)90033-4)

KEELING C.D., 1961 - The concentration and isotopic abundance of carbon dioxide in rural and marine air. *Geochim. Cosmochim. Ac.*, 24, 277-298. [https://doi.org/10.1016/0016-7037\(61\)90023-0](https://doi.org/10.1016/0016-7037(61)90023-0)

KEMPA E.S., 1983 - Gospodarka odpadami miejskimi. Wyd. Arkady, Warszawa.

KERFOOT H.B., BAKER J.A., BURT D.M., 2003 - The use of isotopes to identify landfill gas effect on groundwater. *J. Environ. Monit.*, 5, 896-901. <https://doi.org/10.1039/b310351j>

KIM K-H., 2006 - Emissions of reduced sulfur compounds (RSC) as a landfill gas (LFG): A comparative study of young and old landfill facilities. *Atmos. Environ.*, 40, 6567-6578.

<https://doi.org/10.1016/j.atmosenv.2006.05.063>

KJELDSEN P., BARLAZ M.A., ROOKER A.P., BAUN A., LEDIN A., CHRISTENSEN T.H., 2002 - Present and long term composition of MSW landfill leachate - a review. *Crit. Rev. Env. Sci. Tec.*, 32 (4), 297-336. <https://doi.org/10.1080/10643380290813462>

KJELDSEN P., CHRISTOPHERSEN M., 2001 - Composition of leachate from old landfills in Denmark. *Waste Manage. Res.*, 19, 249-256. <https://doi.org/10.1177/0734242X0101900306>

KJELDSEN, P. GRUNDtvIG A., WINTHER P., ANDERSEN J.S., 1998 - Characterization of an old municipal landfill (Grindsted, Denmark) as a groundwater pollution source: landfill history and leachate composition. *Waste Manage. Res.*, 16 (1), 3-13.

<https://doi.org/10.1177/0734242X9801600102>

KLIMEK A., WYSOKIŃSKI L., ZAWADZKA-KOS M., OSĘKA M., CHRZĄSZCZ J., 2010 - Poradnik metodyczny w zakresie PRTR dla składowisk odpadów komunalnych. Narodowy Fundusz Ochrony Środowiska i Gospodarki Wodnej, 1-64.

KÖHLER P., FISCHER H., SCHMITT J., MUNHOVEN G., 2006 - On the application and interpretation of Keeling plots in paleoclimate research - deciphering $\delta^{13}\text{C}$ of atmospheric CO₂ measured in ice cores. *Biogeosciences*, 3, 539-556. <https://doi.org/10.5194/bg-3-539-2006>

KODA E., AUGUSTYNIAK E., PACHUTA K., PAPROCKI P., 1999a - Ocena oddziaływania na środowisko nieczynnego wysypiska odpadów stałych w Otwocku, woj. mazowieckie. GEOTEKO Sp. Z.o.o., Arch. Miejskiego Przedsiębiorstwa Oczyszczania, Warszawa.

KODA E., AUGUSTYNIAK E., PAPROCKI P., GAWAŁKO S., KRAWCZYK W., 1999b - Program monitoringu lokalnego wód podziemnych i powierzchniowych wokół nieczynnego wysypiska w Otwocku. GEOTEKO Sp. Z.o.o., Arch. Miejskiego Przedsiębiorstwa Oczyszczania, Warszawa.

KODA E., MAMEŁKA D., 2001 - Monitoring lokalny wód podziemnych i powierzchniowych w rejonie nieczynnego wysypiska w Otwocku - raport roczny 2001. GEOTEKO Sp. Z.o.o., Arch. Miejskiego Przedsiębiorstwa Oczyszczania, Warszawa.

KODA E., PAPROCKI P., MAMEŁKA D., 2002 - Program monitoringu lokalnego wód podziemnych i powierzchniowych w rejonie nieczynnego wysypiska w Otwocku (aktualizacja). GEOTEKO Sp. Z.o.o., Arch. Miejskiego Przedsiębiorstwa Oczyszczania, Warszawa.

KOROM S.F., 1992 - Natural denitrification in the saturated zone: A review. Water Resour. Res., 28 (6), 1657-1668. <https://doi.org/10.1029/92WR00252>

KORTELAINEN N.M., KARHU J.A., 2006 - Tracing the decomposition of dissolved organic carbon in artificial groundwater recharge using carbon isotope ratios. Appl. Geochem., 21, 547-562. <https://doi.org/10.1016/j.apgeochem.2006.01.004>

KROGULEC E., 2003 - Evaluation of hydrogeological conditions based on modelling: a case study in the Kampinos National Park region, central Poland. Geol. Quart., 47 (1), 83-90.

KROGULEC E., 2004 - Ocena podatności wód podziemnych na zanieczyszczenia w dolinie rzecznej na podstawie przesłanek hydrodynamicznych. Wyd. UW, Warszawa.

KROGULEC E., 2006 - Methods and results of groundwater vulnerability evaluation to contamination in the Kampinoski National Park. Acta Geol. Pol., 56 (3), 349-359.

KROGULEC E., 2008 - Modelowa ocena zasilania i drenażu wód podziemnych w dolinie Wisły. Biul. Państw. Inst. Geol., 431, 105-110.

KROGULEC E., 2010 - Evaluation of infiltration rates within the Vistula River valley, central Poland. Acta Geol. Pol., 60 (4), 617-628.

KROGULEC E., 2014 - A hydrodynamical modelling for testing effects of wetlands restoration - a case study in the Kampinoski National Park, Poland. International Conference on Civil, Biological and Environmental Engineering (CBEE-2014) May 27-28, 2014 Istanbul (Turkey), 100-105.

KROGULEC E., ANDRZEJEWSKA A., FURMANKOWSKA A., ZABŁOCKI S., 2009 - Analiza stanów wód podziemnych na obszarach podmokłych na przykładzie obserwacji w Kampinoskim Parku Narodowym. Biul. Państw. Inst. Geol., 436 (9/1), 281-288.

KROGULEC E., FURMANKOWSKA A., JÓZWIAK K., ZABŁOCKI S., 2011 - Zakres i tendencje zmian stanów wód podziemnych w obszarach podmokłych w Kampinoskim Parku Narodowym. Woda-Środowisko-Obszary Wiejskie, 11 (3), 99-112.

KROGULEC E., JÓZWIAK K., 2007 - Azot mineralny w płytach wodach podziemnych Kampinoskiego Parku Narodowego. W: Mat XII Sympozjum "Współczesne Problemy Hydrogeologii", Kraków-Krynica, 105-113.

KROGULEC E., LENARTOWICZ M., SIKORSKA-MAYKOWSKA M., 1999 - Środowisko przyrodnicze Kampinoskiego Parku Narodowego i Stacji Bazowej ZMŚP - Pożary, warunki hydrologiczne i hydrogeologiczne. W: Zintegrowany monitoring środowiska przyrodniczego. Stacja Bazowa "Pożary" w Kampinoskim Parku Narodowym, Główny Inspektorat Ochrony Środowiska, Biblioteka Monitoringu Środowiska, Warszawa.

KROGULEC E., POMIANOWSKI P., KROGULEC P., 2003 - Results of geophysical research in the Kampinos National Park central part. Ecohydrol. Hydrobiol., 3 (3), 267-272.

KROGULEC E., ZABŁOCKI S., 2015 - Relationship between the environmental and hydrogeological elements characterizing groundwater-dependent ecosystems in central Poland. *Hydrogeol. J.*, 23, 1587-1602. <https://doi.org/10.1007/s10040-015-1273-y>

KUC T., RÓŻAŃSKI K., NĘCKI J.M., ZIMNOCH M., KORUS A., 2003 - Anthropogenic emission of CO₂ and CH₄ in an urban environment. *Appl. Energ.*, 75 (3, 4), 193-203. [https://doi.org/10.1016/S0306-2619\(03\)00032-1](https://doi.org/10.1016/S0306-2619(03)00032-1)

KUC T., ZIMNOCH M., 1994 - Evolution of isotopic composition and concentration of atmospheric CO₂ as result of anthropogenic influences. *Geograph. Pol.*, 62, 61-72.

KUC T., ZIMNOCH M., 1998 - Changes of the CO₂ sources and sinks in a polluted urban area (South Poland) over the last decade, derived from the carbon isotope composition. *Radiocarbon*, 40, 417-423. <https://doi.org/10.1017/S0033822200018294>

KULIKOWSKA D., KLIMIUK E., 2008 - The effect of landfill age on municipal leachate composition. *Bioresource Technol.*, 99, 5981-5985. <https://doi.org/10.1016/j.biortech.2007.10.015>

KUSAKABE M., 2001 - A simple method for sampling total dissolved carbonate in carbonate-rich natural waters and CO₂ preparation for δ¹³C determination. *Geochem. J.*, 35, 459-464. <https://doi.org/10.2343/geochemj.35.459>

LANGMUIR D., 1997 - Aqueous Environmental Geochemistry. Prentice Hall, Inc, Simon & Schuster /A Viacom Company, Upper Saddle River, New Jersey USA.

LEE E.S., KROTHE N.C., 2001 - A four-component mixing model for water in a karst terrain in south-central Indiana, USA. Using solute concentration and stable isotopes as tracers. *Chem. Geol.*, 179, 129-143. [https://doi.org/10.1016/S0009-2541\(01\)00319-9](https://doi.org/10.1016/S0009-2541(01)00319-9)

LEITH F.I., GARNETT M.H., DINSMORE K.J., BILLETT M.F., HEAL K.V., 2014 - Source and age of dissolved and gaseous carbon in a peatland-riparian-stream continuum: a dual isotope (14C and 13C) analysis. *Biogeochemistry*, 119 (1-3), 415-433. <https://doi.org/10.1007/s10533-014-9977-y>

LEMA J.M., MENDEZ R., BLAZQUEZ R., 1988 - Characteristics of landfill leachates and alternatives for their treatment: A review. *Water Air Soil Poll.*, 40 (3-4), 223-250.

LENARTOWICZ M., 2005 - Modelowanie procesów hydrologicznych i geochemicznych w bagiennej zlewni nizinnej (na przykładzie zlewni Pożary). Monografie Komitetu Gospodarki Wodnej Polskiej Akademii Nauk, 25, 1-143.

LENG M.J. (red.), 2006 - Isotopes in palaeoenvironmental research. Vol. 10, Springer, Netherland. <https://doi.org/10.1007/1-4020-2504-1>

LEŚNIAK P.M., 1985 - Open CO₂-underground water system in West Carpathians - chemical and isotopic evidence. *Chem. Geol.*, 49, 275-286. [https://doi.org/10.1016/0009-2541\(85\)90161-5](https://doi.org/10.1016/0009-2541(85)90161-5)

LEŚNIAK P.M., 1989 - Geochemia izotopowa węgla w szczawach Karpat Zachodnich. ING PAN, Warszawa.

LEŚNIAK P.M., 1998 - Origin of carbon dioxide and evolution of CO₂-rich waters in the West Carpathians, Poland. *Acta Geol. Pol.*, 48 (3), 343-366.

LEŚNIAK P.M., ZAWIDZKI P., 2006 - Determination of carbon fractionation factor between aqueous carbonate and CO₂(g) in two-direction isotope equilibration. *Chem. Geol.*, 231, 203-213. <https://doi.org/10.1016/j.chemgeo.2006.01.025>

LI S-L., LIU C-Q., TAO F-X., LANG Y-C., HAN G-L., 2005 - Carbon biogeochemistry of ground water, Guiyang, Southwest China. *Ground Water*, 43 (4), 494-499. <https://doi.org/10.1111/j.1745-6584.2005.0036.x>

LIANG F., SONG L., WANG F., ZHENG B., ZHENG L., 2000 - The case study of subsoil solutions features and soil CO₂ concentration in Stone Forest Region, Lunan, Yunnan, China. *Carsologica Sinica*, 19, 187-193.

LIU Z., 1992 - Study on the karst hydrogeochemistry of the Guilin Karst hydrogeological experimental site. *Carsologica Sinica*, 11, 209-217.

LIU Z., ZHAO J., 1999 - Contribution of carbonate rock weathering to the atmospheric CO₂ sink. *Environ. Geol.*, 39 (9), 1053-1058. <https://doi.org/10.1007/s002549900072>

LORAH M.M., COZZARELLI I.M., BÖHLKE J.K., 2009 - Biogeochemistry at a wetland sediment alluvial aquifer interface in a landfill leachate plume. *J. Contam. Hydrol.*, 105, 99-117. <https://doi.org/10.1016/j.jconhyd.2008.11.008>

LOWRANCE R., 1992 - Groundwater nitrate and denitrification in a coastal plain riparian soil. *J. Environ. Qual.*, 21, 401-405. <https://doi.org/10.2134/jeq1992.00472425002100030017x>

LU H., WU N., GU Z., GUO Z., WANG L., WU H., WANG G., ZHOU L., HAN J., LIU T., 2004 - Distribution of carbon isotope composition of modern soils on the Qinghai-Tibetan Plateau. *Biogeochemistry*, 70, 273 - 297. <https://doi.org/10.1023/B:BIOG.0000049343.48087.ac>

LUO Y., ZHOU X., 2006 - Soil respiration and the environment. Elsevier, USA.

ŁUCZAK-WILAMOWSKA B., 2013 - Uwarunkowania geologiczne składowania odpadów komunalnych, *Biul. Państw. Inst. Geol.*, 455. <https://doi.org/10.5604/08676143.1114043>

MACIOSZCZYK A., DOBRZYŃSKI D., 2002 - Hydrogeochemia strefy aktywnej wymiany wód podziemnych. Wyd. Nauk. PWN, Warszawa.

MACIOSZCZYK A., KROGULEC E., JÓŹWIĄK K., 2012 - Wody podziemne Kampinoskiego Parku Narodowego. Wyd. WSEiZ. Seria: Monografie Wyższej Szkoły Ekologii i Zarządzania, Warszawa, 1-166.

MACIOSZCZYK T., KAZIMIERSKI B., 1985 - Zasoby eksploatacyjne dużych jednostek regionalnych jako efekt optymalizacji bilansu wód podziemnych na drodze symulacji modelowej. W: Modelowanie dużych, regionalnych systemów hydrogeologicznych. Wyd. OPT NOT, Warszawa, 97-137.

MACKENZIE F.T., LERMAN A., 2006 - Carbon in the Geobiosphere - Earth's Outer Shell. Springer, The Netherland.

MAHIEU K., DE VISSCHER A., VAN ROLLEGHEM P.A., VAN CLEEMPUT O., 2008 - Modelling of stable isotope fractionation by methane oxidation and diffusion in landfill cover soils. *Waste Manage.*, 28 (9), 1535-1542. <https://doi.org/10.1016/j.wasman.2007.06.003>

MAŁECKA D., MAŁECKI J.J., 2000 - Udział opadów atmosferycznych w kształtowaniu chemizmu wód strefy hipergenicznej. W: Stan i antropogeniczne zmiany jakości wód w Polsce. Wyd. Uniw. Łódzkiego, 71-87.

MAŁECKI J.J., 1995 - Role of the zone aeration in the formation of groundwater chemical composition. *Geol. Quart.*, 39 (3), 439-448.

MAŁECKI J.J., 1998 - Rola strefy aeracji w kształtowaniu składu chemicznego płytkich wód podziemnych wybranych środowisk hydrogeochemicznych. Biul. Państw. Inst. Geol., 381, 1-219.

MAŁECKI J.J. (red.), 2006 - Wyznaczanie parametrów migracji zanieczyszczeń w ośrodku porowatym dla potrzeb badań hydrogeologicznych i ochrony środowiska - poradnik metodyczny. Wydz. Geol. UW, MŚ, Warszawa.

MAŁECKI J.J., POROWSKA D., 2011 - Rola substancji organicznej w kształtowaniu chemizmu wód podziemnych. W: Mat. Warszt. Nauk., 1-3 czerwca 2011, Wawrzkowizna, 19-32.

MAŁECKI J.J., POROWSKA D., 2012 - The origin of chemical composition of groundwater in areas of organic matter accumulation; Peatlands in semi-natural landscape - their transformation and possibility of protection. W: Forysiak J. i in. (red.), Bogucki Wyd. Nauk., Poznań, 49-58.

MANCZARSKI P., LEWICKI R., 2012 - Wytyczne dotyczące zamykania i rekultywacji składowisk odpadów komunalnych. Narodowy Fundusz Ochrony Środowiska i Gospodarki Wodnej, 1-83.

MANNING D., 2001 - Calcite precipitation in landfills: an essential product of waste stabilization. Mineral. Mag., 65 (5), 603-610. <https://doi.org/10.1180/002646101317018424>

MARIN L.E., BAUTISTA R.M.L., RUBIO R., PRIETO E., 2001 - Chemistry of the Chiltepec sanitary landfill, Puebla, Mexico. Geofis. Int., 40 (4), 301-307.

MASONER J.R., COZZARELLI I.M., 2015 - Spatial and temporal migration of a landfill leachate plume in alluvium. Water Air Soil Poll., (2015) 226:18 <https://doi.org/10.1007/s11270-014-2261-x>

MAYER B., 2007 - Assessing sources and transformations of sulphate and nitrate in the hydrosphere using isotope techniques. W: Aggarwal P.K., Gat J., Froehlich K.F.O., Isotopes in the water cycle; past, present and future of a developing science. Springer, The Netherlands, 67-90.
https://doi.org/10.1007/1-4020-3023-1_6

MCBEAN E.A., ROVERS F.A., FARQUHAR G.J., 1995 - Solid waste landfill engineering and design. Prentice Hall PTR, New Jersey, USA.

MICHENER R., LAJTHA K., 2007 - Stable isotopes in ecology and environmental science. Blackwell Publishing Ltd., Singapore. <https://doi.org/10.1002/9780470691854>

MIODUSZEWSKI W., KOWALEWSKI Z., ŻURAWSKI R., STANKIEWICZ J., 2010 - Drainage system in the Kampinos National Park. J. Water Land Develop., 14, 83-95. <https://doi.org/10.2478/v10025-011-0007-3>

MODIN O., FUKUSHI K., YAMAMOTO K., 2007 - Denitrification with methane as external carbon source. Water Res., 41(12), 2726-2738. <https://doi.org/10.1016/j.watres.2007.02.053>

MOHAMMADZADEH H., CLARK I., MARSCHNER M., ST-JEAN G., 2005 - Compound specific isotopic analysis (CSIA) of landfill leachate DOC components. Chem. Geol., 218, 3-13.
<https://doi.org/10.1016/j.chemgeo.2005.01.022>

MOOK W.G., 1980 - Carbon in hydrogeological studies. W: Fritz P., Fontes J.Ch. (red.) - Handbook of Environmental Isotope Geochemistry, The Terrestrial Environment. New York NY Elsevier Scientific Publishing Company. <https://doi.org/10.1016/B978-0-444-41780-0.50008-0>

MOOK W.G. (red.), 2000 - Environmental isotopes in the hydrological cycle. Principles and applications, vol. I. Introduction - theory, methods, review. Technical Documents in Hydrology, No. 39, Vol. I, UNESCO, Paris, 1-280.

MOOK, W.G. (red.), 2001 - Environmental isotopes in the hydrological cycle. Principles and applications, vol. II. Atmospheric Water. Technical Documents in Hydrology, No. 39, Vol. II, UNESCO, Paris, 1-113.

MOOK W.G., BOMMERSON J.C., STAVERMAN W.H., 1974 - Carbon isotope fractionation between dissolved bicarbonate and gaseous carbon dioxide. Earth Planet. Sci. Lett., 22, 169-76.

[https://doi.org/10.1016/0012-821X\(74\)90078-8](https://doi.org/10.1016/0012-821X(74)90078-8)

MOOK W.G., DE VRIES J.J., 2001 - Environmental isotopes in the hydrological cycle. Principles and applications, vol. I, Centre for Isotope Research, Groningen, Netherlands.

MOOK W.G., TAN F.C., 1991 - Stable carbon isotopes in rivers and estuaries. Rozdz. 11, W: Degens E.T., Kempe S., Richey J.E. (red.), Biogeochemistry of Major World Rivers. John Wiley & Sons, New York.

MOR S., KHAIWAL R., DAHIYA R.P., CHANDRA A., 2006 - Leachate characterization and assessment of groundwater pollution near municipal solid waste landfill site. Environ. Monit. Assess., 118, 435-456. <https://doi.org/10.1007/s10661-006-1505-7>

MORRIS B.L., DARLING W.G., GOODDY D.C., LITVAK R.G., NEUMANN I., NEMALTSEVA E.J., PODDUBNAIA I., 2005 - Assessing the extent of induced leakage to an urban aquifer using environmental tracers: an example from Bishkek, capital of Kyrgyzstan, Central Asia. Hydrogeol. J., 14 (1-2), 225-243. <https://doi.org/10.1007/s10040-005-0441-x>

MYŚLIŃSKA E., 1992 - Laboratoryjne badania gruntów. Wyd. Nauk. PWN, Warszawa.

MYŚLIŃSKA E., 1999 - Parametry fizyczne torfów i ocena metod ich oznaczania. Prz. Geol., 7, 676-682.

NAGAO S., KODAMA H., ARAMAKI T., FUJITAKE N., UCHIDA M., SHIBATA Y., 2011 - Carbon isotope composition of dissolved humic and fulvic acids in the Tokachi River system. Radiat. Prot. Dosim., 146 (1-3), 322-325. <https://doi.org/10.1093/rpd/ncr180>

NAIMAN R.J., DÉCamps H., 1997 - The ecology of interfaces: riparian Jones. Ann. Rev. Ecol. Syst., 28, 621-658. <https://doi.org/10.1146/annurev.ecolsys.28.1.621>

NAMIEŚNIK J., JAMRÓGIEWICZ Z., PILARCZYK M., TORRES L., 2000 - Przygotowanie próbek środowiskowych do analizy. Wyd. Nauk.-Tech., Warszawa.

NASTEV M., THERRIEN R., LEFEBVRE R., GELINAS P., 2001 - Gas production and migration in landfills and geological materials. J. Contam. Hydrol., 52, 187-211. [https://doi.org/10.1016/S0169-7722\(01\)00158-9](https://doi.org/10.1016/S0169-7722(01)00158-9)

NICHOLSON R.V., CHERRY J.A., REARDON E.J., 1983 - Migration of contaminants in groundwater at a landfill: A case study, 6. J. Hydrol., 63 (1-2), 131-176. [https://doi.org/10.1016/0022-1694\(83\)90226-3](https://doi.org/10.1016/0022-1694(83)90226-3)

NIELSEN D.M., NIELSEN G.L., 2006 - The Essential Handbook of Ground-Water sampling. CRC Press Taylor & Francis Group, Boca Raton, London, New York. <https://doi.org/10.1201/9781420042795>

NOLAN B.T., 1999 - Nitrate behavior in ground waters of the southeastern United States. J. Environ. Qual., 28 (5), 1518-1527. <https://doi.org/10.2134/jeq1999.00472425002800050017x>

NORDSTROM D.K. (red.), 2008 - Groundwater geochemistry: a practical guide to modeling of natural and contaminated aquatic system. Wyd. 2. Springer -Verlag, Berlin, Heidelberg.

NORTH J.C., FREW R.D., PEAKE B.M., 2004 - The use of carbon and nitrogen isotope ratios to identify landfill leachate contamination: Green Island Landfill, Dunedin, New Zealand. Environ. Int., 30 (5), 631-637. <https://doi.org/10.1016/j.envint.2003.12.006>

NORTH J.C., FREW R.D., VAN HALE R., 2006 - Can stable isotopes be used to monitor landfill leachate impact on surface waters? J. Geochem. Explor., 88, 49-53.
<https://doi.org/10.1016/j.gexplo.2005.08.003>

NORTH J.C., FREW R.D., 2008 - Isotopic characterization of leachate from seven New Zealand landfills. W: Lehmann E. (red.), Landfill Research Focus. NOVA Publishing. 199-261.

NOWICKI Z. (red.), 2007 - Mapa obszarów zagrożonych podtopieniami w Polsce. Informator Państwowej Służby Hydrogeologicznej, PIG-PIB, Warszawa.

NOZHEVNIKOVA A., LIFSHITZ A.B., LEBEDEV V.S., ZAVARZIN G.A., 1993 - Emission of methane into the atmosphere from landfills in the former USSR. Chemosphere, 26, 401-417.
[https://doi.org/10.1016/0045-6535\(93\)90434-7](https://doi.org/10.1016/0045-6535(93)90434-7)

OCHRONA ŚRODOWISKA, 2013 - Informacje i opracowania statystyczne. GUS, Warszawa.

OHMOTO H., RYE R.O., 1979 - Isotope of sulfur and carbon. W: Barnes H.L. (ed.), Geochemistry of hydrothermal deposits. John Wiley & Sons, 509-567.

OKRUSZKO H., 1976 - Zasady rozpoznawania i podziału gleb hydrogeniczych z punktu widzenia potrzeb melioracji. Bibl. Wiad. IMUZ, 52, 7-54.

OKRUSZKO H., 1991 - Zasady nawożenia gleb torfowych. Bibl. Wiad. IMUZ, 77, 87-103.

OKRUSZKO T., MIODUSZEWSKI W., KUCHARSKI L. (red.) i inni, 2011 - Ochrona i renaturalizacja mokradeł Kampinoskiego Parku Narodowego. Wyd. SGGW, str. 240. ISBN 978-83-7583-275-4, Warszawa.

OLAŃCZUK-NEYMAN K., 2001 - Mikroorganizmy w kształtowaniu jakości i uzdarnianiu wód podziemnych. Monografie Komitetu Inżynierii Środowiska Polskiej Akademii Nauk, vol. 1, Wydawnictwo Politechniki Gdańskiej, Gdańsk, 1-131.

O'LEARY M.H., 1988 - Carbon isotopes in photosynthesis. BioScience, 38, 328-336.
<https://doi.org/10.2307/1310735>

OMAN C.B., JUNESTEDT C., 2008 - Chemical characterization of landfill leachates - 400 parameters and compounds. Waste Manage., 28, 1876-1891. <https://doi.org/10.1016/j.wasman.2007.06.018>

OSTERA H.A., CORDERO R., VALENCIO S., PANARELLO H., VILLAROSA G., 2004 - Isotope and geochemical evidences on the evolution of landfills, Bariloche, Argentina. Symposium Geochronology Brasil, São Paulo, Brasil, 508-510.

PALMER S.M., HOPE D., BILLETT M.F., DAWSON J.J.C., BRYANT C.L., 2001 - Sources of organic and inorganic carbon in a headwater stream: Evidence from carbon isotope studies. Biogeochemistry, 52, 321-338. <https://doi.org/10.1023/A:1006447706565>

PARKHURST D.L., APPELO C.A.J., 2013 - Description of input and examples for PHREEQC version 3 - A computer program for speciation, batch-reaction, one-dimensional transport, and inverse geochemical calculations. U.S. Geological Survey Techniques and Methods, book 6, chap. A43, 497 p., <https://doi.org/10.3133/tm6A43>

PATAKI D.E., EHLERINGER J.R., FLANAGAN L.B., YAKIR D., BOWLING D., STILL C.J., BUCHMANN N., KAPLAN J.O., BERRY J.A., 2003 - Application and interpretation of Keeling plots in terrestrial carbon cycle research. Global Biogeochem. Cy., 17(1), 1022, <https://doi.org/10.1029/2001GB001850>

PEDERSEN J.K., BJERG P.L., CHRISTENSEN T.H., 1991 - Correlation of nitrate profiles with groundwater and sediment characteristics in a shallow sandy aquifer. J. Hydrol., 124, 263-277.
[https://doi.org/10.1016/0022-1694\(91\)90018-D](https://doi.org/10.1016/0022-1694(91)90018-D)

PELAK A.J., SHARMA S., 2015 - Surface water geochemical and isotopic variations in an area of accelerating Marcellus Shale gas development. Environ. Pollut., 195, 91-100.
<https://doi.org/10.1016/j.envpol.2014.08.016>

PILLA G., SACCHI E., ZUPPI G., BRAGA G., CIANCETTI G., 2006 - Hydrochemistry and isotope geochemistry as tools for groundwater hydrodynamic investigation in multilayer aquifers: a case study from Lomellina, Po plain, South-Western Lombardy, Italy. Hydrogeol. J., 14 (5), 795-808.
<https://doi.org/10.1007/s10040-005-0465-2>

PLUMMER L.N., BEXFIELD L.M., ANDERHOLM S.K., SANFORD W.E., BUSENBERG E., 2004 - Geochemical characterization of ground-water flow in the Santa Fe Group aquifer system, Middle Rio Grande Basin, New Mexico. U.S. Geological Survey Water-Resources Investigations Report 03-4131, 1-395, <http://pubs.usgs.gov/wri/wri034131/>.

PLUMMER L.N., BUSBY J.F., LEE R.W., HANSHAW B.B., 1990 - Geochemical modeling of the Madison Aquifer in parts of Montana, Wyoming, and South Dakota. Water Resour. Res., 26 (9), 1981-2014.
<https://doi.org/10.1029/WR026i009p01981>

PLUMMER L.N., PRESTEMON E.C., PARKHURST D.L., 1994 - An Interactive Code (NETPATH) for Modeling NET Geochemical Reactions Along a Flow PATH, Version 2.0, Water-Resources Investigations Report no. 94-4169, USGS, Reston, Virginia, USA.

PN-EN ISO 9963-1:2001 - Oznaczanie zasadowości ogólnej i zasadowości wobec fenoloftaleiny. PKN, Warszawa.

POHLAND F.G., 1980 - Leachate recycle as landfill management option. J. Environ. Eng. Div., ASCE EE6, 1057-1069.

POROWSKA D., 2004 - Zawartość rozpuszczonego tlenu i dwutlenku węgla w wodach podziemnych wybranych środowisk hydrogeochemicznych. Monografie Komitetu Gospodarki Wodnej Polskiej Akademii Nauk, 24, 1-142.

POROWSKA D., 2005 - Wpływ zanieczyszczeń powietrza atmosferycznego na skład chemiczny wód opadowych w rejonie Warszawy. W: Mat. Międzynarodowej Konferencji Naukowej "Hydrogeochemia' 05", Bratysława, t. IX, 129-134.

POROWSKA D., 2010 - Zastosowanie wskaźników nasycenia SI do wyznaczenia strefy zanieczyszczenia wód podziemnych wokół składowiska odpadów. W: Stan i antropogeniczne zmiany jakości wód w Polsce. Wyd. UŁ, 6, 109-117.

POROWSKA D., 2014a - Assessment of groundwater contamination around reclaimed municipal landfill - Otwock area, Poland. J. Ecol. Eng., 15 (4), 69-81.

POROWSKA D., 2014b - Związki siarki w biogazie oraz w wodach podziemnych wokół zrekultywowanego składowiska odpadów komunalnych w Otwocku. Prz. Geol., 62 (11), 761-767.

POROWSKA D., 2015a - Determination of the origin of dissolved inorganic carbon in groundwater around a reclaimed landfill in Otwock using stable carbon isotopes. Waste Manage., 39, 216-225. <https://doi.org/10.1016/j.wasman.2015.01.044>

POROWSKA D., 2015b - Metodyka opróbowania wód podziemnych i sposoby eliminacji najczęściej popełnianych błędów podczas badań terenowych. Inż. Ekol., 42, 28-35. <https://doi.org/10.12912/23920629/1974>

POROWSKA D., 2016 - Assessment of a degree of geochemical maturation and activity of a closed landfill site in Poland. Environ. Earth Sci., 75, <https://doi.org/10.1007/s12665-016-5256-7>

POROWSKA D., GRUSZCZYŃSKI T., 2006 - Zmienność składu fazy gazowej składowiska odpadów komunalnych w Otwocku. Prz. Geol., 54 (11), 996-1001.

POROWSKA D., GRUSZCZYŃSKI T., 2013 - Czynniki warunkujące zmienność składu fazy gazowej składowiska odpadów komunalnych w Otwocku. Biul. Państw. Inst. Geol., XVI/2 (456), 457-464.

POROWSKA D., LEŚNIAK P.M., 2008 - Identyfikacja procesów kształtujących skład chemiczny wód podziemnych poniżej torfowiska - Pożary, Kampinoski Park Narodowy. Prz. Geol., 56 (11), 982-990.

POROWSKA D., MAŁECKI J.J., 2011 - Analiza czynników kształtuujących zawartość węgla nieorganicznego i organicznego w wodach podziemnych w obszarach występowania substancji organicznej - rezerwat Pożary (Kampinoski Park Narodowy). Biul. Państw. Inst. Geol., XII/2, 463-474.

POROWSKI A., 2014 - Isotope hydrogeology. W: Eslamian S. (red.), Handbook of engineering hydrology. Fundamentals and applications. Taylor & Francis Group, CRC Press, Boca Raton, London, New York, 345-377. <https://doi.org/10.1201/b15625-18>

PRANTL R., TESAR M., HUBER-HUMER M., LECHNER P., 2006 - Changes in carbon and nitrogen pool during in-situ aeration of old landfills under varying conditions. Waste Manage, 26, 373-380. <https://doi.org/10.1016/j.wasman.2005.11.010>

PRINZHOFER A., BATTANI A., 2003 - Gas isotopes tracing: an important tool for hydrocarbons exploration. Oil Gas Sci. Technol., 58 (2), 299-311. <https://doi.org/10.2516/ogst:2003018>

RACHOR I., GEBERT J., GRÖNGRÖFT A., PFEIFFER E.M., 2011 - Assessment of the methane oxidation capacity of compacted soils intended for use as landfill cover materials. Waste Manage. 31 (5), 833-842. <https://doi.org/10.1016/j.wasman.2010.10.006>

RAJCHEL L., 2012 - Szczawy i wody kwasowęglowe Karpat polskich. Wyd. Nauk. AGH, Kraków, 1-194.

RANALLI A.J., MACALADY D.L., 2010 - The importance of the riparian zone and in-stream processes in nitrate attenuation in undisturbed and agricultural watersheds - A review of the scientific literature. J. Hydrol., 389, 406-415. <https://doi.org/10.1016/j.jhydrol.2010.05.045>

REDDY K.R., DELAUNE R.D., 2008 - Biogeochemistry of Wetlands: Science and Applications, CRC Press, Taylor & Francis Group. Boca Raton, London, New York.

REDDY K.R., PATRICK W.H., BROADBENT F.E., 1984 - Nitrogen transformations and loss in flooded soils and sediments. Crit. Rev. Env. Contr., 13 (4), 273-309. <https://doi.org/10.1080/10643388409381709>

REES J.F., 1980 - The fate of carbon compounds in the landfill disposal of organic matter. J. Chem. Tech. Biotechnol., 30, 161-175. <https://doi.org/10.1002/jctb.503300121>

RENOU S., GIVAUDAN J.G., POULAIN S., DIRASSOUIYAN F., MOULIN P., 2008 - Landfill leachate treatment: Review and opportunity. *J. Hazard. Mater.*, 150, 468-493.

<https://doi.org/10.1016/j.jhazmat.2007.09.077>

RÉVÉSZ K.M., BREEN K.J., BALDASSARE A.J., BURRUSS R.C., 2010 - Carbon and hydrogen isotopic evidence for the origin of combustible gases in water-supply wells in north-central Pennsylvania. *Appl. Geochem.*, 25 (12), 1845-1859. <https://doi.org/10.1016/j.apgeochem.2010.09.011>

RÉVÉSZ K.M., BREEN K.J., BALDASSARE A.J., BURRUSS R.C., 2012 - Carbon and hydrogen isotopic evidence for the origin of combustible gases in water-supply wells in north-central Pennsylvania. *Appl. Geochem.*, 27 (1), 361-375. <https://doi.org/10.1016/j.apgeochem.2011.12.002>

RITTMANN B.E., BANASZAK J.E., COOKE A., ROWE R.K., 2003 - Biogeochemical evaluation of mechanisms controlling CaCO₃(s) precipitation in landfill leachate-collection systems. *J. Environ. Eng.*, 129 (8), 723-730. [https://doi.org/10.1061/\(ASCE\)0733-9372\(2003\)129:8\(723\)](https://doi.org/10.1061/(ASCE)0733-9372(2003)129:8(723))

RITZKOWSKI M., HEYER K.-U., STEGMANN R., 2006 - Fundamental processes and implications during in situ aeration of old landfills. *Waste Manage.*, 26 (4), 356-372.

<https://doi.org/10.1016/j.wasman.2005.11.009>

ROBERTSON L.A., KUENEN J.G., 1984 - Aerobic denitrification: A controversy revived. *Arch. Microbiol.*, 139, 351-354. <https://doi.org/10.1007/BF00408378>

ROBERTSON W.D., RUSSELL B.M., CHERRY J.A., 1996 - Attenuation of nitrate in aquitard sediments of southern Ontario. *J. Hydrol.*, 180, 267-281. [https://doi.org/10.1016/0022-1694\(95\)02885-4](https://doi.org/10.1016/0022-1694(95)02885-4)

ROSE S., LONG A., 1988 - Monitoring dissolved oxygen in ground water: some basic considerations. *Ground Water Monit. R.*, 8 (1), 93-97. <https://doi.org/10.1111/j.1745-6592.1988.tb00981.x>

ROSLEV P., KING G.M., 1996 - Regulation of methane oxidation in a freshwater wetland by water table changes and anoxia. *Microbiol. Ecol.*, 19, 105-115. <https://doi.org/10.1111/j.1574-6941.1996.tb00203.x>

RYDELEK P., BĄKOWSKA A., ZAWRZYKRAJ P., 2015 - Variability of horizontal hydraulic conductivity of fen peats from Eastern Poland in relation to function of peatlands as a natural geological barriers. *Geol. Quart.*, 59 (2), 426-432. <https://doi.org/10.7306/gq.1180>

SANCI R., PANARELLO H.O., 2015 - Carbon and hydrogen isotopes as tracers of methane dynamic in wetlands. *Int. J. Geosci.*, 6, 720-728. <https://doi.org/10.4236/ijg.2015.67058>

SARNACKA Z., 1974 - Szczegółowa Mapa Geologiczna Polski w skali 1:50 000, arkusz Piaseczno, PIG-PIB, Warszawa.

SARNACKA Z., 1976 - Objasnienia do Szczegółowej Mapy Geologicznej Polski w skali 1:50 000, arkusz Piaseczno, PIG-PIB, Warszawa.

SCARTAZZA A., MATA C., MATTEUCCI G., YAKIR D., MOSCATELLO S., BRUGNOLI E., 2004 - Comparison of δ¹³C of photosynthetic products and ecosystem respiratory CO₂ and their responses to seasonal climate variability. *Oecologia*, 140 (2), 340-351. <https://doi.org/10.1007/s00442-004-1588-1>

SCHOLL M.A., COZZARELLI I.M., CHRISTENSON S.C., 2006 - Recharge processes drive sulfate reduction in an alluvial aquifer contaminated with landfill leachate. *J. Contam. Hydrol.*, 104 (3-4), 4-35.

<https://doi.org/10.1016/j.jconhyd.2006.03.005>

SEGERS R., 1998 - Methane production and methane consumption: a review of processes underlying wetland methane fluxes. *Biogeochemistry*, 41, 23-51.

SEIBERT J., GRABS T., KÖHLER S., LAUDON H., WINTERDAHL M., BISHOP K., 2009 - Linking soil- and stream-water chemistry based on a Riparian Flow-Concentration Integration Model. *Hydrol. Earth Syst. Sci.*, 13, 2287-2297. <https://doi.org/10.5194/hess-13-2287-2009>

SHARMA S., MULDER M.L., SACK A., SCHROEDER K., HAMMACK R., 2014 - Isotope approach to assess hydrologic connections during Marcellus Shale Drilling. *Groundwater*, 52 (3), 424-433. <https://doi.org/10.1111/gwat.12083>

SHEN Y., CHAPELLE F.H., STROM E.W., BENNER R., 2015 - Origins and bioavailability of dissolved organic matter in groundwater. *Biogeochemistry*, 122, 61-78. <https://doi.org/10.1007/s10533-014-0029-4>

SHOEMAKER J.K., SCHRAG D.P., 2010 - Subsurface characterization of methane production and oxidation from a New Hampshire wetland. *Geobiology*, 8, 234-243. <https://doi.org/10.1111/j.1472-4669.2010.00239.x>

SITEK S., WITKOWSKI A., KOWALCZYK A., ŻUREK-PUCEK A.M., 2010 - Ocena oddziaływania składowiska odpadów komunalnych w Tychach na środowisko wód podziemnych w świetle badań modelowych. *Biul. Państw. Inst. Geol.*, 442, 147-152.

SKRZYPEK G., JĘDRYSEK M.O., 2005 - $^{13}\text{C}/^{12}\text{C}$ ratio in peat cores: record of past climates. W: Lichtfouse E., Schwarzbauer J., Robert D. (red.), *Environmental chemistry - green chemistry and pollutants in ecosystems*. Springer-Verlag, 65-73. https://doi.org/10.1007/3-540-26531-7_7

STACHY J. (red.), 1987 - *Atlas hydrologiczny Polski*. Wyd. Geol., Warszawa.

STANFORD J.A., WARD J.V., 1988 - The hyporheic habitat of river ecosystems. *Nature*, 335, 64-66. <https://doi.org/10.1038/335064a0>

STEINMANN P., EILRICH B., LEUENBERGER M., BURNS S.J., 2008 - Stable carbon isotope composition and concentrations of CO₂ and CH₄ in the deep catotelm of a peat bog. *Geochim. Cosmochim. Ac.*, 72 (24), 6015-6026. <https://doi.org/10.1016/j.gca.2008.09.024>

STERN J.C., CHANTON J., ABICHOU T., POWELSON D., YUAN L., ESCORIZA S., BOGNER J., 2007 - Use of biologically active cover to reduce landfill methane emissions and enhance methane oxidation. *Waste Manage.*, 27, 1248-1258. <https://doi.org/10.1016/j.wasman.2006.07.018>

STĘPNIEWSKA Z., GORAJ W., KUŹNIAR A., 2014 - Przemiany metanu w środowiskach torfowych. *Leśne Prace Badawcze*, 75 (1), 101-110. <https://doi.org/10.2478/frp-2014-0010>

STUMM W., MORGAN J.J., 1981 - *Aquatic chemistry*. Wiley, New York.

STUPNICKA E., 1997 - *Geologia regionalna Polski*. Wyd. UW, Warszawa.

SU YAO, ZHANG XUAN, XIA FANG-FANG, ZHANG QI-QI, KONG JIAO-YAN, WANG JING, HE RUO, 2014 - Diversity and activity of methanotrophs in landfill cover soils with and without landfill gas recovery systems. *Syst. Appl. Microbiol.*, 37 (3), 200-207. <https://doi.org/10.1016/j.syapm.2013.10.005>

SUNDH I., NILSSON M., GRYNBERG G., SVENSSON B.H., 1994 - Depth distribution of microbial production and oxidation of methane in Sphagnum dominated peatlands. *Microb. Ecol.*, 27, 253-265. <https://doi.org/10.1007/BF00182409>

SZARAN J., 1998 - Carbon isotope fractionation between dissolved and gaseous carbon dioxide. Chem. Geol., 150, 331-337. [https://doi.org/10.1016/S0009-2541\(98\)00114-4](https://doi.org/10.1016/S0009-2541(98)00114-4)

SZARAN J., 2000 - Wahania koncentracji i składu izotopowego w atmosferycznym CO₂. Prz. Geol., 48 (10), 941-946.

SZARAN J., DUDZIAK A., TREMBACZOWSKI A., NIEZGODA H., HAŁAS S., 2005 - Diurnal variations and vertical distribution of $\delta^{13}\text{C}$, and concentration of atmospheric and soil CO₂ in a meadow site, SE Poland. Geol. Quart., 49 (2), 135-144.

SZYNKIEWICZ A., DRZEWICKI W., JĘDRYSEK M.O., 2006 - Metodyka analiz izotopowych rozpuszczonego węgla nieorganicznego (DIC) i ich zastosowania w badaniach hydrogeologicznych i środowiskowych. Prz. Geol., 54 (9), 794-806.

TAKAHASHI H.A., YONENOBU H., NAKAMURA T., WADA H., 2001 - Seasonal fluctuation of stable carbon isotopic composition in Japanese cypress tree rings from the last glacial period - possibility of paleoenvironment reconstruction. Radiocarbon, 43 (2A), 433-438.

<https://doi.org/10.1017/S0033822200038297>

TCHOBANOGLOUS G., BURTON F.L., 1991 - Wastewater engineering: treatment, disposal and reuse. Irwin/McGraw-Hill, New York.

TIEDJE J.M., SEXSTONE A.J., MYROLD D.D., ROBINSON J.A., 1982 - Denitrification: ecological niches, competition and survival. Antonie van Leeuwenhoek, 48 (6), 569-583.

<https://doi.org/10.1007/BF00399542>

THORNTWAITE C.W., MATHER J.R., 1955 - The water balance. Publications in Climatology, Laboratory of Climatology, 8 (1), 1-104.

TOBIAS C., BÖHLKE J.K., 2011 - Biological and geochemical controls on diel dissolved inorganic carbon cycling in a low-order agricultural stream: Implications for reach scales and beyond. Chem. Geol., 283, 18-30. <https://doi.org/10.1016/j.chemgeo.2010.12.012>

TURBIAK J., 2012 - Methane emission from peat-muck soil in the Biebrza River valley in relation to ground water level and fertilisation. J. Water Land Develop., 17, 77-82.

<https://doi.org/10.2478/v10025-012-0036-6>

TURNER J.V., 1982 - Kinetic fractionation of carbon-13 during calcium carbonate precipitation. Geochim. Cosmochim. Ac., 46, 1183-1191. [https://doi.org/10.1016/0016-7037\(82\)90004-7](https://doi.org/10.1016/0016-7037(82)90004-7)

TUTTLE M.L.W., BREIT G.N., COZZARELLI I.M., 2009 - Processes affecting 34S and 18O values of dissolved sulfate in alluvium along the Canadian River, central Oklahoma, USA. Chem. Geol., 265, 455-467. <https://doi.org/10.1016/j.chemgeo.2009.05.009>

UNLAND N.P., CARTWRIGHT I., CENDÓN D.I., CHISARI R., 2014 - Residence Times and mixing of water in river banks: implications for recharge and groundwater-surface water exchange. Hydrol. Earth Syst. Sci., 18, 5109-5124. <https://doi.org/10.5194/hess-18-5109-2014>

VALENTINE D.L., 2002 - Biogeochemistry and microbial ecology of anaerobic methane oxidation: a review. Antonie van Leeuwenhoek, 81, 271-282. <https://doi.org/10.1023/A:1020587206351>

VAN BREUKELEN B.M., 2003 - Natural attenuation of landfill leachate: a combined biogeochemical processes analysis and microbial ecology approach. Academisch Proefschrift, Amsterdam.

VAN BREUKELEN B.M., GRIFFIOEN J., 2004 - Biogeochemical processes at the fringe of a landfill leachate pollution plume: potential for dissolved organic carbon, Fe(II), Mn(II), NH₄, and CH₄ oxidation. *J. Contam. Hydrol.*, 73, 181-205. <https://doi.org/10.1016/j.jconhyd.2004.01.001>

VAN BREUKELEN B.M., GRIFFIOEN J., RÖLING W.F.M., VAN VERSEVELD H.W., 2004 - Reactive transport modelling of biochemical processes and carbon isotope geochemistry inside in landfill leachate plume. *J. Contam. Hydrol.*, 70, 249-269. <https://doi.org/10.1016/j.jconhyd.2003.09.003>

VAN BREUKELEN B.M., RÖLING W.F.M., GROEN J., GRIFFIOEN J., VAN VERSEVELD H.W., 2003 - Biogeochemistry and isotope geochemistry of a landfill leachate plume. *J. Contam. Hydrol.*, 65, 245-268. [https://doi.org/10.1016/S0169-7722\(03\)00003-2](https://doi.org/10.1016/S0169-7722(03)00003-2)

VANGULCK J.F., ROWE R.K., RITTMANN B.E., COOKE A.J., 2003 - Predicting biogeochemical calcium precipitation in landfill leachate collection systems. *Biodegradation*, 14 (5), 331-346. <https://doi.org/10.1023/A:1025667706695>

VIDON P., HILL A.R., 2004 - Denitrification and patterns of electron donors and acceptors in eight riparian zones with contrasting hydrogeology. *Biogeochemistry*, 71, 259-283. <https://doi.org/10.1007/s10533-004-9684-1>

VOGEL J.C., GROOTES P.M., MOOK W.G., 1970 - Isotope fractionation between gaseous and dissolved carbon dioxide. *Zeitschrift für Physik*, 230, 225-238. <https://doi.org/10.1007/BF01394688>

WACHNIEW P., 2006 - Isotopic composition of dissolved inorganic carbon in a large polluted river: the Vistula, Poland *Chem. Geol.*, 233, 293-308. <https://doi.org/10.1016/j.chemgeo.2006.03.012>

WACHNIEW P., RÓŻAŃSKI K., 1997 - Carbon budget of a mid-latitude, groundwater-controlled lake: isotopic evidence for the importance of dissolved inorganic carbon recycling. *Geochim. Cosmochim. Ac.*, 61 (12), 2453-2465. [https://doi.org/10.1016/S0016-7037\(97\)00089-6](https://doi.org/10.1016/S0016-7037(97)00089-6)

WADDINGTON J.M., ROULET N.T., SWANSON R.V., 1996 - Water table control of CH₄ emission enhancement by vascular plants in boreal peatlands. *J. Geophys. Res.-Atmos.*, 101, 22 775-22 785. <https://doi.org/10.1029/96JD02014>

WALDRON S., HALL A.J., FALICK A.E., 1999 - Enigmatic stable isotope dynamics of deep peat methane. *Global Biogeochem. Cy.*, 13 (1), 93-100. <https://doi.org/10.1029/1998GB900002>

WALSH D.C., LAFLEUR R.G., BOPP R.F., 1993 - Stable carbon isotopes in dissolved inorganic carbon of landfill leachate. *Ground Water Manage.*, 16, 153-167.

WARD R.S., WILLIAMS G.M., HILLS C.C., 1996 - Changes in major and trace components of landfill gas during subsurface migration. *Waste Manage. Res.*, 14, 243-261. <https://doi.org/10.1177/0734242X9601400302>

WATSON A., NEDWELL D.B., 1998 - Methane production and emission from peat: the influence of anions (sulphate, nitrate) from acid rain. *Atmos. Env.*, 32, 3239-3245. [https://doi.org/10.1016/S1352-2310\(97\)00501-3](https://doi.org/10.1016/S1352-2310(97)00501-3)

WATZINGER A., REICHENAUER T.G., BLUM W.E.H., GERZABEK M.H., ZECHMEISTER-BOLTENSTERN S., 2005 - The effect of landfill leachate irrigation on soil gas composition: methane oxidation and nitrous oxide formation. *Water Air Soil Poll.*, 164, 295-313. <https://doi.org/10.1007/s11270-005-3541-2>

WEIGHT W.D., SONDEREGGER J.L., 2000 - Manual of applied field hydrogeology. McGraw-Hill, Printed and bound by RR Donnelly & Sons Company.

WESSOLEK G., SCHWÄRZEL K., RENGER M., SAUERBREY R., SIEWERT C., 2002 - Soil hydrology and CO₂ release of peat soils. *J. Plant Nutr. Soil Sci.*, 165, 494-500. [https://doi.org/10.1002/1522-2624\(200208\)165:4<494::AID-JPLN494>3.0.CO;2-K](https://doi.org/10.1002/1522-2624(200208)165:4<494::AID-JPLN494>3.0.CO;2-K)

WHALEN S.C., 2005 - Biogeochemistry of methane exchange between natural wetlands and the atmosphere. *Environ. Eng. Sci.*, 22 (1), 73-92. <https://doi.org/10.1089/ees.2005.22.73>

WHALEN S.C., REEBURGH W.S., SANDBECK K.A., 1990 - Rapid methane oxidation in a landfill cover soil. *Appl. Environ. Microb.*, 56 (11), 3405-3411.

WHITICAR M.J., 1999 - Carbon and hydrogen isotope systematics of bacterial formation and oxidation of methane. *Chem. Geol.*, 161 (1-3), 291-314. [https://doi.org/10.1016/S0009-2541\(99\)00092-3](https://doi.org/10.1016/S0009-2541(99)00092-3)

WHITICAR M.J., FABER E., SCHOELL M., 1986 - Biogenic methane formation in marine and freshwater environments: CO₂ reduction vs. acetate fermentation - Isotope evidence. *Geochim. Cosmochim. Ac.*, 50 (5), 693-709. [https://doi.org/10.1016/0016-7037\(86\)90346-7](https://doi.org/10.1016/0016-7037(86)90346-7)

WIKTOROWICZ B., 2004 - Wstępna ocena stanu równowagi hydrogeochemicznej szczaw Ziemi Kłodzkiej przy zastosowaniu modelowania geochemicznego. *Prz. Geol.*, 52 (11), 1071-1075.

WIKTOROWICZ B., 2010 - Hydrochemia szczaw termalnych dusznickiego systemu hydrogeotermicznego. *Techn. Posz. Geol.*, 49 (1-2), 173-181.

WILSON D., ALM J., LAINE J., BYRNE K.A., FARRELL E.P., TUUTTILA E.-S., 2009 - Rewetting of cutaway peatlands: Are we recreating hotspots of methane emissions? *Restor. Ecol.*, 17, 796-806. <https://doi.org/10.1111/j.1526-100X.2008.00416.x>

WIMMER B., HRAD M., HUBER-HUMER M., WATZINGER A., WYHLIDAL S., REICHENAUER T.G., 2013 - Stable isotope signatures for characterising the biological stability of landfilled municipal solid waste. *Waste Manage.*, 33 (10), 2083-2090. <https://doi.org/10.1016/j.wasman.2013.02.017>

WINGATE L., OGEE J., BURLETT R., BOSC A., DEVAUX M., GRACE J., LOUSTAU D., GESSLER A., 2010 - Photosynthetic carbon isotope discrimination and its relationship to the carbon isotope signals of stem, soil and ecosystem respiration. *New Phytol.*, 188 (2), 576-589. <https://doi.org/10.1111/j.1469-8137.2010.03384.x>

WITCZAK S., ADAMCZYK A., 1994 - Katalog wybranych fizycznych i chemicznych wskaźników zanieczyszczeń wód podziemnych i metod ich oznaczania. I, Wiadomości ogólne, Państw. Inspekt. Ochr. Środ., Warszawa.

WITCZAK S., ADAMCZYK A., 1995 - Katalog wybranych fizycznych i chemicznych wskaźników zanieczyszczeń wód podziemnych i metod ich oznaczania. II, Metodyka opróbowania, Państw. Inspekt. Ochr. Środ., Warszawa.

WITCZAK S., KANIA J., KMIECIK E., 2013 - Katalog wybranych fizycznych i chemicznych wskaźników zanieczyszczeń wód podziemnych i metod ich oznaczania. Wyd. IOŚ, Bibl. Monit. Środ., Warszawa.

WITCZAK S., SZKLARCZYK T., KMIECIK E., SZCZEPAŃSKA J., ZUBER A., RÓŻAŃSKI K., DULIŃSKI M., 2007 - Hydrodynamic modelling, environmental tracers and hydrochemistry of a confined sandy aquifer (Kędzierzyn-Głubczyce Subtrough, SW Poland). *Geol. Quart.*, 51 (1), 57-66.

WITKOWSKI A.J., 2009 - Uwagi o monitoringu wód podziemnych dla składowisk odpadów komunalnych. Biul. Państw. Inst. Geol., 436 (2), 535-546.

WITKOWSKI A.J., ŻUREK A.M., 2007 - Wpływ starych zrekultywowanych składowisk odpadów komunalnych na wody podziemne. W: Szczepański A. i in. (red.), Współczesne Problemy Hydrogeologii. T.13. AGH, Kraków, 625-633.

WYNN J.G., BIRD M.I., 2007 - C4-derived soil organic carbon decomposes faster than its C3 counterpart in mixed C3/C4 soils. Global Change Biol., 13, 1-12. <https://doi.org/10.1111/j.1365-2486.2007.01435.x>

WYNN J.G., HARDEN J.W., FRIES T.L., 2006 - Stable carbon isotope depth profiles and soil organic carbon dynamics in the lower Mississippi Basin. Geoderma, 131, 89-109.

<https://doi.org/10.1016/j.geoderma.2005.03.005>

YEŞİLLER N., HANSON J.L., YEE E.H., 2015 - Waste heat generation: A comprehensive review. Waste Manage., 42, 166-179. <https://doi.org/10.1016/j.wasman.2015.04.004>

YOSHIMURA K., INOKURA Y., 1997 - The geochemical cycle of carbon dioxide in a carbonate rock area, Akiyoshi-dai Plateau, Yamaguchi, Southwestern Japan. W: Yuan D. (red.), Proc. 30 Int. Geol. VSP, Utrecht, The Netherlands, 24, 114-126.

ZAWADZKI Z. (red.), 1999 - Gleboznawstwo. Państw. Wyd. Rol. i Leś., Warszawa.

ZHANG J., QUAY P.D., WILBUR D.O., 1995 - Carbon isotope fractionation during gas-water exchange and dissolution of CO₂. Geochim. Cosmochim. Ac., 59, 107-114. [https://doi.org/10.1016/0016-7037\(95\)91550-D](https://doi.org/10.1016/0016-7037(95)91550-D)

ZHAO M., LIU Z., LI H-CH., ZENG CH., YANG R., CHEN B., YAN H., 2015 - Response of dissolved inorganic carbon (DIC) and δ¹³C DIC to changes in climate and land cover in SW China karst catchments. Geochim. Cosmochim. Ac., 165, 123-136. <https://doi.org/10.1016/j.gca.2015.05.041>

ZHU CH., ANDERSON G., 2002 - Environmental Applications of Geochemical Modeling. Cambridge University Press. <https://doi.org/10.1017/CBO9780511606274>

ZIMNOCH M., FLORKOWSKI T., NĘCKI J.M., NEUBERT R.E.M., 2004 - Diurnal variability of δ¹³C and δ¹⁸O of atmospheric CO₂ in the urban atmosphere of Krakow, Poland. Isot. Environ. Health. S., 40, 129-143. <https://doi.org/10.1080/10256010410001670989>

ŻAK S., PRZYLBSKI T., CIĘŻKOWSKI W., 2008 - Określenie zawartości dwutlenku węgla w powietrzu glebowym w Sudetach w rejonach występowania szczaw. Oficyna Wyd. P. Wrocław., 1-87, Wrocław.

Strony internetowe

<http://water.usgs.gov/software/geochemical.html> (korzystano – czerwiec 2014 r.).

www.weatheronline.co.uk (korzystano – maj 2008 r.).

http://www2.ggl.ulaval.ca/cgi-bin/alphadelta/alphadelta_4alpha.cgi (korzystano – styczeń 2014 r.).

<http://kampinoski-pn.gov.pl/monitoring-srodowiska/stacja-bazowa-kampinos/raporty-zmsp>
(korzystano maj 2007 r. – luty 2015 r.).

http://www.ipcc.ch/publications_and_data/publications_ipcc_fourth_assessment_report_wg1_report_the_physical_science_basis.htm (korzystano 2014 r.).