

Emilia Łojek, Robert Bornstein Wstęp

Firląg-Burkacka, E., Siwak, E., Gizińska, J., Święcki, P., Cielniak, I., Horban, A. (2009). Changes in the trends of the HIV/AIDS epidemic, based on surveillance data of Warsaw cohort. *HIV and AIDS Review*, 8, 12-15. [https://doi.org/10.1016/S1730-1270\(10\)60024-0](https://doi.org/10.1016/S1730-1270(10)60024-0)

Gendelman, H.E., Grant, I., Everall, I.P., Fox, H.S., Gelbard, H.A., Lipton, S.A., Swindells, S. (2011) (eds.). *The Neurology of AIDS*. Oxford: Oxford University Press.
<https://doi.org/10.1093/med/9780195399349.001.0001>

Łojek, E., Bornstein, R.A. (2005). The Stability of Neurcognitive Patterns in HIV+ Men: Classification Considerations. *Journal of Clinical and Experimental Neuropsychology*, 27, 665-682.
<https://doi.org/10.1081/JCNEURO-13803390490918426>

Smit, M., Brinkman, K., Geerlings, S., Smit, C., Thyagarajan, K., von Sighem, A., de Wolf, F., Hallett, B. (2015). Future challenges for clinical care of an ageing population infected with HIV: a modelling study. *The Lancet Infectious Diseases*, 15, 810-818. [https://doi.org/10.1016/S1473-3099\(15\)00056-0](https://doi.org/10.1016/S1473-3099(15)00056-0)

Ewa Firląg-Burkacka, Ewa Siwak, Joanna Kubicka, Justyna Dominika Kowalska, Jadwiga Gizińska, Andrzej Horban Epidemiologia zakażeń HIV w Polsce na tle sytuacji w Europie i na świecie

Chylak-Nowosielska, A., Kowalska, J., Kubicka, J., Firląg-Burkacka, E., Horban, A. (2013). Is changing pattern of mortality altering the proportion of HIV-positive patients dying in HIV hospital? E data from Polish Observational Cohort of HIV/AIDS Patients (POLCA) study. 14th European AIDS Conference. Bruksela, Belgia. Abstract Nr PE 12/12.

Mroczkowski, T.F. (red.) (2012). Choroby przenoszone droga płciową. Warszawa: PZWL.

Narodowy Instytut Zdrowia Publicznego Państwowy Zakład Higieny. Zakażenia HIV i zachorowania na AIDS w Polsce. Dane wg stanu w dniu 31.07.2015.

Raport HIV/AIDS surveillance in Europe (2013). Sytuacja epidemiologiczna HIV/AIDS w Europie. ECDC, WHO.

Rosińska, M., Janiec, J., Niedzwiedzka-Stadnik, M. (2013). Increase of new HIV diagnoses among men who have sex with men in Poland, 2000 to 2011. *Eurosurveillance*, 18(48), 20642.

<https://doi.org/10.2807/1560-7917.ES2013.18.48.20642>

Shepherd, L., Ankiersztejn-Bartczak, M., Cybula, A., Czeszko-Paprocka, H., Firląg-Burkacka, E., Horban, A., Mocroft, A., Kowalska, J.D. (2015). Poor linkage to care despite significant improvement in access to early cART E data from Test and Keep in Care (TAK) project.

UNAIDS (2014). 90B90B90 B An ambitious treatment target to help end the AIDS epidemic.
<http://www.unaids.org/en/resources/documents/2014/90-90-90>.

UNAIDS FACT SHEET (2014). Sytuacja epidemiologiczna na Cwiecie. Warszawa: Krajowe Centrum ds. AIDS, Agenda Ministra Zdrowia.

Wiessing, L., van de Laar, M.J., Donoghoe, M.C., Guarita, B., Klempová, D., Griffiths, P. (2008). HIV among injecting drug users in Europe: increasing trends in the East. *Eurosurveillance*, 13(50).
<https://doi.org/10.2807/ese.13.50.19067-en>

Wytyczne EACS. Wersja 8.0. (2015). <http://www.eacsociety.org/guidelines/eacs-guidelines/eacsguidelines.html> EACS.

Justyna Dominika Kowalska Tolerancja leczenia antyretrowirusowego a starzenie się osób żyjących z HIV

ACTG Network Trial Update: HAILO A5322 (2015). Long-term Follow-up of Older HIV-infected Adults: Addressing Aging, HIV Infection & Inflammation. Pozyskano z <https://actgnetwork.org/newsletter/april2015/hailo-a5322> w dniu 17/05/15.

Collaboration of Observational, H. I. V. Epidemiological ResearchEurope in EuroCoord, Lewden, C., Bouteloup, V., De Wit, S., Sabin, C., Mocroft, A.,... Chene, G. (2012). All-cause mortality in treated HIV-infected adults with CD4 4/=500/mm³ compared with the general population: evidence from a large European observational cohort collaboration. International Journal of Epidemiology, 41(2), 433-445. <https://doi.org/10.1093/ije/dyr164>

Crawford, K.W., Spritzler, J., Kalayjian, R.C., Parsons, T., Landay, A., Pollard, R., ... Team, Aids Clinical Trials Protocol. (2010). Age-related changes in plasma concentrations of the HIV protease inhibitor lopinavir. AIDS Research and Human Retroviruses, 26(6), 635-643. <https://doi.org/10.1089/aid.2009.0154>

Deeks, S.G., Phillips, A.N. (2009). HIV infection, antiretroviral treatment, ageing, and non-AIDS related morbidity. BMJ, 338, a3172. <https://doi.org/10.1136/bmj.a3172>

Edelman, E.J., Gordon, K.S., Glover, J., McNicholl, I.R., Fiellin, D.A., Justice, A.C. (2013). The next therapeutic challenge in HIV: polypharmacy. Drugs & Aging, 30(8), 613-628. <https://doi.org/10.1007/s40266-013-0093-9>

Effros, R.B., Fletcher, C.V., Gebo, K., Halter, J.B., Hazzard, W.R., Horne, F.M., ... High, K.P. (2008). Aging and infectious diseases: workshop on HIV infection and aging: what is known and future research directions. Clinical Infectious Diseases, 47(4), 542-553. <https://doi.org/10.1086/590150>

Fellay, J., Boubaker, K., Ledergerber, B., Bernasconi, E., Furrer, H., Battegay, M., ... Swiss, H. I. V. Cohort Study. (2001). Prevalence of adverse events associated with potent antiretroviral treatment: Swiss HIV Cohort Study. Lancet, 358(9290), 1322-1327. [https://doi.org/10.1016/S0140-6736\(01\)06413-3](https://doi.org/10.1016/S0140-6736(01)06413-3)

Grabar, S., Kousignian, I., Sobel, A., Le Bras, P., Gasnault, J., Enel, P., ... Costagliola, D. (2004). Immunologic and clinical responses to highly active antiretroviral therapy over 50 years of age. Results from the French Hospital Database on HIV. AIDS, 18(15), 2029-2038. <https://doi.org/10.1097/00002030-200410210-00007>

Grimes, R.M., Otiniano, M.E., Rodriguez-Barradas, M.C., Lai, D. (2002). Clinical experience with human immunodeficiency virus-infected older patients in the era of effective antiretroviral therapy. Clinical Infectious Disease, 34(11), 1530-1533. <https://doi.org/10.1086/340404>

Gruver, A.L., Hudson, L.L., Sempowski, G.D. (2007). Immunosenescence of ageing. The Journal of Pathology, 211(2), 144-156. <https://doi.org/10.1002/path.2104>

High, K.P., Brennan-Ing, M., Clifford, D.B., Cohen, M.H., Currier, J., Deeks, S.G., ... Aging. (2012). HIV and aging: state of knowledge and areas of critical need for research. A report to the NIH Office of

AIDS Research by the HIV and Aging Working Group. Journal of Acquired Immune Deficiencies Syndromes, 60, Suppl. 1, S1-18. <https://doi.org/10.1097/QAI.0b013e31825a3668>

Hinkin, C.H., Hardy, D.J., Mason, K.I., Castellon, S.A., Durvasula, R.S., Lam, M.N., Stefaniak, M. (2004). Medication adherence in HIV-infected adults: effect of patient age, cognitive status, and substance abuse. AIDS, 18, Suppl. 1, S19-25. <https://doi.org/10.1097/00002030-200401001-00004>

Justice, A.C., Zingmond, D.S., Gordon, K.S., Fultz, S.L., Goulet, J.L., King, J.T., Jr., ... Veterans Aging Cohort Study Project, Team. (2008). Drug toxicity, HIV progression, or comorbidity of aging: does tipranavir use increase the risk of intracranial hemorrhage? Clinical Infectious Diseases, 47(9), 1226-1230. <https://doi.org/10.1086/592302>

Kalayjian, R.C., Landay, A., Pollard, R.B., Taub, D.D., Gross, B.H., Francis, I.R., ... Adult, Aids Clinical Trial Group Protocol Team (2003). Age-related immune dysfunction in health and in human immunodeficiency virus (HIV) disease: association of age and HIV infection with naive CD8+ cell depletion, reduced expression of CD28 on CD8+ cells, and reduced thymic volumes. The Journal of Infectious Diseases, 187(12), 1924-1933. <https://doi.org/10.1086/375372>

Knobel, H., Guelar, A., Valldecillo, G., Carmona, A., Gonzalez, A., Lopez-Colomes, J. L., ... Diez, A. (2001). Response to highly active antiretroviral therapy in HIV-infected patients aged 60 years or older after 24 months follow-up. AIDS, 15(12), 1591-1593. <https://doi.org/10.1097/00002030-200108170-00025>

Kowalska, J.D., Kubicka, J., Siwak, E., Pulik, P., Firlag-Burkacka, E., Horban, A. (2014). Durability of first antiretroviral therapy is better in patients over 50, while comparing to much younger HIV-positive persons E data from POLCA study. 14th European AIDS Conference. Abstract Nr PE 8/3.

Kowalska, J.D., Reekie, J., Mocroft, A., Reiss, P., Ledergerber, B., Gatell, J., ... Euro, Sida Study Grp. (2012). Long-term exposure to combination antiretroviral therapy and risk of death from specific causes: no evidence for any previously unidentified increased risk due to antiretroviral therapy. AIDS, 26(3), 315-323. <https://doi.org/10.1097/QAD.0b013e32834e8805>

Manfredi, R., Chiodo, F. (2000). A case-control study of virological and immunological effects of highly active antiretroviral therapy in HIV-infected patients with advanced age. AIDS, 14(10), 1475-1477. <https://doi.org/10.1097/00002030-200007070-00034>

Marzolini, C., Back, D., Weber, R., Furrer, H., Cavassini, M., Calmy, A., ... Swiss, H. I. V. Cohort Study Members. (2011). Ageing with HIV : medication use and risk for potential drug-drug interactions. The Journal of Antimicrobial Chemotherapy, 66(9), 2107-2111. <https://doi.org/10.1093/jac/dkr248>

Medapalli, R.K., Parikh, C.R., Gordon, K., Brown, S.T., Butt, A.A., Gibert, C.L., ... Wyatt, C.M. (2012). Comorbid diabetes and the risk of progressive chronic kidney disease in HIV-infected adults: data from the Veterans Aging Cohort Study. Journal Acquired Immune Deficiency Syndromes, 60(4), 393-399. <https://doi.org/10.1097/QAI.0b013e31825b70d9>

Murri, R., Marcotullio, S., Lupoli, P., von Schloesser, F. (2006). Is "once-daily" regimen a key strategy for improving adherence to antiretroviral regimens? Journal Acquired Immune Deficiency Syndromes, 42(2), 259-260. <https://doi.org/10.1097/01.qai.0000219781.58292.a6>

Nakagawa, F., Lodwick, R.K., Smith, C.J., Smith, R., Cambiano, V., Lundgren, J.D., ... Phillips, A.N. (2012). Projected life expectancy of people with HIV according to timing of diagnosis. AIDS, 26(3), 335-343. <https://doi.org/10.1097/QAD.0b013e32834dcec9>

Omosa-Manyonyi, G.S., Jaoko, W., Anzala, O., Ongutu, H., Wakasiaka, S., Malogo, R., ... Fast, P. (2011). Reasons for ineligibility in phase 1 and 2A HIV vaccine clinical trials at Kenya AIDS vaccine initiative (KAVI), Kenya. *PLoS One*, 6(1), e14580. <https://doi.org/10.1371/journal.pone.0014580>

Orlando, G., Meraviglia, P., Cordier, L., Meroni, L., Landonio, S., Giorgi, R., ... Cargnel, A. (2006). Antiretroviral treatment and age-related comorbidities in a cohort of older HIV-infected patients. *HIV Medicine*, 7(8), 549E557. <https://doi.org/10.1111/j.1468-1293.2006.00420.x>

Orlando, G., Meraviglia, P., Valsecchi, L., Mainini, A., Schiavini, M., Merli, S., ... Rizzardini, G. (2010). cART durability and causes for treatment switching or discontinuation in HIV-positive patients older than 50 years of age. *Journal Acquired Immune Deficiency Syndromes*, 55(2), e12-14. <https://doi.org/10.1097/QAI.0b013e3181ef791b>

Perez, J.L., Moore, R.D. (2003). Greater effect of highly active antiretroviral therapy on survival in people aged 4 or =50 years compared with younger people in an urban observational cohort. *Clinical Infectious Diseases*, 36(2), 212-218. <https://doi.org/10.1086/345669>

Rotger, M., Taffe, P., Bleiber, G., Gunthard, H.F., Furrer, H., Vernazza, P., ... Swiss, H. I. V. Cohort Study. (2005). Gilbert syndrome and the development of antiretroviral therapy-associated hyperbilirubinemia. *The Journal of Infectious Diseases*, 192(8), 1381-1386. <https://doi.org/10.1086/466531>

Silverberg, M.J., Leyden, W., Horberg, M.A., DeLorenze, G.N., Klein, D., Quesenberry, C.P., Jr. (2007). Older age and the response to and tolerability of antiretroviral therapy. *Archives of Internal Medicine*, 167(7), 684-691. <https://doi.org/10.1001/archinte.167.7.684>

Skiest, D.J., Rubinstien, E., Carley, N., Gioiella, L., Lyons, R. (1996). The importance of comorbidity in HIV-infected patients over 55: a retrospective case-control study. *American Journal of Medicine*, 101(6), 605-611. [https://doi.org/10.1016/S0002-9343\(96\)00329-4](https://doi.org/10.1016/S0002-9343(96)00329-4)

Srinivasan, V., Maestroni, G.J., Cardinali, D.P., Esquifino, A.I., Perumal, S.R., Miller, S.C. (2005). Melatonin, immune function and aging. *Immunity & Ageing*, 2, 17. <https://doi.org/10.1186/1742-4933-2-17>

Tseng, A., Foisy, M. (2012). Important drug-drug interactions in HIV-infected persons on antiretroviral therapy: an update on new interactions between HIV and non-HIV drugs. *Current Infectious Disease Reports*, 14(1), 67-82. <https://doi.org/10.1007/s11908-011-0229-1>

Tseng, A., Foisy, M., Hughes, C.A., Kelly, D., Chan, S., Dayneka, N., ... Yoong, D. (2012). Role of the pharmacist in caring for patients with HIV/AIDS: clinical practice guidelines. *The Canadian Journal of Hospital Pharmacy*, 65(2), 125-145. <https://doi.org/10.4212/cjhp.v65i2.1120>

Uphold, C.R., Maruenda, J., Yarandi, H.N., Sleasman, J.W., Bender, B.S. (2004). HIV and older adults: clinical outcomes in the era of HAART. *Journal of Gerontological Nursing*, 30(7), 16-24; quiz 55-16. <https://doi.org/10.3928/0098-9134-20040701-06>

Wellons, M.F., Sanders, L., Edwards, L.J., Bartlett, J.A., Heald, A.E., Schmader, K.E. (2002). HIV infection: treatment outcomes in older and younger adults. *Jouranl of the American Geriatrics Society*, 50(4), 603-607. <https://doi.org/10.1046/j.1532-5415.2002.50152.x>

Maria Hlebowicz Starzenie się mózgu w zakażeniu HIV

Ances, B.M., Vaida, F., Yeh, M.J., Liang, C.L., Buxton, R.B., Letendre, S., McCutchan, J.A., Ellis, R.J. (2010). HIV infection and aging independently affect brain function as measured by functional magnetic resonance imaging. *The Journal of Infectious Diseases*, 201(3), 336-340.
<https://doi.org/10.1086/649899>

Antinori, A., Arendt, G., Becker, J., Brew, B.J., Byrd, D.A., Cherner, M., Clifford, D.B., Wojna, V.E. (2007). Updated researchnosology for HIV-associated neurocognitive disorders. *Neurology*, 69(18), 1789-1799.
<https://doi.org/10.1212/01.WNL.0000287431.88658.8b>

Barcikowska, M. (2005). Zmiany starcze w o7rodzkowym układzie nerwowym. W: J. Dymecki, J. Kulczycki (red.), *Neuropatologia* (s. 383-400). Wrocław: Urban&Partner.

Bierhoff, M., Boucher, C.A.B., Fibriani, A., Ten, K.R.W. (2013). Ongoing HIV replication in cerebrospinal fluid under successful monotherapy. *Antiviral Therapy*, 18(4), 641-643.
<https://doi.org/10.3851/IMP2530>

Brew, B.J., Crowe, S.M., Landay, A., Cysique, L.A., Guillemin, G. (2009). Neurodegeneration and ageing in the HAART era. *Journal of Neuroimmune Pharmacology*, 4(2), 163-174.
<https://doi.org/10.1007/s11481-008-9143-1>

Cassol, E., Misra,V., Dutta, A. Morgello, S. Gabuzda, D. (2014). Cerebrospinal fluid metabolomics reveals altered waste clearance and accelerated aging in HIV patients with neurocognitive impairment. *AIDS*, 28, 1579-1591. <https://doi.org/10.1097/QAD.0000000000000303>

Chauhan, A., Turchan, J., Pocernich, C., Bruce-Keller, A., Roth, S., Butterfield, D.A., Major, EO., Nath, A. (2003). Intracellular human immunodeficiency virus Tat expression in astrocytes promotes astrocyte survival but induces potent neurotoxicity at distant sites via axonal transport. *The Journal of Biological Chemistry*, 278(15), 13512-13519. <https://doi.org/10.1074/jbc.M209381200>

Ellison D., Love S., Chimelli L., Harding B.N., Lowe J., Vinters, H.V. (red.) (2004). Classification and pathogenesis of neurodegenerative diseases. W: Idem, *Neuropathology. reference text of CNS pathology*. 2nd ed. (s. 495-499). Mosby-Elsevier Limited.

Goodkin, K., Wilkie, F.L., Concha, M., Hinkin, C.H., Symes, S., Baldewicz, T.T., Asthana, D., Eisdorfer, C. (2001). Aging and neuro-AIDS conditions and the changing spectrum of HIV-1-associated morbidity and mortality. *Journal of Clinical Epidemiology*, 54, 12. [https://doi.org/10.1016/S0895-4356\(01\)00445-0](https://doi.org/10.1016/S0895-4356(01)00445-0)

Grabar, S. (2006). HIV infection in older patients in the HAART era. *Journal of Antimicrobial Chemotherapy*, 57(1), 4-7. <https://doi.org/10.1093/jac/dki411>

Hlebowicz, M., Parczewski, M. (2016). Czynniki ryzyka rozwoju zaburzeń neuropoznawczych. W: B. Knysz (red.), *Umysł w zakażeniu HIV* (s. 41-57). Warszawa: Państwowy Zakład Wydawnictw Lekarskich.

Hong, S., Banks, W.A. (2015). Role of the immune system in HIV-associated neuroinflammation and neurocognitive implications. *Brain, Behavior and Immunity*, 45, 1-12.
<https://doi.org/10.1016/j.bbi.2014.10.008>

Iwanowski, L., Kulczycki, J. (1981). Zmiany starcze i choroby przedstarcze. W: M. Mossakowski, J. Dymecki, M. Wender (red.), *Podstawy neuropatologii* (s. 444-460). Warszawa: Państwowy Zakład Wydawnictw Lekarskich.

Kirk, J.B., Goetz, M.B. (2009). Human Immunodeficiency Virus in an Aging Population, a Complication of Success. *Journal of the American Geriatrics Society*, 57(11), 2129-2138.

<https://doi.org/10.1111/j.1532-5415.2009.02494.x>

Kuiper Pikna, J. (2009). Concepts of altered health in older adults. W: C. Mattson Porth, G. Matfin (red.), *Pathophysiology* (s. 36-44). Wolters Kluwer Health/Lippincott Williams&Wilkins.

Leszczyszyn-Pynka, M., Bander, D., Grzeszczuk, A. (2014). Starzenie się pacjentów zakażonych HIV. W: A. Horban i in. (red.), *Zasady opieki nad osobami zakażanymi HIV. Zalecenia PTN AIDS* (s. 400-406). Warszawa: Polskie Towarzystwo Naukowe AIDS.

Letendre, S., FitzSimons, C., Ellis, R., and others (CHARTER Grup) (2010). Correlates of CSF Vidal loads in 1 221 volunteers of the CHARTER cohort. 17th Conference on Retroviruses and Opportunistic Infections. San Francisco, February 16-19. Abstract 172.

Letendre, S., Marquie-Beck, J., Capparelli, E., Best, B., Clifford, D., Collier, A.C., Gelman, B.B., CHARTER Group (January 01, 2008). Validation of the CNS Penetration-Effectiveness rank for quantifying antiretroviral penetration into the central nervous system. *Archives of Neurology*, 65(1), 65-70.
<https://doi.org/10.1001/archneurol.2007.31>

Manfredi, R. (2004). HIV infection and advanced age. Emerging epidemiological, clinical and management issues. *Ageing Research Reviews*, 3, 31-54. <https://doi.org/10.1016/j.arr.2003.07.001>

Martin, C.P., Fain, M.J., Klotz, S.A. (2008). The Older HIV-Positive Adult: A Critical Review of the Medical Literature. *The American Journal of Medicine*, 121(12), 1032-1037.

<https://doi.org/10.1016/j.amjmed.2008.08.009>

Mayer K.H. (2013). Assessment, diagnosis and treatment of HIV-associated neurocognitive disorder: a consensus report of the Mind Exchange Program. *Clinical Infectious Diseases*, 56(7), 1004-1017.
<https://doi.org/10.1093/cid/cis975>

Moulligner A. (2005). Cerebrovascular disease in HIV-infected patients. W: G. Barbaro, F. Boccaro, *Cardiovascular disease in AIDS* (s. 73-84). Milan: Springer. https://doi.org/10.1007/88-470-0358-X_7

Obtułowicz, K. (2013). Układ odpornościowy u osób w starszym wieku. *Fizjologia - profilaktyka - rehabilitacja*. W: A. Marchewka, Z. Dąbrowski, J. Żłotądz (red.), *Fizjologia starzenia się. Profilaktyka i rehabilitacja* (s. 276-291). Warszawa: Wydawnictwo Naukowe PWN.

Parczewski, M., Rymer, W., Knysz, B. (2014). Biologia wirusa, patogeneza zakażeń HIV-1. W: A. Gładysz, B. Knysz (red.), *Zakażenia HIV i AIDS B poradnik dla lekarzy* (s. 17-29). Wrocław: Wydawnictwo Continuo.

Patterson, S.L. (2015). Immune dysregulation and cognitive vulnerability in the aging brain: Interactions of microglia, IL-1 β , BDNF and synaptic plasticity. *Neuropharmacology*, 96, 11-18.
<https://doi.org/10.1016/j.neuropharm.2014.12.020>

Piesiak, W. (2013). Genetyka starzenia się mózgu. *Neurokognitywistyka w Patologii i Zdrowiu 2011-2013. Rocznik Pomorskiej Akademii Medycznej w Szczecinie* (s. 56-66). Szczecin: Pomorski Uniwersytet Medyczny.

Singer, E.J., Valdes-Sueiras, M., Commins, D.L., Yong, W., Carlson, M. (2013). HIV stroke risk: evidence and implications. *Therapeutic Advances in Chronic Disease*, 4(2), 61-70.

<https://doi.org/10.1177/2040622312471840>

Szczyrbowska, M., Leszek, J. (2003). Wybrane zagadnienia immunologiczne u pacjentów w podeszłym wieku. W: J. Leszek (red.), Choroby otępienne. Teoria i praktyka (s. 243-254). Wrocław: Wydawnictwo Continuo.

Tewari, M.M., Varghese, R.K., Menon, M., Seth, P. (February 2015). Astrocytes mediate HIV-1 Tat-induced neuronal damage via ligand-gated ion channel P2X7R. *Journal of Neurochemistry*, 132(4), 464-476. <https://doi.org/10.1111/jnc.12953>

Valcour, V., Sithinamsuwan, P., Letendre, S., Ances, B. (2011). Pathogenesis of HIV in the Central Nervous System. *Current Science Inc. HIV/AIDS*, 8, 54-61. <https://doi.org/10.1007/s11904-010-0070-4>

Vassallo, M., Durant, J., Biscay, V., Lebrun-Frenay, C., Dunais, B., Laffon, M., Harvey-Langton, A., Dellamonica, P. (2014). Can high central nervous system penetrating antiretroviral regimens protect against the onset of HIV-associated neurocognitive disorders? *Aids (London, England)*, 28(4), 493-501. <https://doi.org/10.1097/QAD.0000000000000096>

Vetulani, J., Leszek, J. (2003). Neurochemia zaburzeń procesów poznawczych. W: J. Leszek. (red.), Choroby otępienne. Teoria i praktyka (s. 167-191). Wrocław: Wydawnictwo Continuo.

Victor, M., Ropper, A. (2003). Neurologia starzenia się. W: Idem, wydanie polskie pod red. nauk. A. Prusińskiego, Neurologia Adamsa i Victora (s. 184-187). Lublin: Wydawnictwo Czelej Sp. z o.o.

Wiercińska-Drapała, A., Siwak, E. (2013). Neuropatogeneza zmian w OUN w następstwie infekcji HIV. W: Zaburzenia neuropoznawcze u pacjentów zakażonych HIV: diagnozowanie, monitorowanie, leczenie i profilaktyka HAND. Praktyczny przewodnik dla lekarzy (s. 24-34). Warszawa: Medical Education Sp. z o.o.

Yadav, A., Collman, R. G. (2009). CNS inflammation and macrophage/microglial biology associated with HIV -1 infection. *Journal of Neuroimmune Pharmacology*, 4(4), 430-447.

<https://doi.org/10.1007/s11481-009-9174-2>

Mariusz I. Furmanek Zastosowanie rezonansu magnetycznego w diagnostyce i monitorowaniu zmian w mózgowiu u pacjentów zakażonych wirusem HIV z uwzględnieniem procesów starzenia

Ances, B.M., Ortega, M., Vaida, F., Heaps, J., Paul, R. (2012). Independent effects of HIV, aging, and HAART on brain volumetric measures. *Journal of Acquired Immune Deficiency Syndromes* (1999), 59(5), 469-477. <https://doi.org/10.1097/QAI.0b013e318249db17>

Ances, B.M., Sisti, D., Vaida, F., Liang, C.L., Leontiev, O., Perthen, J.E., ... Group, O. behalf of the H. (2009). Resting cerebral blood flow A potential biomarker of the effects of HIV in the brain. *Neurology*, 73(9), 702-708. <https://doi.org/10.1212/WNL.0b013e3181b59a97>

Antinori, A., Arendt, G., Becker, J.T., Brew, B.J., Byrd, D.A., Cherner, M., ... Wojna, V.E. (2007). Updated research nosology for HIV-associated neurocognitive disorders. *Neurology*, 69(18), 1789-1799. <https://doi.org/10.1212/01.WNL.0000287431.88658.8b>

Ashburner, J., Friston, K.J. (2000). Voxel-based morphometry - the methods. *NeuroImage*, 11(6), 805-821. <https://doi.org/10.1006/nimg.2000.0582>

Becker, J.T., Sanders, J., Madsen, S.K., Ragin, A., Kingsley, L., Maruca, V., ... Study, M.A.C. (2011). Subcortical brain atrophy persists even in HAART-regulated HIV disease. *Brain Imaging and Behaviour*, 5(2), 77-85. <https://doi.org/10.1007/s11682-011-9113-8>

Chang, L., Wong, V., Nakama, H., Watters, M., Ramones, D., Miller, E.N., ... Ernst, T. (2008). Greater than age-related changes in brain diffusion of HIV patients after 1 year. *Journal of Neuroimmune Pharmacology*, 3(4), 265-274. <https://doi.org/10.1007/s11481-008-9120-8>

Chanraud, S., Zahr, N., Sullivan, E.V., Pfefferbaum, A. (2010). MR diffusion tensor imaging: a window into white matter integrity of the working brain. *Neuropsychology Review*, 20(2), 209-225. <https://doi.org/10.1007/s11065-010-9129-7>

Chiang, M.-C., Dutton, R.A., Hayashi, K.M., Lopez, O.L., Aizenstein, H.J., Toga, A.W., ... Thompson, P.M. (2007). 3D pattern of brain atrophy in HIV/AIDS visualized using tensor-based morphometry. *NeuroImage*, 34(1), 44-60. <https://doi.org/10.1016/j.neuroimage.2006.08.030>

Cloak, C.C., Chang, L., Ernst, T. (2004). Increased frontal white matter diffusion is associated with glial metabolites and psychomotor slowing in HIV. *Journal of Neuroimmunology*, 157(1-2), 147-152. <https://doi.org/10.1016/j.jneuroim.2004.08.043>

Damoiseaux, J.S., Rombouts, S.A.R.B., Barkhof, F., Scheltens, P., Stam, C.J., Smith, S.M., Beckmann, C.F. (2006). Consistent resting-state networks. *Proceedings of the National Academy of Sciences*, 103, 13848-13853. <https://doi.org/10.1073/pnas.0601417103>

Dewey, J., Hana, G., Russell, T., Price, J., McCaffrey, D., Harezlak, J., ... Tate, D.F. (2010). Reliability and validity of MRI-based automated volumetry software relative to auto-assisted manual measurement of subcortical structures in HIV-infected patients from a multisite study. *NeuroImage*, 51(4), 1334-1344. <https://doi.org/10.1016/j.neuroimage.2010.03.033>

Ernst, T., Chang, L., Jovicich, J., Ames, N., Arnold, S. (2002). Abnormal brain activation on functional MRI in cognitively asymptomatic HIV patients. *Neurology*, 59(9), 1343-1349. <https://doi.org/10.1212/01.WNL.0000031811.45569.B0>

Ernst, T., Jiang, C.S., Nakama, H., Buchthal, S., Chang, L. (2010). Lower brain glutamate is associated with cognitive deficits in HIV patients: A new mechanism for HIV-associated neurocognitive disorder. *Journal of Magnetic Resonance Imaging*, 32(5), 1045-1053. <https://doi.org/10.1002/jmri.22366>

Filippi, C.G., Ulug, A.M., Ryan, E., Ferrando, S.J., Gorp, W. van (2001). Diffusion tensor imaging of patients with HIV and normal-appearing white matter on MR images of the brain. *American Journal of Neuroradiology*, 22(2), 277-283.

Good, C.D., Johnsrude, I.S., Ashburner, J., Henson, R.N.A., Friston, K.J., Frackowiak, R.S.J. (2002). A voxel-based morphometric study of ageing in 465 normal adult human brains. *W: 5th IEEE EMBS International Summer School on Biomedical Imaging*, 15-23 June.

Güllin, O., Alger, J.R., Barker, P.B., Bartha, R., Bizzi, A. ... Hurd, R.E. (2014). Clinical proton spectroscopy in central nervous system disorders. *Radiology*, 270(3), 658-679. <https://doi.org/10.1148/radiol.13130531>

Heaps, J.M., Joska, J., Hoare, J., Ortega, M., Agrawal, A., Seedat, S., ... Paul, R. (2012). Neuroimaging markers of human immunodeficiency virus infection in South Africa. *Journal of NeuroVirology*, 18(3), 151-156. <https://doi.org/10.1007/s13365-012-0090-5>

Holt, J.L., Kraft-Terry, S.D., Chang, L. (2012). Neuroimaging studies of the aging HIV-1-infected brain. *Journal of NeuroVirology*, 18(4), 291-302. <https://doi.org/10.1007/s13365-012-0114-1>

Kallianpur, K.J., Shikuma, C., Kirk, G.R., Shiramizu, B., Valcour, V., Chow, D., ... Sailsuta, N. (2013). Peripheral blood HIV DNA is associated with atrophy of cerebellar and subcortical gray matter. *Neurology*, 80(19), 1792-1799. <https://doi.org/10.1212/WNL.0b013e318291903f>

Klauschen, F., Goldman, A., Barra, V., Meyer-Lindenberg, A., Lundervold, A. (2009). Evaluation of automated brain MR image segmentation and volumetry methods. *Human Brain Mapping*, 30(4), 1310-1327. <https://doi.org/10.1002/hbm.20599>

Küper, M., Rabe, K., Esser, S., Gizewski, E.R., Husstedt, I.W., Maschke, M., Obermann, M. (2011). Structural gray and white matter changes in patients with HIV. *Journal of Neurology*, 258(6), 1066-1075. <https://doi.org/10.1007/s00415-010-5883-y>

Leite, S.C.B., Corrba, D.G., Doring, T.M., Kubo, T.T.A., Netto, T.M., Ferracini, R., ... Gasparetto, E.L. (2013). Diffusion tensor MRI evaluation of the corona radiata, cingulate gyri, and corpus callosum in HIV patients. *Journal of Magnetic Resonance Imaging*, 38(6), 1488-1493. <https://doi.org/10.1002/jmri.24129>

McMurtry, A., Nakamoto, B., Shikuma, C., Valcour, V. (2008). Cortical atrophy and white matter hyperintensities in HIV: The Hawaii Aging with HIV Cohort Study. *Journal of Stroke and Cerebrovascular Diseases*, 17(4), 212-217. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2008.02.005>

Mohamed, M.A., Barker, P.B., Skolasky, R.L., Selnes, O.A., Moxley, R.T., Pomper, M.G., Sacktor, N.C. (2010). Brain metabolism and cognitive impairment in HIV infection: a 3-T magnetic resonance spectroscopy study. *Magnetic Resonance Imaging*, 28(9), 1251-1257. <https://doi.org/10.1016/j.mri.2010.06.007>

Paul, R.H., Ernst, T., Brickman, A.M., Yiannoutsos, C.T., Tate, D.F., Cohen, R.A., Navia, B.A. (2008). Relative sensitivity of magnetic resonance spectroscopy and quantitative magnetic resonance imaging to cognitive function among nondemented individuals infected with HIV. *Journal of the International Neuropsychological Society*, 14(05), 725-733. <https://doi.org/10.1017/S1355617708080910>

Ragin, A.B., Du, H., Ochs, R., Wu, Y., Sammet, C.L., Shoukry, A., Epstein, L.G. (2012). Structural brain alterations can be detected early in HIV infection. *Neurology*, 79(24), 2328-2334. <https://doi.org/10.1212/WNL.0b013e318278b5b4>

Ragin, A.B., Storey, P., Cohen, B.A., Edelman, R.R., Epstein, L.G. (2004). Disease burden in HIV-associated cognitive impairment A study of whole-brain imaging measures. *Neurology*, 63(12), 2293-2297. <https://doi.org/10.1212/01.WNL.0000147477.44791.BD>

Ragin, A.B., Storey, P., Cohen, B.A., Epstein, L.G., Edelman, R.R. (2004). Whole brain diffusion tensor imaging in HIV-associated cognitive impairment. *American Journal of Neuroradiology*, 25(2), 195-200.

Ragin, A.B., Wu, Y., Storey, P., Cohen, B.A., Edelman, R.R., Epstein, L.G. (2005). Diffusion tensor imaging of subcortical brain injury in patients infected with human immunodeficiency virus. *Journal of Neurovirology*, 11(3), 292-298. <https://doi.org/10.1080/13550280590953799>

Sailsuta, N., Ross, W., Ananworanich, J., Chalermchai, T., DeGruttola, V., Lerdlum, S., ... for the RV254/SEARCH 010 protocol teams. (2012). Change in Brain Magnetic Resonance Spectroscopy after Treatment during Acute HIV Infection. *PLoS ONE*, 7(11), e49272. <https://doi.org/10.1371/journal.pone.0049272>

Simioni, S., Cavassini, M., Annoni, J.-M., Rimbault Abraham, A., Bourquin, I., Schiffer, V., ... Du Pasquier, R.A. (2009). Cognitive dysfunction in HIV patients despite long-standing suppression of viremia: AIDS, 1. <https://doi.org/10.1097/QAD.0b013e3283354a7b>

Steinbrink, F., Evers, S., Buerke, B., Young, P., Arendt, G., Koutsilieri, E., ... the German Competence Network HIV/AIDS (2013). Cognitive impairment in HIV infection is associated with MRI and CSF pattern of neurodegeneration. European Journal of Neurology, 20(3), 420-428.
<https://doi.org/10.1111/ene.12006>

Tate, D.F., Conley, J., Paul, R.H., Coop, K., Zhang, S., Zhou, W., ... Tashima, K. (2010). Quantitative diffusion tensor imaging tractography metrics are associated with cognitive performance among HIV-infected patients. Brain Imaging and Behavior, 4(1), 68-79. <https://doi.org/10.1007/s11682-009-9086-z>

Thomas, J.B., Brier, M.R., Snyder, A.Z., Vaida, F.F., Ances, B.M. (2013). Pathways to neurodegeneration: effects of HIV and aging on resting-state functional connectivity. Neurology, 80(13), 1186-1193.
<https://doi.org/10.1212/WNL.0b013e318288792b>

Thurnher, M.M., Castillo, M., Stadler, A., Rieger, A., Schmid, B., Sundgren, P.C. (2005). Diffusiontensor MR imaging of the brain in human immunodeficiency virus-positive patients. American Journal of Neuroradiology, 26(9), 2275-2281.

Towgood, K.J., Pitkanen, M., Kulasegaram, R., Fradera, A., Kumar, A., Soni, S., ... Kopelman, M.D. (2012). Mapping the brain in younger and older asymptomatic HIV-1 men: Frontal volume changes in the absence of other cortical or diffusion tensor abnormalities. Cortex, 48(2), 230-241.
<https://doi.org/10.1016/j.cortex.2011.03.006>

Wu, Y., Storey, P., Cohen, B.A., Epstein, L.G., Edelman, R.R., Ragin, A.B. (2006). Diffusion alterations in corpus callosum of patients with HIV. American Journal of Neuroradiology, 27(3), 656-660.

Joanna Wójcik Badania spektroskopii rezonansu magnetycznego u osób zakażonych wirusem HIV

Barker, P.B., Hearshen, D., Boska, M. (2001). Single-voxel proton MRS of the human brain at 1.5T and 3.0T. Magnetic Resonance in Medicine, 45, 765-69. <https://doi.org/10.1002/mrm.1104>

Chang, L., Ernst, T., Leonido-Yee, M., Walot, I., Singer, E., (1999). Cerebral metabolite abnormalities correlate with clinical severity of HIV cognitive motor complex. Neurology, 52, 100-108.
<https://doi.org/10.1212/WNL.52.1.100>

Chang, L., Ernst, T., Witt, M., Ames, N., Jocivich, J., Speck, O., Gaiefsky, M., Walot, I., Miller, E., (2002). Relationships among cerebral metabolites, cognitive function and viral loads in antiretroviral-naRve HIV patients. NeuroImage, 17, 1638-1648. <https://doi.org/10.1006/nimg.2002.1254>

Chang, L., Feger, U., Ernst, T. (2012). Bioimaging. W: H. Gendelman, I. Grant, I.P. Everall, H.S. Fox, H.A. Gelbard, S.A. Lipton, S. Swindells (red.), The neurology of AIDS (s. 763-797). New York: Oxford University Press.

Chang, L., Lee, P.L., Yiannoutsos, C., Ernst, T., Marra, C.M., Richards, T., Kolson D., Schifitto, G., Jarvik, G., Miller, EN., Lenkinsk, R., Gonzales, G., Navia, B.A. (2004). A multicenter in vivo proton-MRS study of HIV-associated dementia and its relationship to age. NeuroImage, 23, 1336-1347.
<https://doi.org/10.1016/j.neuroimage.2004.07.067>

Cloak, C.C., Chang, L., Ernst, T. (2004). Increased frontal white matter diffusion associated with glial metabolites and psychomotor slowing in HIV. *Journal of Neuroimmunology*, 157, 147-152.

<https://doi.org/10.1016/j.jneuroim.2004.08.043>

Danielsen, E.R., Ross, B. (1999). Magnetic resonance spectroscopy diagnosis of neurological diseases. New York: Dekker. <https://doi.org/10.1201/9781482270105>

Ernst, T., Chang, L., (2004). Effect of aging on brain metabolism in antiretroviral-naïve HIV patient. *AIDS*, 18 (Suppl 1), S61-S67. <https://doi.org/10.1097/00002030-200401001-00009>

Ernst, T., Jiang, C.S., Nakama, H., Buchthal, S., Chang, L. (2010). Lower brain glutamine is associated with cognitive deficits in HIV patients: a new mechanism for HIV-associated neurocognitive disorder. *Journal of Magnetic Resonance Imaging*, 32(5), 11045-1053. <https://doi.org/10.1002/jmri.22366>

Everall, I., Luther, P., Lantos, P. (1993). A review of neuronal damage in human immunodeficiency virus infection; its assessment, possible mechanism and relationship to dementia. *Journal of Neuropathology and Experimental Neurology*, 52, 561-566. <https://doi.org/10.1097/00005072-199311000-00002>

Gonet, B. (1997). Obrazowanie magnetyczno-rezonansowe. Warszawa: Wydawnictwo Lekarskie PZWL.

Harezlak, J., Buchthal, S., Taylor, M., Schifitto, G., Zhong, J., Daar, E., Alger, J., Singer, E., Campbell, T., Yiannoutsos, C., Cohen, R., Navia, B. (2011). Persistence of HIV-associated cognitive impairment, inflammation, and neuronal injury in era of highly active antiretroviral treatment. *AIDS*, 25, 625-633. <https://doi.org/10.1097/QAD.0b013e3283427da7>

Holt, J.L. Kraft-Terry, S., Chang, L. (2012). Neuroimaging studies of the aging HIV-1-infected brain. *Journal of NeuroVirology*, 18, 291-302. <https://doi.org/10.1007/s13365-012-0114-1>

Jarwick, J.G., Lenkinski, R.E., Grossman, R.I., Frank, I., Rerner, K.N. (1993). Proton MR spectroscopy in HIV-infected patients: Characterization of abnormalities with imaging and clinical correlation. *Radiology*, 186, 739-744. <https://doi.org/10.1148/radiology.186.3.8430182>

Juchem, C., Rothman, D.L. (2014). Basic of magnetic resonance, W: C.J. Stragg, D.L. Rothman (red.), Magnetic resonance spectroscopy. Tools for neuroscience research and emerging clinical applications (s. 3-14). Elsevier. <https://doi.org/10.1016/B978-0-12-401688-0.00001-X>

Mohamed, M.A., Barker P.B., Skolasky R.L., Selnes O., Moxley R., Pomper M.G., Sacktor, N.C. (2010). Brain metabolism and cognitive impairment in HIV infection: A 3-T magnetic resonance spectroscopy study. *Magnetic Resonance Imaging*, 28(9), 1251-1257. <https://doi.org/10.1016/j.mri.2010.06.007>

Navia, B.A., Cho, E.S., Petito, C.K., Price, R.W. (1986). The AIDS dementia complex: II neuropathology, *Annals of Neurology*, 19(6), 525-535. <https://doi.org/10.1002/ana.410190603>

Paley, M., Wilkinson, I.D., Hall-Craggs, M.A., Chong, W.K., Chinn, R.S., Harrison, M.J.G. (1995). Short echo time proton spectroscopy of the brain in HIV infection /AIDS. *Magnetic Resonance Imaging*, 13(6), 871-875. [https://doi.org/10.1016/0730-725X\(95\)00052-I](https://doi.org/10.1016/0730-725X(95)00052-I)

Pavlakis, S.G., Lu, D., Frank, Y., Bakshi, S., Pahwa, S., Barnett, T.A., Porricolo, M., Gould, R., Nozyce, M., Hyman, R.A. (1995). Magnetic resonance spectroscopy in childhood AIDS encephalopathy. *Pediatric Neurology*, 12, 277-282. [https://doi.org/10.1016/0887-8994\(95\)00048-K](https://doi.org/10.1016/0887-8994(95)00048-K)

Qi, S., Yuan, D., Zhao, J., Li, H., Ding, J., Wang, W. (2015). Cerebral metabolism in HIV infected patients with non-cognitive disorder using single voxel magnetic resonance spectroscopy. *Radiology of Infectious Diseases*, 2(2), 61-64. <https://doi.org/10.1016/j.rid.2015.06.004>

Rahimian, P., He, J.J. (2016). HIV/neuroAIDS biomarkers. *Progress in Neurobiology*. 2017;157:117-132 <https://doi.org/10.1016/j.pneurobio.2016.04.003>

Ratai, E.-M., Annamalai, L., Burdo, T., Joo, C.-G., Bombardier, J. P., Fell, R., ... González, R.G. (2011). Brain creatine elevation and N-Acetylaspartate reduction indicates neuronal dysfunction in the setting of enhanced glial energy metabolism in a macaque model of neuroAIDS. *Magnetic Resonance in Medicine*, 66(3), 625-634. <https://doi.org/10.1002/mrm.22821>

Ross, A.J., Sachdev, P.S. (2004). Magnetic resonance spectroscopy in cognitive research. *Brain Research Reviews*, 44(2-3), 83-102. <https://doi.org/10.1016/j.brainresrev.2003.11.001>

Sailasuta, N., Shriner, K., Ross, B. (2008). Evidence of reduced glutamine in the frontal lobe of HIV-seropositive patients. *NMR Biomed*, 22, 326-331. <https://doi.org/10.1002/nbm.1329>

Stragg, C., Rothman, D. (2014). Magnetic resonance spectroscopy. Tools for neuroscience research and emerging clinical applications. Elsevier.

Suwanwelaa, N., Phanuphak, P., Phanthumchinda, K., Suwanwela, N.C., Tantivatana, J., Ruxrungtham, K., Hanvanich, M. (2000). Magnetic resonance spectroscopy of the brain in neurologically asymptomatic HIV-infected patients. *Magnetic Resonance Imaging*, 18(7), 859-865. [https://doi.org/10.1016/S0730-725X\(00\)00173-9](https://doi.org/10.1016/S0730-725X(00)00173-9)

Tarasów, E., Wiercińska-Drapała, A., Jaroszewicz, J., Orzechowska-Bobkiewicz, A., Dzienis, W., Prokopowicz, D., Walecki, J. (2004). Antiretroviral therapy and its influence on the stage of brain damage in patients with HIV - 1H MRS evaluation. *Medical Science Monitor: International Medical Journal of Experimental and Clinical Research*, 10, Suppl 3, 101-106.

Urbanik, A. (2002). Ocena procesu starzenia się mzgu metoda protonowej spektroskopii rezonansu magnetycznego. Kraków: Katedra Radiologii CMUJ (rozprawa habilitacyjna).

Wójcik, J. (2007). Prawidłowy model metaboliczny mzgu z użyciem techniki HMRS dla wybranych metabolitów. Kraków: AGH (praca magisterska).

Wu, W.E., Babb, J.S., Tal, A., Kirov, I.I., George, A.E., Ratai, E.-M., Gonon, O. (2015). Early glial activation precedes neurodegeneration in the cerebral cortex after SIV infection: a 3D, multivoxel proton magnetic resonance spectroscopy study. *HIV Medicine*, 16(6), 381-387.

<https://doi.org/10.1111/hiv.12222>

Agnieszka Pluta, Tomasz Wolak, Katarzyna Cieśla, Monika Lewandowska,
Mateusz Rusiniak **Zmiany strukturalne i funkcjonalne mózgu towarzyszące
starzeniu się osób zakażonych HIV. Przegląd badań z zastosowaniem techniki
neuroobrazowania**

Ances, B.M., Ortega, M., Vaida, F., Heaps, J., Paul, R. (2012). Independent effects of HIV, aging, and HAART on brain volumetric measures. *Journal of Acquired Immune Deficiency Syndromes* (1999), 59(5), 469-477. <https://doi.org/10.1097/QAI.0b013e318249db17>

Ances, B.M., Vaida, F., Yeh, M.J., Liang, C.L., Buxton, R.B., Letendre, S., ... Ellis, R.J. (2010). HIV and aging independently affect brain function as measured by functional magnetic resonance imaging. *The Journal of Infectious Diseases*, 201(3), 336-340. <https://doi.org/10.1086/649899>

Becker, J.T., Maruca, V., Kingsley, L. A., Sanders, J.M., Alger, J.R., Barker, P.B., ... Multicenter AIDS Cohort Study. (2012). Factors affecting brain structure in men with HIV disease in the post-HAART era. *Neuroradiology*, 54(2), 113-121. <https://doi.org/10.1007/s00234-011-0854-2>

Boska, M., Mosley, R., Nawab, M., et al. (2004). Advances in neuroimaging for HIV-1 associated neurological dysfunction: clues to the diagnosis, pathogenesis and therapeutic monitoring. *Current HIV Research*, 2, 61-78. <https://doi.org/10.2174/1570162043485095>

Brust D., Polis, M., Davey, R., et al. (2006). Fluorodeoxyglucose imaging in healthy subjects with HIV infection: impact of disease stage and therapy on pattern of nodal activation. *AIDS*, 20, 495-503. <https://doi.org/10.1097/01.aids.0000210603.40267.29>

Cadogan, M., Dalgleish, A. (2008). HIV induced AIDS and related cancers: chronic immune activation and future therapeutic strategies. *Advances in Cancer Research*, 101, 349-395. [https://doi.org/10.1016/S0065-230X\(08\)00409-0](https://doi.org/10.1016/S0065-230X(08)00409-0)

Cardenas, V.A., Meyerhoff, D.J., Studholme, C., Kornak, J., Rothlind, J., Lampiris, H., ... Weiner, M.W. (2009). Evidence for ongoing brain injury in human immunodeficiency virus-positive patients treated with antiretroviral therapy. *Journal of Neurovirology*, 15(4), 324-333. <https://doi.org/10.1080/13550280902973960>

Chang, L., Holt, J.L., Yakupov, R., Jiang, C.S., Ernst, T. (2013). Lower cognitive reserve in the aging human immunodeficiency virus-infected brain. *Neurobiology of Aging*, 34(4), 1240-1253. <https://doi.org/10.1016/j.neurobiolaging.2012.10.012>

Chang, L., Speck, O., Miller, E.N., Braun, J., Jovicich, J., Koch, C., ... Ernst, T. (2001). Neural correlates of attention and working memory deficits in HIV patients. *Neurology*, 57(6), 1001-1007. <https://doi.org/10.1212/WNL.57.6.1001>

Chang, L., Wang, G., Volkow, N., et al. (2008). Decreased brain dopamine transporters are related to cognitive deficits in HIV patients with or without cocaine abuse. *NeuroImage*, 42, 869-78. <https://doi.org/10.1016/j.neuroimage.2008.05.011>

Churchill, M., Nath, A. (2013). Where does HIV hide? A focus on the central nervous system. *Current Opinion in HIV and AIDS*, 8, 165-169. <https://doi.org/10.1097/COH.0b013e32835fc601>

Clark, U.S., Cohen, R.A. (2010). Brain dysfunction in the era of combination antiretroviral therapy: Implications for the treatment of the aging population of HIV-infected individuals. *Current Opinion in Investigational Drugs* (London, England: 2000), 11(8), 884-900.

Cohen, R.A., Harezlak, J., Schifitto, G., Hana, G., Clark, U., Gongvatana, A., ... Navia, B. (2010). Effects of nadir CD4 count and duration of human immunodeficiency virus infection on brain volumes in the highly active antiretroviral therapy era. *Journal of Neurovirology*, 16(1), 25-32. <https://doi.org/10.3109/13550280903552420>

Coughlin, J.M., Wang, Y., Ma, S., Yue, C., Kim, P.K., Adams, A.V., Roosa, H.V., Gage, K.L., Stathis, M., Rais, R., Rojas, C., McGlothan, J.L., Watkins, C.C., Sacktor, N., Guilarte, T.R., Zhou, Y., Sawa, A., Slusher, B.S., Caffo, B., Kassiou, M., Endres, C.J., Pomper, M.G. (2016). Regional brain distribution of

translocator protein using [11C]DPA-713 PET in individuals infected with HIV. *Neurovirology*, 20, 219-232. <https://doi.org/10.1007/s13365-014-0239-5>

Davis, S.W., Dennis, N.A., Daselaar, S.M., Fleck, M.S., Cabeza, R. (2008). Que PASA? The posterior-anterior shift in aging. *Cerebral Cortex* (New York, N.Y.: 1991), 18(5), 1201-1209. <https://doi.org/10.1093/cercor/bhm155>

Davison, J.M., Subramaniam, R.M., Surasi, D.S., Cooley, T., Mercier, G., Peller, P.J. (2011). PET/CT in patients with HIV. *AJR. American Journal of Roentgenology*, 197(2), 284-294. <https://doi.org/10.2214/AJR.10.6332>

Dennis, N.A., Cabeza, R. (2011). Age-related dedifferentiation of learning systems: an fMRI study of implicit and explicit learning. *Neurobiology of Aging*, 32(12), 2318.e17-2318.e30.

<https://doi.org/10.1016/j.neurobiolaging.2010.04.004>

Ernst, T., Yakupov, R., Nakama, H., Crocket, G., Cole, M., Watters, M., ... Chang, L. (2009). Declined neural efficiency in cognitively stable human immunodeficiency virus patients. *Annals of Neurology*, 65(3), 316-325. <https://doi.org/10.1002/ana.21594>

Fera, F., Weickert, T.W., Goldberg, T.E., Tessitore, A., Hariri, A., Das, S., ... Mattay, V.S. (2005). Neural mechanisms underlying probabilistic category learning in normal aging. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 25(49), 11340-11348. <https://doi.org/10.1523/JNEUROSCI.2736-05.2005>

Grill-Spector, K., Henson, R., Martin, A. (2006). Repetition and the brain: neural models of stimulus-specific effects. *Trends in Cognitive Sciences*, 10(1), 14-23. <https://doi.org/10.1016/j.tics.2005.11.006>

Hammoud, D.A., Endres, C.J., Chander, A.R., Guilarte, T.R., Wong, D.F., Sacktor, N.C., McArthur, J.C., Pomper, M.G. (2005). Imaging glial cell activation with [11C]-R-PK11195 in patients with AIDS. *Journal of Neurovirology*, 11, 346-355. <https://doi.org/10.1080/13550280500187351>

Hardy, G., Worrell, S., Hayes, P., et al. (2004). Evidence of thymic reconstitution after highly active antiretroviral therapy in HIV-1 infection. *HIV Medicine*, 5, 67-73. <https://doi.org/10.1111/j.1468-1293.2004.00187.x>

Holt, J.L., Kraft-Terry, S.D., Chang, L. (2012). Neuroimaging studies of the aging HIV-1-infected brain. *Journal of Neurovirology*, 18(4), 291-302. <https://doi.org/10.1007/s13365-012-0114-1>

Iyengar, S., Chin, B., Margolick, J.B., et al. (2003). Anatomical loci of HIV-associated immune activation and association with viraemia. *Lancet*, 362, 945-950. [https://doi.org/10.1016/S0140-6736\(03\)14363-2](https://doi.org/10.1016/S0140-6736(03)14363-2)

K'per, M., Rabe, K., Esser, S., Gizewski, E.R., Husstedt, I.W., Maschke, M., Obermann, M. (2011). Structural gray and white matter changes in patients with HIV. *Journal of Neurology*, 258(6), 1066-1075. <https://doi.org/10.1007/s00415-010-5883-y>

Lackner, A.A., Veazey, R.S. (2007). Current concepts in AIDS pathogenesis: insights from the SIV/macaque model. *Annual Review of Medicine*, 58, 461-476. <https://doi.org/10.1146/annurev.med.58.082405.094316>

Lewitschnig, S., Gedela, K., Toby, M., Kulasegaram, R., Nelson, M., OcDoherty, M., Cook, G.J.R. (2013). 18F-FDG PET/CT in HIV-related central nervous system Pathology. *European Journal of Nuclear Medicine and Molecular Imaging*, 40, 1420-1427. <https://doi.org/10.1007/s00259-013-2448-1>

Li, Y., Li, H., Gao, Q., Yuan, D., Zhao, J. (2014). Structural gray matter change early in male patients with HIV. International Journal of Clinical and Experimental Medicine, 7(10), 3362-3369.

Liu, C., Wang, C., Leclair, M., Young, M., Jiang, X. (2015). Reduced neural specificity in middle-aged HIV+ women in the absence of behavioral deficits. NeuroImage: Clinical, 8, 667-675.

<https://doi.org/10.1016/j.nicl.2014.12.003>

Logothetis, N.K., Pauls, J., Augath, M., Trinath, T., Oeltermann, A., et al. (2001). Neurophysiological investigation of the basis of the fMRI signal. Nature, 412(6843), 150-157.

<https://doi.org/10.1038/35084005>

Melrose, R.J., Tinaz, S., Castelo, J.M.B., Courtney, M.G., Stern, C.E. (2008). Compromised frontostriatal functioning in HIV: an fMRI investigation of semantic event sequencing. Behavioural Brain Research, 188(2), 337-347. <https://doi.org/10.1016/j.bbr.2007.11.021>

Ortega, M., Ances, B.M. (2014). Role of HIV in amyloid metabolism. Journal of Neuroimmune Pharmacology, 9, 483-491. <https://doi.org/10.1007/s11481-014-9546-0>

Pascal, S., Resnick, L., Barker, W., et al. (1991). Metabolic asymmetries in asymptomatic HIV-1 seropositive subjects: relationship to disease onset and MRI findings. The Journal of Nuclear Medicine, 32, 1725-1729.

Ragin, A.B., Du, H., Ochs, R., Wu, Y., Sammet, C.L., Shoukry, A., Epstein, L.G. (2012). Structural brain alterations can be detected early in HIV infection. Neurology, 79(24), 2328-2334.

<https://doi.org/10.1212/WNL.0b013e318278b5b4>

Ragin, A.B., Wu, Y., Gao, Y., Keating, S., Du, H., Sammet, C., ... Epstein, L.G. (2015). Brain alterations within the first 100 days of HIV infection. Annals of Clinical and Translational Neurology, 2(1), 12-21. <https://doi.org/10.1002/acn3.136>

Rottenberg, D., Sidtis J., Strother., S, et al. (1996). Abnormal cerebral glucose metabolism in HIV-1 seropositive subjects with and without dementia. Journal of Nuclear Medicine, 37(7), 1133-1141.

Rypma, B., DcEsposito, M. (2000). Isolating the neural mechanisms of age-related changes in human working memory. Nature Neuroscience, 3(5), 509-515. <https://doi.org/10.1038/74889>

Sacktor, N.C., Wong, M., Nakasujja, N., Skolasky, R.L., Selnnes, O.A., Musisi, S., ... Katabira, E. (2005). The International HIV Dementia Scale: a new rapid screening test for HIV dementia. AIDS (London, England), 19(13), 1367-1374.

Sathekge, M., Goethals, I., Maes, A., van de Wiele, c. (2009). Positron emission tomography in patients suffering from HIV-1 infection. European Journal of Nuclear Medicine and Molecular Imaging, 36, 1176-1184. <https://doi.org/10.1007/s00259-009-1126-9>

Scharko A., Perlman, S., Pyzalski, R., Graziano, F., Sosman, J., Pauza, C. (2003). Whole-body positron emission tomography in patients with HIV-1 infection. Lancet, 20, 959-961.

[https://doi.org/10.1016/S0140-6736\(03\)14366-8](https://doi.org/10.1016/S0140-6736(03)14366-8)

Schouten, J., Cinque, P., Gisslen, M., Reiss, P., Portegies, P. (2011). HIV-1 infection and cognitive impairment in the cART-era: A review. AIDS, 25, 561-575.

<https://doi.org/10.1097/QAD.0b013e3283437f9a>

Stern, Y. (2002). What is cognitive reserve? Theory and research application of the reserve concept. Journal of the International Neuropsychological Society, 8(03), 448-460.

<https://doi.org/10.1017/S1355617702813248>

Stout, J.C., Ellis, R.J., Jernigan, T.L., Archibald, S.L., Abramson, I., Wolfson, T., ... Grant, I. (1998). Progressive cerebral volume loss in human immunodeficiency virus infection: a longitudinal volumetric magnetic resonance imaging study. HIV Neurobehavioral Research Center Group. Archives of Neurology, 55(2), 161-168. <https://doi.org/10.1001/archneur.55.2.161>

Thames, A.D., Sayegh, P., Terashima, K., Foley, J.M., Cho, A., Arentoft, A., ... Bookheimer, S.Y. (2015). Increased subcortical neural activity among HIV+ individuals during a lexical retrieval task. Neurobiology of Disease, 92(PtB), 175-182. <https://doi.org/10.1016/j.nbd.2015.10.017>

Towgood, K.J., Pitkanen, M., Kulasegaram, R., Fradera, A., Kumar, A., Soni, S., ... Kopelman, M.D. (2012). Mapping the brain in younger and older asymptomatic HIV-1 men: frontal volume changes in the absence of other cortical or diffusion tensor abnormalities. Cortex; a Journal Devoted to the Study of the Nervous System and Behavior, 48(2), 230-241. <https://doi.org/10.1016/j.cortex.2011.03.006>

Tucker, K.A., Robertson, K.R., Lin, W., et al. (2004). Neuroimaging in human immunodeficiency virus infection. Journal of Neuroimmunology, 157, 153-162. <https://doi.org/10.1016/j.jneuroim.2004.08.036>

Venkat, R., Teshome, M., Aldea, P., Fagan, A.M., Holtzman, D.M., Morris, J.C., Clifford, D.B., (2012). ¹¹C-PiB imaging of human immunodeficiency virus-associated neurocognitive disorder. Archives of Neurology, 69(1), 72-77. <https://doi.org/10.1001/archneurol.2011.761>

Wang, G.J., Chang, L., Volkow, N.D., et al. (2004). Decreased brain dopaminergic transporters in HIV-associated dementia patients. Brain, 127 (Pt 11), 2452-2458. <https://doi.org/10.1093/brain/awh269>

Whitwell, J.L. (2009). VoxelBased morphometry: an automated technique for assessing structural changes in the brain. The Journal of Neuroscience, 29(31), 9661-9664.
<https://doi.org/10.1523/JNEUROSCI.2160-09.2009>

Zhao, J., Li, H., Zuo, P., Li, N., Qi, S., Yuan, D., ... Gao, Q. (2015). Research article: Altered brain functions in HIV positive patients free of HIV-associated neurocognitive disorders: A MRI study during unilateral hand movements. Radiology of Infectious Diseases, 1, 83-87.

<https://doi.org/10.1016/j.jrid.2015.02.009>

Adela Desowska Zmiany w istocie białej mózgu a funkcjonowanie neuropoznawcze w infekcji HIV

Chan, P., Brew, B.J. (2014). HIV associated neurocognitive disorders in the modern antiviral treatment era: prevalence, characteristics, biomarkers, and effects of treatment. Current HIV/AIDS Reports, 11(3), 317-24. <https://doi.org/10.1007/s11904-014-0221-0>

Chang, L., Wong, V., Nakama, H., Watters, M., Ramones, D., Miller, E.N., Cloak, C., Ernst, T. (2008). Greater than age-related changes in brain diffusion of HIV patients after 1 year. Journal of Neuroimmune Pharmacology, 3, 265-274. <https://doi.org/10.1007/s11481-008-9120-8>

Gartner, S. (2000). HIV infection and dementia. Science, 287, 602-604.
<https://doi.org/10.1126/science.287.5453.602>

Gongvatana, A., Cohen, R.A., Correia, S., Devlin, K.N., Miles, J., Kang, H., Ombao, H., Navia, B., Laidlaw, D.H., Tashima, K.T. (2011). Clinical contributors to cerebral white matter integrity in HIV-infected individuals. *Journal of Neurovirology*, 17, 477-486. <https://doi.org/10.1007/s13365-011-0055-0>

Harezlak, J., Buchthal, S., Taylor, M., Schifitto, G., Zhong, J., Darr, E., Alger, J., Singer, E., Campbell, T., Yiannoutsos, C., Cohen, R., Navia, B., HIV Neuroimaging Consortium. (2011). Persistence of HIV-associated cognitive impairment, inflammation, and neuronal injury in era of highly active antiretroviral treatment. *AIDS*, 25, 625-633. <https://doi.org/10.1097/QAD.0b013e3283427da7>

Hoare, J., Fouche, J.P., Spottiswoode, B., Sorsdahl, K., Combrinck, M., Stein, D.J., Paul, R.H., Joska, J.A. (2011). White-matter damage in clade C HIV-positive subjects: a diffusion tensor imaging study. *The Journal of Neuropsychiatry and Clinical Neuroscience*, 23(3), 308-315.

<https://doi.org/10.1176/jnp.23.3.jnp308>

Hoare, J., Westgarth-Taylor, J., Fouche, J.P., Combrinck, M., Spottiswoode, B., Stein, D.J., Joska, J.A. (2013). Relationship between apolipoprotein E4 genotype and white matter integrity in HIV-positive young adults in SouthAfrica. *European Archives of Psychiatry and Clinical Neuroscience*, 263(3), 189-195. <https://doi.org/10.1007/s00406-012-0341-8>

Hoare, J., Westgarth-Taylor J., Fouche J.P., Spottiswoode B., Paul R., Thomas K., Stein D., Joska J. (2012). A diffusion tensor imaging and neuropsychological study of prospective memory impairment in SouthAfrican HIV positive individuals. *Metabolic Brain Disease*, 27(3), 289-297.

<https://doi.org/10.1007/s11011-012-9311-0>

Masliah, E., DeTeresa, R.M., Mallory, M.E., Hansen, L.A. (2000). Changes in pathological findings at autopsy in AIDS cases for the last 15 years. *AIDS*, 14, 69-74. <https://doi.org/10.1097/00002030-200001070-00008>

M'ller-Oehring, E.M., Schulte, T., Rosenbloom, M.J., Pfefferbaum, A., Sullivan, E.V. (2010). Callosal degradation in HIV-1 infection predicts hierarchical perception: a DTI study. *Neuropsychologia*, 48, 1133-1143. <https://doi.org/10.1016/j.neuropsychologia.2009.12.015>

Navia, B., (2011). HIV Neuroimaging Consortium. Persistence of HIV-associated cognitive impairment, inflammation, and neuronal injury in era of highly active antiretroviral treatment. *AIDS*, 25, 625-633. <https://doi.org/10.1097/QAD.0b013e3283427da7>

Nir, T.M., Jahanshad, N., Busovaca, E., Wendelken, L., Nicolas, K., Thompson, P.M., Valcour, V.G. (2014). Mapping white motter integrity in eldery people with HIV. *Human Brain Mapping*, 35(3), 975-992. <https://doi.org/10.1002/hbm.22228>

Pfefferbaum, A., Rosenbloom, M.J., Adalsteinsson, E., Sullivan, E.V. (2007). Diffusion tensor imaging with quantitative fibre tracking in HIV infection and alcoholism comorbidity: Synergistic white matter damage. *Brain*, 130, 48-64. <https://doi.org/10.1093/brain/awl242>

Pfefferbaum, A., Rosenbloom, M.J., Rohlfing, T., Kemper, C.A., Deresinski, S., Sullivan, E.V. (2009). Frontostriatal fiber bundle compromise in HIV infection without dementia. *AIDS (London, England)*, 23(15), 1977-1985. <https://doi.org/10.1097/QAD.0b013e32832e77fe>

Pomara, N., Crandall, D.T., Choi, S.J., Johnson, G., Lim, K.O. (2001). White matter abnormalities in HIV-1 infection: A diffusion tensor imaging study. *Psychiatry Research*, 106, 15-24. [https://doi.org/10.1016/S0925-4927\(00\)00082-2](https://doi.org/10.1016/S0925-4927(00)00082-2)

Schulte, T., M'Iller-Oehring, E.M., Sullivan, E.V., Pfefferbaum, A. (2012). White matter fiber compromise contributes differentially to attention and emotion processing impairment in alcoholism, HIV-infection, and their comorbidity. *Neuropsychologia*, 50(12), 2812-2822.

<https://doi.org/10.1016/j.neuropsychologia.2012.07.042>

Stebbins, G.T., Smith, C.A., Bartt, R.E., Kessler, H.A., Adeyemi, O.M., Martin, E., Cox, J.L., Bammer, R., Moseley, M.E. (2007). HIV-associated alterations in normal-appearing white matter: A voxel-wise diffusion tensor imaging study. *Journal of Acquired Immune Deficiency Syndrome*, 46, 564-573.

<https://doi.org/10.1097/QAI.0b013e318159d807>

Stubbe-Drfger, B., Deppe, M., Mohammadia, S., Keller, S.S., Kugel, H., Gregor, N., Evers, S., Young, P., Ringelstein, E.B., Arendt, G., Knecht, S., Husstedt, I.W. (2012). Early microstructural white matter changes in patients with HIV: a diffusion tensor imaging study. *BMC Neurology*, 12, 23.

<https://doi.org/10.1186/1471-2377-12-23>

Towgood, K.J., Pitkanen, M., Kulasegaram, R., Fradera, A., Kumara, A., Sonic, S., Sibtaind, N.A., Reeda, L., Bradbeerc, C., Barkera, G.J., Kopelman, M.D. (2012). Mapping the brain in younger and older asymptomatic HIV-1 men: Frontal volume changes in the absence of other cortical or diffusion tensor abnormalities. *Cortex*, 48, 230-241. <https://doi.org/10.1016/j.cortex.2011.03.006>

UNAIDS (2015). UNAIDS report on the global AIDS epidemic.

http://www.unaids.org/sites/default/files/media_asset/AIDS_by_the_numbers_2015_en.pdf

Wright, P.W., Heaps, J.M., Shimony, J.S., Thomas, J.B., Ances, B.M. (2012). The Effects of HIV and combination antiretroviral therapy on white matter integrity. *AIDS*, 26(12), 1501-1508.

<https://doi.org/10.1097/QAD.0b013e3283550bec>

Wu, Y., Storey, P., Cohen, B.A., Epstein, L.G., Edelman, R.R., Ragin, A.B. (2006). Diffusion alterations in corpus callosum of patients with HIV. *American Journal of Neuroradiology*, 27, 656-660.

Zhu, T., Zhong, J., Hu, R., Tivarus, M., Ekholm, S., Harezlak, J., Ombao, H., Navia, B., Cohen, R., Schifitto, G. (2013). Patterns of white matter injury in HIV infection after partial immune reconstitution: a DTI tract-based spatial statistics study. *Journal of Neurovirology*, 19(1), 10-23.

<https://doi.org/10.1007/s13365-012-0135-9>

Anna Rita Egbert, Agnieszka Pluta Jak starzeje się mózg w infekcji HIV: doniesienia z badań nad spoczynkową aktywnością mózgu metoda czynnościowego rezonansu magnetycznego

Anderson, A.M., Harezlak, J., Bharti, A.M.D., Taylor, M.J., Daar, E.S., Schifitto, G., Zhong, J., Alger, J.R., Brown, M.S., Singer, E.J., Campbell, T.B., McMahon, D.D., Buchthal, S., Cohen, R., Yiannoutsos, C., Letendre, S.L., Navia, B.A., HIV Neuroimaging Consortium (2015). Plasma and cerebrospinal fluid biomarkers predict cerebral injury in HIV-infected individuals on stable combination antiretroviral therapy. *JAIDS Journal of Acquired Immune Deficiency Syndromes*, 1.

<https://doi.org/10.1097/QAI.0000000000000532>

Ances, B.M., Vaida, F., Yeh, M.J., Liang, C.L., Buxton, R.B., Letendre, S., McCutchan, A., Ellis, R.J. (2010). HIV infection and aging independently affect brain function as measured by functional magnetic resonance imaging. *The Journal of Infectious Diseases*, 201, 336-340. <https://doi.org/10.1086/649899>

Biswal, B., Zerrin Yetkin, F., Haughton, V.M., Hyde, J.S. (1995). Functional connectivity in the motor cortex of resting human brain using echo-planar mri. *Magnetic Resonance in Medicine*, 34(9), 537-541. <https://doi.org/10.1002/mrm.1910340409>

Brennan, M., Karpiak, S.E., Shippy, R.A., Cantor, M.H. (2009). Older adults with HIV. An in-depth examination of an emerging population. New York: Nova Science Publishers.

Brew, B.J., Crowe, S.M., Landay, A., Cysique, A.L., Gullemin, G. (2009). Neurodegeneration and aging in the HAART era. *Journal of Neuroimmune Pharmacology*, 4, 163-174. <https://doi.org/10.1007/s11481-008-9143-1>

Carey, J.R., Kimberley, T.J., Lewis, S.M., Auerbach, E.J., Dorsey, L., Rundquist, P., et al. (2002). Analysis of fMRI and finger tracking training in subjects with chronic stroke. *Brain* 125(Pt 4), 773-788. <https://doi.org/10.1093/brain/awf091>

Chiodi, F., Albert, J., Olausson, E., Norkrans, G., Hagberg, L., Sinnerborg, A., Asjo, B., Fenyi, E.M. (1988). Isolation frequency of human immunodeficiency virus from cerebrospinal fluid and blood of patients with varying severity of HIV infection. *AIDS Research and Human Retroviruses*, 4(5), 351-358. <https://doi.org/10.1089/aid.1988.4.351>

Damoiseaux, J.S., Rombouts, S.A.R.B., Barkhof, F., Scheltens, P., Stam, C.J., Smith, S.M., Beckmann, C.F. (2006). Consistent resting-state networks. *Proceedings of the National Academy of Sciences*, 103, 13848-13853. <https://doi.org/10.1073/pnas.0601417103>

Damoiseaux, J.S., Beckmann, C.F., Arigita, E.J.S., Barkhof, F., Scheltens, P., Stam, C.J., Smith, S.M., Rombouts, S.A.R.B. (2008). Reduced resting-state brain activity in the "default network" in normal aging. *Cerebral Cortex*, 18(August), 1856-1864. <https://doi.org/10.1093/cercor/bhm207>

Egbert, A.R., Seidel, L., Brennan-Ing, M., Havlik, R., Karpiak, S. (under review). Depression and Multimorbidity: The Impact of HIV. AIDS Care.

Eyre, H.A., Yang, H., Leaver, A.M., Van Dyk, K., Siddarth, P., Cyr, N.S., Narr, K., Ercoli, L., Baune, B.T., Lavretsky, H. (2016). Altered resting-state functional connectivity in late-life depression: A cross-sectional study. *Journal of Affective Disorders*, 189, 126-133. <https://doi.org/10.1016/j.jad.2015.09.011>

Fox, M.D., Raichle, M.E. (2007). Spontaneous fluctuations in brain activity observed with functional magnetic resonance imaging. *Nature Reviews Neuroscience*, 8(september), 700-711. <https://doi.org/10.1038/nrn2201>

Gohel, S.R., Biswal, B.B. (2015). Functional Integration Between Brain Regions at Rest Occurs in Multiple-Frequency Bands. *Brain Connectivity*, 5(1), 23-34. <https://doi.org/10.1089/brain.2013.0210>

Greicius, M.D., Krasnow, B., Reiss, A.L., Menon, V. (2003). Functional connectivity in the resting brain: a network analysis of the default mode hypothesis. *Proceedings of the National Academy of Sciences of the United States of America*, 100(1), 253-258. <https://doi.org/10.1073/pnas.0135058100>

Greicius, M.D., Srivastava, G., Reiss, A. Menon, V. (2004). Default-mode network activity distinguishes Alzheimer's disease from healthy aging: Evidence from functional MRI. *Proceedings National Academy of Sciences of the USA*, 101, 4637-4642. <https://doi.org/10.1073/pnas.0308627101>

Greicius, M.D., Supekar, K., Menon, V., Dougherty, R.F. (2009). Resting-state functional connectivity reflects structural connectivity in the default mode network. *Cerebral Cortex*, 19(January), 72-78. <https://doi.org/10.1093/cercor/bhn059>

Guaraldi, G., Orlando, G., Zona, S., et al. (2011). Premature age-related comorbidities among HIV-infected persons compared with the general population. *Clinical Infectious Diseases*, 53, 1120-1126. <https://doi.org/10.1093/cid/cir627>

Havlik, R.J., Brennan, M., Karpiak, S.E. (2011). Comorbidities and depression in older adults with HIV. *Sexual Health*, 8, 551-559. <https://doi.org/10.1071/SH11017>

Heaton, R.K., Franklin, D.R., Deutsch, R., Letendre, A., Ellis, R.J., Casaletto, K., Marquine, M.J., Woods, S., Vaida, F., Atkinson, J.H., Marcotte, T.D., McCutchan, J.A., Collier, A.C., Marra, C.M., Clifford, D.B., Gelman, B.B., Sacktor, N., Morgello, S., Simpson, D.M., Abramson, I., Gamst, A.C., Fennema-Nosteline, C., Smith, D.M., Grant, I., CHARTER Group (2014). Neurocognitive Change in the Era of HIV Combination Antiretroviral Therapy: The Longitudinal CHARTER Study. *Clinical Infectious Diseases*, 1-8. <https://doi.org/10.1093/cid/ciu862>

Iglesia-Vaya, M.De, Molina-Mateo, J., Escarti-Fabra, M.J., Kanaan, A.S., Martj-Bonmatj, L. (2013). Brain connections - resting state fMRI functional connectivity. *Novel Frontiers of Advanced Neuroimaging*, 51-66. <https://doi.org/10.5772/52273>

Ipser, J.C., Brown, G.G., Bischoff-Grethe, A., Connolly, C.G., Ellis, R.J., Heaton, R.K., Grant, I., Translational Methamphetamine AIDS Research Center Group (2015). HIV infection is associated with attenuated frontostriatal intrinsic connectivity. *Journal of the International Neuropsychological Society*, 21(3), 203-213. <https://doi.org/10.1017/S1355617715000156>

Karpiak, S.E., R. Havlik, Are HIV-infected older adults aging differently? (w druku) (2016) "HIV and Aging" (Editors M. Brennan-Ing, R.F. DeMarco); seria "Interdisciplinary Topics in Gerontology and Geriatrics", Karger Publishers. <https://doi.org/10.1159/000448539>

Kobari, M., Meyer, J., Ichijo, M. (1990). Leuko-araiosis, cerebral atrophy, and cerebral perfusion in normal aging. *Archives of Neurology*, 47(2), 161-165. <https://doi.org/10.1001/archneur.1990.00530020061017>

Koch, W., Teipel, S., Mueller, S., Benninghoff, J., Wagner, M., Bokde, A.L.W., ... Meindl, T. (2010). Effects of aging on default mode network activity in resting state fMRI: does the method of analysis matter? *NeuroImage*, 51 (1), 280-287. <https://doi.org/10.1016/j.neuroimage.2009.12.008>

Larsson, M., Hagberg, L., Forsman, A., Norkrans, G. (1991). Cerebrospinal fluid catecholamine metabolites in HIV-infected patients. *Journal of Neuroscience Research*, 28, 406-409. <https://doi.org/10.1002/jnr.490280313>

Lu, S.-M., Tremblay, M.-E., King, I.L., Qi, J., Reynolds, H.M., Marker, D.F., Varrone, J.J., Majewska, A.K., Dewhurst, S., Gelbard, H.A. (2011). HIV-1 Tat-induced microgliosis and synaptic damage via interactions between peripheral and central myeloid cells. *PLoS One*, 6, e23915. <https://doi.org/10.1371/journal.pone.0023915>

Marsteller, L., Williams, M., Rich, A., Savage, G., Burianová, H. (2015). Aging and large-scale functional networks: White matter integrity, gray matter volume, and functional connectivity in the resting state. *Neuroscience*, 290, 369-378. <https://doi.org/10.1016/j.neuroscience.2015.01.049>

Martin, J., Volberding, P. (2010). HIV and premature aging: A field still in its infancy. *Annals of Internal Medicine*, 153, 477-479. <https://doi.org/10.7326/0003-4819-153-7-201010050-00013>

Melrose, R.J., Tinaz, S., Castelo, J.M.B., Courtney, M.G., Stern, C.E. (2008). Compromised frontostriatal functioning in HIV: An fMRI investigation of semantic event sequencing. *Behavioural Brain Research*, 188, 337-347. <https://doi.org/10.1016/j.bbr.2007.11.021>

Menon, V. (2015). Salience Network, w: A.W. Toga, (ed.) *Brain mapping: an encyclopedic reference*, (t. 2, s. 597-611). Academic Press: Elsevier. <https://doi.org/10.1016/B978-0-12-397025-1.00052-X>

Mesulam, M.M. (1990). Large-scale neurocognitive networks and distributed processing for attention, language, and memory. *Annals of Neurology*, 28, 597-613. <https://doi.org/10.1002/ana.410280502>

Mills, E.J., Bakanda, C., Birungi, J., Chan, K., Ford, N., Cooper, C.L., Nacheva, J.B., Dybul, M., Hogg, R.S. (2011). Life expectancy of persons receiving combination antiretroviral therapy in low-income countries: a cohort analysis from Uganda. *Annals of Internal Medicine*, 155, 209-216. <https://doi.org/10.7326/0003-4819-155-4-201108160-00358>

Minshew, N.J., Keller, T.A. (2010). The nature of brain dysfunction in autism: functional brain imaging studies. *Current Opinion in Neurology*, 23(2), 124-130. <https://doi.org/10.1097/WCO.0b013e32833782d4>

Ogawa, S., Menon, R.S., Tank, D.W., Kim, S.G., Merkle, H., Ellermann, J.M., Ugurbil, K. (1993). Functional brain mapping by blood oxygenation level-dependent contrast magnetic resonance imaging. A comparison of signal characteristics with a biophysical model. *Biophysical Journal*, 64, 803-812. [https://doi.org/10.1016/S0006-3495\(93\)81441-3](https://doi.org/10.1016/S0006-3495(93)81441-3)

Ortega, M., Brier, M.R., Ances, B.M. (2015). Effects of HIV and combination antiretroviral therapy on cortico-striatal functional connectivity. *AIDS*, 29, 703-712. <https://doi.org/10.1097/QAD.0000000000000611>

Penttonen, M., Buzsáki, G. (2003). Natural logarithmic relationship between brain oscillators. *Thalamus Relat. Syst.*, 2, 145-152. <https://doi.org/10.1017/S147292803000074>

Plessis, S.D., Vink, M., Joska, J.A., Koutsilieri, E., Stein, D.J., Emsley, R. (2014). HIV infection and the fronto-striatal system: a systematic review and meta-analysis of fMRI studies. *AIDS*, 28, 803-811. <https://doi.org/10.1097/QAD.0000000000000151>

Raichle, M.E., MacLeod, A.M., Snyder, A.Z., Powers, W.J., Gusnard, D.A., Shulman, G.L. (2001). A default mode of brain function. *Proceedings of the National Academy of Sciences of the United States of America*, 98(2), 676-682. <https://doi.org/10.1073/pnas.98.2.676>

Sala-Llonch, R., Bartrés-Faz, D., Junqué, C. (2015). Reorganization of brain networks in aging: a review of functional connectivity studies. *Frontiers in Psychology*, 21, 633. <https://doi.org/10.3389/fpsyg.2015.00663>

Sala-Llonch, R., Peña-Gómez, C., Arenaza-Urquijo, E.M., Vidal-Peña, D., Bargalló, N., Junqué, C., Bartrés-Faz, D. (2012). Brain connectivity during resting state and subsequent working memory task predicts behavioural performance. *Cortex*, 48, 1187-1196. <https://doi.org/10.1016/j.cortex.2011.07.006>

Schrier, R.D., Hong, S., Crescini, M., Ellis, R., Pérez-Santiago, J., Spina, C., Letendre, S. (2015). Cerebrospinal Fluid (CSF) CD8+ T-Cells That Express Interferon-Gamma Contribute to HIV Associated Neurocognitive Disorders (HAND). *PLoS One*, 10, e0116526. <https://doi.org/10.1371/journal.pone.0116526>

Song, X., Long, X., Zang, Y. (2008). RESTing-state fMRI data analysis toolkit (REST) Manual. Thomas, J.B., Brier, M.R., Ortega, M., Benzinger, T.L., Ances, B.M. (2015). Weighted brain networks in disease: centrality and entropy in human immunodeficiency virus and aging. *Neurobiology and Aging*, 36, 401-412. <https://doi.org/10.1016/j.neurobiolaging.2014.06.019>

Thomas, J.B., Brier, M.R., Snyder, A.Z., Vaida, F.F., Ances, B.M. (2013). Pathways to neurodegeneration: Effects of HIV and aging on resting-state functional connectivity. *Neurology*, 80, 1186-1193. <https://doi.org/10.1212/WNL.0b013e318288792b>

Thompson, P.M., Jahanshad, N. (2015). Novel neuroimaging methods to understand how HIV affects the brain. *Current HIV/AIDS Reports*, 12(2), 289-298. <https://doi.org/10.1007/s11904-015-0268-6>

Thurnher, M.M., Schindler, E.G., Thurnher, A., Pernerstorfer-Schon, H., Kleibl-Popov, C., Rieger, A. (2000). Highly active antiretroviral therapy for patients with AIDS Dementia Complex: Effect on MR imaging findings and clinical course. *American Journal of Neuroradiology*, 21, 670-678.

UNAIDS (2013). HIV and aging, a special supplement to the UNAIDS report on the global AIDS epidemic 2013.

Valcour, V., Chalermchai, T., Sailsuta, N., Marovich, M., Lerdum, S., Suttichom, D., ... Ananworanich, J. (2012). Central nervous system viral invasion and inflammation during acute HIV infection. *Journal of Infectious Diseases*, 206, 275-282. <https://doi.org/10.1093/infdis/jis326>

Van den Heuvel, M.P., Hulshoff Pol, H.E. (2010). Exploring the brain network: A review on resting-state fMRI functional connectivity. *European Neuropsychopharmacology*, 20(8), 519-534. <https://doi.org/10.1016/j.euroneuro.2010.03.008>

Wang, X., Foryt, P., Ochs, R., Chung, J.-H., Wu, Y., Parrish, T., Ragin, A.B. (2011). Abnormalities in resting-state functional connectivity in early human immunodeficiency virus infection. *Brain Connectivity*, 1, 207-217. <https://doi.org/10.1089/brain.2011.0016>

Whitfield-Gabrieli, S., Thermenos, H.W., Milanovic, S., Tsuang, M.T., Faraone, S.V., McCarle, R.W., Shenton, M.E., Green, A.I., Nieto-Castanon, A., LaViolette, P., Wojcik, J., Gabrieli, J.D., Seidman, L.J. (2009). Hyperactivity and hyperconnectivity of the default network in schizophrenia and in first-degree relatives of persons with schizophrenia. *Proceedings National Academy of Sciences of the USA*, 106, 1279-1284. <https://doi.org/10.1073/pnas.0809141106>

WHO (2015). Fact sheet Number 381.

Wu, J.T., Wu, H.Z., Yan, C.G., Chen, W.X., Zhang, H.Y., He, Y., Yang, H.S. (2011). Aging-related changes in the default mode network and its anti-correlated networks: A resting-state fMRI study. *Neuroscience Letters*, 504(1), 62-67. <https://doi.org/10.1016/j.neulet.2011.08.059>

Zhang, D., Raichle, M.E. (2010). Disease and the brains dark energy. *Nature Reviews. Neurology*, 6(1), 15-28. <https://doi.org/10.1038/nrneurol.2009.198>

Michał Suchacz **Psychologiczne problemy osób zakażonych HIV Zaburzenia depresyjne u osób z infekcją HIV w kontekście starzenia się**

Brogan, K., Lux, J. (2009). Management of common psychiatric conditions in the HIV-positive population. *Current HIV/AIDS Reports*, 6, 108-115. <https://doi.org/10.1007/s11904-009-0016-x>

Capuron, L. et al. (2007). Basal ganglia hypermetabolism and symptoms of fatigue during interferon-alpha therapy. *Neuropsychopharmacology*, 32(11), 2384-2392.

<https://doi.org/10.1038/sj.npp.1301362>

Carvalhal, A. et al. (2012). Recognizing cognitive and psychiatric changes in the post-highly active antiretroviral therapy era. *Canadian Journal of Infectious Diseases and Medical Microbiology*, 23(4), 209-215. <https://doi.org/10.1155/2012/652131>

European AIDSC Clinical Society Guidelines (2015). Pozyskano z:
http://www.eacsociety.org/Portals/0/Guidelines_Online_131014.pdf

Gallant, J.E. (2012). Johns Hopkins HIV Guide. Management of HIV infection and its Complications. Baltimore: Johns Hopkins Medicine.

Gendelman, H.E., Lipton, S.A., Tardieu, M., Bukrinsky, M.I., Nottet, H.S. (1994). The neuropathogenesis of HIV-1 infection. *Journal of Leukocyte Biology*, 56(3), 389-398. <https://doi.org/10.1002/jlb.56.3.389>

Greysen, S.R. et al. (2013). Does social isolation predict hospitalization and mortality among HIV and uninfected older veterans? *Journal of American Geriatrics Society*, 61, 1456-1463.
<https://doi.org/10.1111/jgs.12410>

Guerra, F.B., Fonseca, J.L.I., Figueiredo, V.M., Ziff, E.B., Konkiewitz, E.C. (2013). Human immunodeficiency virus-associated depression: contributions of immuno-inflammatory, monoaminergic, neurodegenerative, and neurotropic pathways. *Journal of Neurovirology*, 19, 314-327. <https://doi.org/10.1007/s13365-013-0177-7>

Hill, L., Lee, K.C. (2013). Pharmacotherapy considerations in patients with HIV and psychiatric disorders: focus on antidepressants and antipsychotics. *Annals of Pharmacotherapy*, 47(1), 75-89.
<https://doi.org/10.1345/aph.1R343>

Jarema, M. (2011). Standardy leczenia niektórych zaburzeń psychicznych. Gdańsk: Via Medica.
Kalichman, S.C., Rompa, D., Cage, M. (2000) Distinguishing between overlapping somatic symptoms of depression and HIV disease in people living with HIV/AIDS. *The Journal of Nervous and Mental Disease*, 188, 662-670. <https://doi.org/10.1097/00005053-200010000-00004>

Kessler, R.C. et al. (2005). Prevalence, severity and comorbidity of 12-month DSM IV disorders from the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62, 617-627.
<https://doi.org/10.1001/archpsyc.62.6.617>

Klasyfikacja zaburzeń psychicznych i zaburzeń zachowania w ICD-10: badawcze kryteria diagnostyczne (1998). Kraków: Uniwersyteckie Wydawnictwo Medyczne "Vesalius", Warszawa: Instytut Psychiatrii i Neurologii.

Meade, C.S., Sikkema, K.J. (2005). HIV risk behavior among adults with severe mental illness: a systematic review. *Clinical Psychology Review*, 25(4), 433-457.
<https://doi.org/10.1016/j.cpr.2005.02.001>

Moore, R.C. et al. (2013). A case-controlled study of successful aging in older HIV-infected adults. *Journal of Clinical Psychiatry*, 74, e417-e423. <https://doi.org/10.4088/JCP.12m08100>

Nanni, M.G., Caruso, R., Mitchell, A.J., Meggiolaro, E., Grassi, L. (2015). Depression in HIV infected patients: a review. *Current Psychiatry Reports*, 17(1), 530. <https://doi.org/10.1007/s11920-014-0530-4>

Owe-Larsson, B., Sfll, L., Salamon, E., Allgulander, C. (2009). HIV infection and psychiatric illness. African Journal of Psychiatry (Johannesburg), 12(2), 115-128.

<https://doi.org/10.4314/ajpsy.v12i2.43729>

Pużyński, S., Rybakowski, J., Wciórka, J. (2011). Psychiatria kliniczna, tom 2. Wydanie II. Wrocław: Elsevier Urban & Partner.

Public Health Agency of Canada. HIV/AIDS epi updates: Chapter 6. HIV/AIDS and older Canadians (2010). Pozyskano z:

http://www.phacasp.gc.ca/aidssida/publication/epi/2010/pdf/EN_Chapter6_Web.pdf.

Rueda, S., Law, S., Rourke, S.B. (2014). Psychosocial, mental health, and behavioral issues of aging with HIV. Current Opinion in HIV and AIDS, 9, 325-331. <https://doi.org/10.1097/COH.0000000000000071>

Sherr, L., Clucas, C., Harding, R., Sibley, E., Catalan, J. (2011). HIV and depression - a systematic review of interventions. Psychology, Health & Medicine, 16(5), 493-527.

<https://doi.org/10.1080/13548506.2011.579990>

UNAIDS (2013). Joint United Nations Programme on HIV/AIDS. HIV and aging: A special supplement to the UNAIDS report on the global AIDS epidemic. Pozyskano:

http://www.unaids.org/en/media/unaiids/contentassets/documents/unaidspublication/2013/20131101_JC2563_hiv-and-aging_en.pdf.

U.S. Centers for Disease Control and Prevention (2013). Diagnoses of HIV infection among adults aged 50 years and older in the United States and dependent areas, 2007-2010. HIV Surveillance Supplemental Report, 18(3). Pozyskano z:

<http://www.cdc.gov/hiv/topics/surveillance/resources/reports/#supplemental>.

Wolff, L.C., Alvarado, M.R., Wolff, R.M. (2010). Depression in HIV infection: prevalence, risk factors and management. Revista Chilena de Infectología, 27(1), 65-74. <https://doi.org/10.4067/S0716-10182010000100011>

Bogna Szymańska Czynniki determinujące funkcjonowanie neuropsychologiczne u osób żyjących z HIV/AIDS

Achappa, B., Madi, D., Bhaskaran, U., Ramapuram, J.T., Rao, S., Mahalingam, S. (2013). Adherence to antiretroviral therapy among people living with HIV. New American Journal of Medicine Science, 5(3), 220-223. <https://doi.org/10.4103/1947-2714.109196>

Achim, C.L., Adame, A., Dumaop, W., Everall, I.P., Masliah, E. (2009). Increased accumulation of intraneuronal amyloid beta in HIV-infected patients. Journal of the Neuroimmune Pharmacology, 4(2), 190-199. <https://doi.org/10.1007/s11481-009-9152-8>

American Psychiatric Association (2000). Diagnostic and Statistical Manual of Mental Disorders, 4th Edition Text Revision. Washington, D.C.: APA.

American Psychiatric Association (2014). Diagnostic and Statistical Manual of Mental Disorders, 5th Edition. Washington, D.C.: APA.

Antinori, A., Arendt, G., Becker, J., Brew, B., Byrd, D., Cherney, M., Clifford, D., Cinque, P., Epstein, L., Goodkin, K., Gisslen, M., Grant, I., Heaton, R., Joseph, J., Marder, K., Marra, C., McArthur, J., Nunn, M., Price, R., Pulliam, L., Robertson, K., Sacktor, N., Valcour, V., Wojna, E. (2007). Updated

researchnosology for HIV-associated neurocognitive disorders. Neurology, 69(18), 1789-1799.

<https://doi.org/10.1212/01.WNL.0000287431.88658.8b>

Arendt, G., Nolting, T., Frisch, C., Husstedt, I.W., Gregor, N., Koutsilieri, E., Maschke, M., Angerer, A., Obermann, M., Neuen-Jacob, E., Adams, O., Loeffert, S., Riederer, P., ter Meulen, V., Sopper, S., German Competence Network HIV/AIDS (2007). Intrathecal viral replication and cerebral deficits in different stages of human immunodeficiency virus disease. Journal of Neurovirology, 13(3), 225-232.
<https://doi.org/10.1080/13550280701315355>

Atkinson, J., Grant I., Kennedy C., Richman, D. Spector S., McQuchan, J. (1988). Prevalence of psychiatric disorders among men infected with human immunodeficiency virus. A controlled study. Archives of General Psychiatry, 45(9), 859-864.

<https://doi.org/10.1001/archpsyc.1988.01800330091011>

Ballenger, J.C., Davidson, J.R., Leclerbier, Y., Nutt, D.J., Roose, S.P., Sheps, D.S., International Consensus Group on Depression and Anxiety. (2001). Consensus statement on depression, anxiety, and cardiovascular disease. Journal of Clinical Psychiatry, 62(Suppl. 8), 64-67.

Benton, T. (2008). Depression and HIV/AIDS. Current Psychiatry Reports, 10(3), 280-285.

<https://doi.org/10.1007/s11920-008-0045-y>

Berger, J., Cohen, B. (2005). Opportunistic infections of nervous system in AIDS. W: H. Gendelman, I. Grant, I. Everall, S. Lipton, S. Swindells (red.). The Neurology of AIDS (s. 486-529). Oxford: Oxford University Press.

Bing, E., Burnam, M.A., Longshore, D., Fleishman, J.A., Sherbourne, C.D., London, A.S., Turner, B.J., Eggan, F., Beckmen, R., Morton, S.C., Orlando, M., Bozzette, S.A., Ortiz-Barron, L., Shapiro, M. (2001). Psychiatric disorders and drug use among human immunodeficiency virus-infected adults in the United States. Archives of General Psychiatry, 58(8), 721-728.

<https://doi.org/10.1001/archpsyc.58.8.721>

Bonnet, F., Amieva, H., Marquant, F., Bernard, C., Bruyand, M., Dauchy, F.A., Mercie, P., Greib, C., Richert, L., Neau, D., Catheline, G., Dehail, P., Dabis, F., Marlat, P., Dartigues, J.F., Chene, G., SCO3 Aquitaine Cohort. (2013). Cognitive disorders in HIV-infected patients: are they HIV-related? AIDS, 48(7), 391-400. <https://doi.org/10.1097/QAD.0b013e32835b1019>

Borstein, R.A., Nasrallah, H.A., Para, M.F., Fass, R.J., Whitacre, C.C., Rice, R.R. (1991). Rate of CD4 decline and neuropsychological performance in HIV infection. Archives of Neurology, 48(7), 704-707.
<https://doi.org/10.1001/archneur.1991.00530190050015>

Carrico, A.W., Johnson, M.O., Morin, S.F., Remien, R.H., Charlebois, E.D., Steward, W.T., Chesney, M.A., Healthy Living Project Team (NIMH) (2007). Correlates of suicidal ideation among HIV-positive persons. AIDS, 21(9), 1199-1203. <https://doi.org/10.1097/QAD.0b013e3281532c96>

Cholewińska, G., Szymańska, B. (2014). Zaburzenia neuropsychologiczne u pacjentów z HIV/AIDS. W: A. Horban, R. Podlasin, G. Cholewińska, A. Wiercińska-Drapała, B. Knysz, M. Inglot, A. Szymczak (red.). Zasady opieki nad osobami zakażonymi HIV. Zalecenia PTN AIDS. (s. 430-431). Warszawa: EkoPress.

Cole, M.A., Castellon, S.A., Perkins, A.C., Ureno, O.S., Robinet, M.B., Reinhard, M.J., Barclay, T.R., Hinkin, C.H. (2007). Relationship between psychiatric status and frontal-subcortical systems in HIV-infected individuals. Journal of the International Neuropsychological Society, 13(3), 549-554.

<https://doi.org/10.1017/S135561770707066X>

Collins, P.Y., Holman, A.R., Freeman, M.C., Patel, V. (2006). What is the relevance of mental health to HIV/AIDS care and treatment programs in developing countries? A systematic review. AIDS, 20(12), 1571-1582. <https://doi.org/10.1097/01.aids.0000238402.70379.d4>

Cysique, L.A., Deutsch, R., Atkinson, J.H., Young, C., Marcotte, T.D., Dawson, L., Grant, I., Heaton, R.K., HNRC Group (2007). Incident major depression does not affect neuropsychological functioning in HIV-infected men. Journal of the International Neuropsychological Society: JINS, 13(1), 1-11. <https://doi.org/10.1017/S1355617707070026>

Elliot, A. (1998). Anxiety and HIV infection. Step Perspective, 98(1), 11-14.

Fazeli, P.L., Woods, S.P., Heaton, R.K., Umlauf, A., Gouaux, B., Rosario, D., Moore, R.C., Grant, I., Moore, D.J., the HNRP Group. (2014). An active lifestyle is associated with better neurocognitive functioning in adults living with HIV infection. Journal of Neurovirology, 20(3), 233-242. <https://doi.org/10.1007/s13365-014-0240-z>

Fellows, R.P., Spahr, N.A., Byrd, D.A., Mindt, M.R., Morgello, S. (2015). Psychological trauma exposure and co-morbid psychopathologies in HIV(+) men and women. Psychiatry Research, 230(3), 770-776. <https://doi.org/10.1016/j.psychres.2015.11.011>

Galvan, F.H., Collins, R., Kanouse D.E., Burnam, M.A., Paddock, S.M., Beckman R., Mitchell, S.R. (2004). Abuse in the close relationships of people with HIV. AIDS and Behavior, 8(4), 441-451. <https://doi.org/10.1007/s10461-004-7328-z>

Gannon, P., Khan, M.Z., Kolson, D.L. (2011). Current understanding of HIV-associated neurocognitive disorders pathogenesis. Current Opinion in Neurology, 24(3), 275-283. <https://doi.org/10.1097/WCO.0b013e32834695fb>

Goodkin, K., Fernandez, F., Forstein, M., Miller, E.N., Becker, J.T., Douaihy, A., Cubano, L., Santos, F.H., Filho, N.S., Zirulnik, J., Singh, D. (2011). A perspective on the proposal for neurocognitive disorder criteria in DSM-5 as applied to HIV-associated neurocognitive disorders. Neuropsychiatry (London), 1(5), 431-440. <https://doi.org/10.2217/npy.11.57>

González-Scarano, F., Martjn-Garcja, J. (2005). The neuropsychogenesis of AIDS. Nature Reviews. Immunology, 5(1), 69-81. <https://doi.org/10.1038/nri1527>

Gore-Felton, C., Koopman, C. (2008). Behavioral meditation of the relationship between psychosocial factors and HIV disease progression. Psychosomatic Medicine, 70(5), 569-574. <https://doi.org/10.1097/PSY.0b013e318177353e>

Gorman, A.A., Foley, J.M., Ettenhofer, M.L., Hinkin, C.H., van Gorp, W.G. (2009). Functional consequences of HIV-associated neuropsychological impairment. Neuropsychological Review, 19(2), 186-203. <https://doi.org/10.1007/s11065-009-9095-0>

Grassi, L., Righi, R., Makoui, S., Sighinolfi, L., Ferri, S., Ghinelli, F. (1999). Illness behavior, emotional stress and psychosocial factors among asymptomatic HIV-infected patients. Psychotherapy and Psychosomatic, 68(1), 31-38. <https://doi.org/10.1159/000012308>

Gray, F., Scaravilli, F., Everall, I., Chretien, F., An, S., Boche, D., Adle-Biassette, H., Wingertsmann, L., Durigon, M., Hurtrel, B., Chiodi, F., Bell, J., Lantos, P. (1996). Neuropathology of early HIV-infection. Brain Pathology, 6(1), 1-15. <https://doi.org/10.1111/j.1750-3639.1996.tb00775.x>

Green,D.A., Masliah , E., Vinters,H.V., Beizai, P.,Moore, D.J., Ach im,C.L. (2005). Brain deposition of beta-amyloid is a common pathologic feature in HIV positive patients. AIDS, 19(4), 407-411.

<https://doi.org/10.1097/01.aids.0000161770.06158.5c>

Hall, H., Song, R., Rhodes, P., Prejean, J., An, Q., Lee, L.M., Karon, J., Brookmeyer, R., Kaplan, E.H., McKenna, M.T., Janssen, R.S., HIV Incidence Surveillance Group. (2008). Estimation of HIV incidence in the United States. JAMA, 300(5), 520-529. <https://doi.org/10.1001/jama.300.5.520>

Heaton, R.K., Clifford, D.B., Franklin, D.R., Woods S.P., Ake, C., Vaida., F, the CHARTER Group (2010). HIV-associated neurocognitive disorders persist in the era of potent antiretroviral therapy. Neurology, 75(23), 2087-2096. <https://doi.org/10.1212/WNL.0b013e318200d727>

Heaton, R.K., Franklin, D.R., Ellis, R.J., McCutchan, J.A., Letendre, S.L., Leblanc, S., Corkran, S.H., Duarte, N.A., Woods, S.P., Collier, A.C., Marra, C.M., Morgello, S., Mindt, M.R., Taylor, M.J., Marcotte, T.D., Atkinson, J.H., Wolfson, T., Gelman, B.B., McArthur, J.C., Simpson, D.M., Abramson, I., Gamst, A., Fennema-Notestine, C., Jernigan, T.L., Wong, J., Grant, I., CHARTER Group, HNRC Group (2011). HIV-associated neurocognitive disorders before and during the era of combination antiretroviral therapy: differences in rates, nature and predictors. Journal of Neurovirology, 17(1), 3-16.

<https://doi.org/10.1007/s13365-010-0006-1>

Heaton, R.K., Franklin, D.R. Jr, Deutsch, R., Letendre, S., Ellis, R.J., Casaleotto, K., Marquine, M.J., Woods, S.P., Vaida, F., Atkinson, J.H., Marcotte, T.D., McCutchan, J.A., Collier, A.C., Marra, C.M., Clifford, D.B., Gelman, B.B., Sacktor, N., Morgello, S., Simpson, D.M., Abramson, I., Gamst, A.C., Fennema-Notestine, C., Smith, D.M., Grant, I., CHARTER Group (2015). Neurocognitive change in the era of HIV combination antiretroviral therapy: the longitudinal CHARTER study. Clinical Infectious Diseases, 60(3), 473-480.

<https://doi.org/10.1093/cid/ciu862>

Joska, J.A.,Westgarth-Taylor, J., Myer, L., Hoare, J., Thomas, K.G., Combrinck, M., Paul, R., Strin, D. Flisher, A. (2011). Characterization of HIV-Associated Neurocognitive Disorders among individuals starting antiretroviral therapy in South Africa. AIDS and Behavior, 15(6), 1197-1203.

<https://doi.org/10.1007/s10461-010-9744-6>

Justice, A.C., McGinnis, K.A., Atkinson, J.H., Heaton, R.K., Young, C., Sadek, J., Madenwald, T., Becker, J.T., Conigliaro, J., Brown, S.T., Rimland, D., Crystal, S., Simberkoff, M., Veterans Aging Cohort 5-Site Study Project Team (2004). Psychiatric and neurocognitive disorders among HIV-positive and negative veterans in care: Veterans aging cohort five-site study. AIDS, 18(Suppl. 1), S49-S59.

<https://doi.org/10.1097/00002030-200401001-00008>

Laserman, J. (2008). Role of depression stress, and trauma in HIV disease progression. Psychosomatic Medicine, 70(5), 539-545. <https://doi.org/10.1097/PSY.0b013e3181777a5f>

Leserman, J., Pettito, J.M., Golden, R.N., Gaynes, B.N., Gu, H., Perkins, D.O., Silva, S.G., Folds, J.D., Evans, D.L. (2000). Impact of stressful life events, depression, social support, coping and cortisol on progression to AIDS. American Journal of Psychiatry, 157(8), 1221-1228.

<https://doi.org/10.1176/appi.ajp.157.8.1221>

Letendre, S., Fitz-Simons C. Ellis R.J. et al. (2010). Correlates of CSF Viral loads in 1221 volunteers of the CHARTER Cohort. CROI 2010, abstract 172.

Letendre S., Marquie-Beck J., Capparelli E., Best, B., Clifford, D., Collier, A.C., Gelman, B.B., McArthur, J.C., McCutchan, J.A., Morgello, S., Grant, I., Ellis, R.J., CHARTER Group (2008). Validation of the CNS

penetration-effectiveness rank for quantifying antiretroviral penetration into the central nervous system. Archives of Neurology, 65(1), 65-70. <https://doi.org/10.1001/archneurol.2007.31>

Liang, H., Wang, X., Chen, H., Song, L., Ye, L., Wang, S.H., Wang, Y.Z., Zhou, L., Ho, W.Z. (2008). Methamphetamine enhances HIV infection of macrophages. The American Journal of Pathology, 172(6), 1617-1624. <https://doi.org/10.2353/ajpath.2008.070971>

Lindl, K.A., Marks, D.R., Kolson, D.L., Jordan-Sciutto, K.L. (2010). HIV-associated neurocognitive disorders: pathogenesis and therapeutic opportunities. Journal of neuroimmune pharmacology, 5(3), 294-309. <https://doi.org/10.1007/s11481-010-9205-z>

Łojek, E. (2001). Neuropsychologia osób zakażonych wirusem HIV i chorych na AIDS. Warszawa: Medyk.

Łojek, E. (2010). Rola neuropsychologa w pracy z klientem punktu konsultacyjno-diagnostycznego. W: J. Gąsiorowski, B. Knysz, Ł. Łapiński (red.). Zakażenie HIV poradnictwo około testowe. Kompendium dla lekarzy i osób pracujących w punktach konsultacyjno-diagnostycznych (s. 230-234). Wrocław: MedPharm Polska.

Łojek, E., Bornstein, R.A. (2004). Quality of life in HIV-infected men with differing neurocognitive performance. Acta Neuropsychologica, 2(3), 259-277.

Łojek, E., Bornstein, R.A. (2005). The stability of neurocognitive patterns in HIV infected men: classification considerations. Journal of Clinical and Experimental Neuropsychology, 27, 665-682. <https://doi.org/10.1081/13803390490918426>

Malaspina, L., Woods, P.S., Moore, D.J., Depp, C., Letendre, S.L., Jeste, D., Grant I., HNRP Group (2011). Successful cognitive aging in person living with HIV infection. Journal of Neurovirology, 17(1), 110-119. <https://doi.org/10.1007/s13365-010-0008-z>

Manly, J.J., Smith, C., Crystal, H.A., Richardson, J., Golub, E.T., Robis, E., Martin, E.M., Young, M. (2011). Relationship of ethnicity, age, education, and reading level to speed and executive function among HIV+ and HIV- women: the Women's Interagency HIV Study (WIHS) Neurocognitive Substudy. Journal of Clinical and Experimental Neuropsychology, 33(8), 853-863. <https://doi.org/10.1080/13803395.2010.547662>

Marcotte, T.D., Scott, J.C. (2009). Evolution of neuropsychological issues in HIV-1 infection during the HAART era. W: K. Goodkin, P. Shapshak, A. Verma (red.). The spectrum of neuro-AIDS disorders. Pathophysiology. Diagnosis and treatment (s. 29-44). Washington: ASM Press.

Martin-Thormeyer, E.M., Paul, R.H. (2009). Drug abuse and hepatitis C infection as comorbid features of HIV-associated neurocognitive disorder: neurocognitive and neuroimaging features. Neuropsychology Review, 19(2), 215-231. <https://doi.org/10.1007/s11065-009-9101-6>

Marquine, M.J., Iudicello, J.E., Morgan, E.E., Brown, G.G., Letendre, S.L., Ellis, R.J., Deutsch, R., Woods, S.P., Grant, I., Heaton, R.K., TMARC Group. (2014). "Frontal system" behaviors in comorbid human immunodeficiency virus infection and methamphetamine dependency. Psychiatry Research, 215(1), 208-216. <https://doi.org/10.1016/j.psychres.2013.11.004>

Mayer, K.H., Angelino, A.F., Treisman, G.J. (2001). Management of psychiatric disorders in patients infected with human immunodeficiency virus. Clinical Infectious Diseases, 33(6), 847-856.

<https://doi.org/10.1086/322679>

Meade, C.S., Conn, N.A., Skalski L.M., Safran, S.A. (2011). Neurocognitive impairment and medication adherence in HIV patients with and without cocaine dependence. *Journal of Behavioral Medicine*, 34(2), 128-138. <https://doi.org/10.1007/s10865-010-9293-5>

Muñoz-Moreno, J., Perez-Alwarez, N., Munoz-Murillo, A., Prats, A., Garolera, M., Jurado, A., Fumaz, C., Negredo E., Ferrer, M., Clotet, B. (2014). Classification models for neurocognitive impairment in HIV infection based on demographic and clinical variables. *PLoS One*, 9(9), e107625. <https://doi.org/10.1371/journal.pone.0107625>

Nutt, D.J., King, L.A., Phillips, L.D. (2010). Drug harms in the UK: a multicriteria decision analysis. *The Lancet*, 376(9752), 1558-1565. [https://doi.org/10.1016/S0140-6736\(10\)61462-6](https://doi.org/10.1016/S0140-6736(10)61462-6)

Perkins, D.O., Davidson, E.J., Leserman, J., Liao, D., Evans, D.L. (1993). Personality disorder in patients infected with HIV : a controlled study with implication for clinical care. *The American Journal of Psychiatry*, 150(2), 309-315. <https://doi.org/10.1176/ajp.150.2.309>

Podlasin, R. (2011). Zakażenia oportunistyczne. W: A. Horban, R. Podlasin, G. Cholewińska, A. Wiercińska-Drapała, (red.). *Zasady opieki nad osobami zakażonymi HIV. Zalecenia PTN AIDS* (s. 108-120). Warszawa: EkoPress.

Rabkin, J. (2008). HIV and depression: 2008 review and update. *Current HIV/AIDS Reports*, 5(4), 163-171. <https://doi.org/10.1007/s11904-008-0025-1>

Rackstraw, S. (2011). HIV-related neurocognitive impairment. A review. *Psychology B Health and Medicine*, 16(5), 548-563. <https://doi.org/10.1080/13548506.2011.579992>

Rai, Y., Dutta, T., Rai, A.K. (2011). Factors associated with neuropsychological impairment in HIV infection. W: E. Barros (red.). *HIV-infection B impact, awareness and social implications of living with HIV/AIDS* (s. 255-270). Rijeka: InTech. <https://doi.org/10.5772/24213>

Rao, V.R., Riuz, A.P., Prasad, V.R. (2014). Viral and cellular factors underlying neuropathogenesis in HIV associated neurocognitive disorders (HAND). *AIDS Research and Therapy*, 11(13). <https://doi.org/10.1186/1742-6405-11-13>

Relf, M.V., Eisbach, S., Okine, K.N., Ward, T. (2013). Evidence-based clinical practice guidelines for managing depression in persons living with HIV. *The Journal of the Association of Nurses in AIDS Care; JANAC*, 24(1-supplement), S15-S28. <https://doi.org/10.1016/j.jana.2012.05.007>

Rickabaugh, T.M., Kilpatrick, R.D., Hultin, L.E., Hultin, P.M., Hausner, M.A., Sugar, C.A., Althoff, K.N., Margolick, J.B., Rinaldo, C.R., Detels, R., Phair, J., Effros, R.B., Jamieson, B.D. (2011). The dual impact of HIV-1 infection and aging on naive CD4 T cells: additive and distinct patterns of impairment. *PLoS One*, 6(1), e16459. <https://doi.org/10.1371/journal.pone.0016459>

Rodkjaer, L., Laursen, T., Christiansen, N.B., Lomborg, K., Ostergaard, L., Sodemann, M. (2011). Changes in depression in a cohort of Danish HIV-positive individuals: time for routine screening. *Sexual Health*, 8(2), 214-221. <https://doi.org/10.1071/SH10067>

Rohit, M., Levine, A., Hinkin, C., Abramyan, S., Saxton, E., Valdes-Sueiras, M., Singer, E. (2007). Education correction using years in school or reading grade-level equivalent? Comparing the accuracy of two methods in diagnosing HIV-associated neurocognitive impairment. *Journal of the International Neuropsychological Society*, 13(3), 462-470. <https://doi.org/10.1017/S1355617707070506>

Roy, m., Jutras-Aswad, D., Bertrand, K., Dufour, M., Perreault, M., Laverdiere, E., Bene-Tchaleu, F., Bruneau, J. (2015). Anxiety, mood disorders and injection risk behaviors among cocaine users: Results

from the COSMO study. American Journal of Addiction, 24(7), 656-660.

<https://doi.org/10.1111/ajad.12286>

Sakami, S., Maeda, M., Maruoka, T., Nakata, A., Komaki, G., Kawamura, N. (2004). Positive coping up- and down-regulates in vitro cytokine productions from T-cells dependent on stress levels.

Psychotherapy and Psychosomatics, 73(4), 243-251. <https://doi.org/10.1159/000077743>

Schouten J., Cinque, P., Gisslen, M., Reiss, P., Portegies, P. (2011). HIV-1 infection and cognitive impairment in the cART era: a review. AIDS, 25(5), 561-575.

<https://doi.org/10.1097/QAD.0b013e3283437f9a>

Scott, J.C., Woods, S.P., Carey, C.L., Weber, E., Bondi, M.W., Grant, I. (2011). Neurocognitive consequences of HIV infection in older adults: an evaluation of the "cortical" hypothesis. AIDS and Behavior, 15(6), 1187-1196. <https://doi.org/10.1007/s10461-010-9815-8>

Shacham, E., Morgan, J., Onen, N.F., Taniguchi, T., Overton, E.T. (2012). Screening anxiety in the HIV clinic. AIDS and Behavior, 16(8), 2407-2413. <https://doi.org/10.1007/s10461-012-0238-6>

Tedaldi, E.M., Minniti, N.L., Fischer, T. (2015). HIV-associated neurocognitive disorders: the relationship of HIV infection with physical and social comorbidities. BioMed Research International, 2015, 1-13. <https://doi.org/10.1155/2015/641913>

Thames, A.D., Becker, B.W., Maracotte, T.D., Hines, L.J., Foley, J.M., Ramezani, A., Singer, E.J., Castellon, S.A., Heaton, R.K., Hinkin, C.H. (2011). Depression, cognition, and self-appraisal of functional abilities in HIV: an examination of subjective appraisal versus objective performance. Clinical Neuropsychology, 25(2), 224-243. <https://doi.org/10.1080/13854046.2010.539577>

Thames, A.D., Strieff, V., Patel, S.M., Panos, S.E., Castellon, S.A., Hinkin, C.H. (2012). The role of HIV infection, cognition, and depression in risky decision-making. The Journal of Neuropsychiatry and Clinical Neurosciences, 24(3), 340-348. <https://doi.org/10.1176/appi.neuropsych.11110340>

The Mind Exchange Working Group. (2013). Assessment, diagnosis, and treatment of HIV-associated neurocognitive disorder: a consensus report of the mind exchange program. Clinical Infectious Diseases, 56(7), 1004-1017. <https://doi.org/10.1093/cid/cis975>

UNAIDS (2015). AIDS by the numbers 2015:

www.unaids.org/sites/default/files/media_asset/AIDS_by_the_numbers_2015_en.pdf dostęp: 30.11.2015.

Vance, D.E., Fazeli, P.L., Moneyham, L., Keltner, N.L., Raper, J.L. (2013). Assessing and treatment forgetfulness and cognitive problems in an adult with HIV. Journal of The Association of Nurses in AIDS Care, 24(15), S40-S60. <https://doi.org/10.1016/j.jana.2012.03.006>

Vance, D.E., Fazeli, P.L., Dodson, J.E., Ackerman, M., Telly, M., Appel, S.J. (2014). The synergistic effects of HIV, diabetes, and aging on cognition: implications for practice and research. Journal of Neuroscience Nursing, 46(5), 292-305. <https://doi.org/10.1097/JNN.0000000000000074>

Vance, D.E., Moneyham, L., Fordham, P., Struzick, T.C. (2008). The model of suicidal ideation in adult aging with HIV. Journal of the Association of Nurses in AIDS Care, 19(5), 375-384.

<https://doi.org/10.1016/j.jana.2008.04.011>

Verheul, R., van den Bosch, L., Ball, S. (2005). Substance use. W: J. Oldham, A. Skodol, D. Bender (red.). The American psychiatric publishing textbook of personality disorders (s. 463-475). Washington DC: The American Psychiatric Publishing Inc.

Verolet, C.M., Delhumeau-Cartier, C., Sartori, M., Toma, S., Zawadynski, S., Becker, M., Bernasconi E., Toutous Trellu, L., Calmy, A., and LIPO Group Metabolism (2015).

Lipodystrophy among HIV-infected patients: a cross-sectional study on impact on quality of life and mental health disorders. AIDS Research and Therapy, 12(21), 1-10.

Vivithanaporn, P., Heo, G., Gamble, J., Krentz, H., Hoke, A., Gill, M., Power, C. (2010). Neurologic diseases burden in treatment HIV/AIDS predicts survival: a population - base study. Neurology, 75(13), 1150-1158. <https://doi.org/10.1212/WNL.0b013e3181f4d5bb>

Watkins, C.C., Treisman, G.J. (2012). Neuropsychiatric complications of aging with HIV. Journal of Neurovirology, 18(4), 277-290. <https://doi.org/10.1007/s13365-012-0108-z>

Wiley, C.A., Soontornniyomkij, L., Masliah, E., Mellors, J., Herman, S.A., Dailey, P., Achim, C.L. (2000). Distribution of brain HIV load in AIDS. Brain Pathology on-line, 8(2), 277-284. <https://doi.org/10.1111/j.1750-3639.1998.tb00153.x>

Więdłocha, M., Marcinowicz, P., Stańczykiewicz, B. (2015). HIV infection in the aspect of psychiatric practice. HIV & AIDS Review, 14(3), 61-66. <https://doi.org/10.1016/j.hivar.2015.02.002>

Woods, S.P., Weber, E., Weisz, B.M., Twamley, E.W., Grant, I., HIV Neurobehavioral Research Programs Group (2011). Prospective memory deficits are associated with unemployment in persons living with HIV infection. Rehabilitation and Psychology, 56(1), 77-84. <https://doi.org/10.1037/a0022753>

Xia, C., Luo, D., Yu, X., Jiang, S., Liu, S. (2011). HIV-associated dementia in the era of highly active antiretroviral therapy (HAART). Microbes and Infection, 13(5), 419-425.

<https://doi.org/10.1016/j.micinf.2011.01.004>

Zayyad, Z., Spudich, S. (2015). Neuropathogenesis of HIV: from initial neuroinvasion to HIV-associated neurocognitive disorder (HAND). Current HIV/AIDS Reports, 12(1), 16-24.

<https://doi.org/10.1007/s11904-014-0255-3>

Marta Sobańska, Aleksandra Bala Jakość życia osób żyjących z infekcją HIV

Bader, A., Kremer, H., Erlich-Trungenberger, I., Rojas, R., Lohmann, M., Deobald, O. et al. (2006). An adherence typology: coping, quality of life, and physical symptoms of people living with HIV/AIDS and their adherence to antiretroviral treatment. Medical Science Monitor, 12, CR493-500.

Bajunirwe, F., Tisch, D.J., King, C.H., Arts, E.J., Debanne, S.M., Sethi, A.K. (2009). Quality of life and social support among patients receiving antiretroviral therapy in Western Uganda. AIDS Care, 21(3), 271-279. <https://doi.org/10.1080/09540120802241863>

Bing, E.G., Burnam, M.A., Longshore, D., Fleishman, J.A., Sherbourne, C.D., London, A.S., Turner, B.J., Eggan, F., Beckman, R., Vitiello, B., Morton, S.C., Orlando, M., Bozzette, S.A., Ortiz-Barron, L., Shapiro, M. et al. (2001). Psychiatric disorders and drug use among human immunodeficiency virus-infected adults in the United States. Archives of General Psychiatry, 58, 721-728.

<https://doi.org/10.1001/archpsyc.58.8.721>

Burnam, M.A., Bing, E.G., Morton, S.C., Sherbourne, C., Fleishman, J.A., London, A.S., Vitiello, B., Stein, M., Bozzette, S.A., Shapiro, M.F. (2001). Use of mental health and substance abuse treatment services among adults with HIV in the United States. Archives in General Psychiatry, 58, 729-736.

<https://doi.org/10.1001/archpsyc.58.8.729>

Campsmith, M.L., Nakashima, A.K., Davidson, A.J. (2003). Self-reported health-related quality of life in persons with HIV infection: results from a multi-site interview project. *Health and Quality of Life Outcomes*, 1, 12. <https://doi.org/10.1186/1477-7525-1-12>

Carrieri P., Spire, B., Duran, S., Katlama, C., Peyramond, D., Frannois, C., Chone, G., Lang, J.-M., Moatti, J.-P., Leport, C., APROCO Study Group (2003). Health-related quality of life after 1 year of highly active antiretroviral therapy. *Journal of Acquired Immune Deficiency Syndromes*, 32(1), 38-47. <https://doi.org/10.1097/00126334-200301010-00006>

Casado, A., Consiglio, E., Podzamczer, D., Badia, X. (2001). Highly active antiretroviral treatment (HAART) and health-related quality of life in naive and pretreated HIV-infected patients. *HIV Clinical Trials*, 2, 477-483. <https://doi.org/10.1310/10VL-4FBP-K7VV-XPX9>

Clayson, D.J., Wild, D.J., Quarterman, P., Duprat-Lomon, I., Kubin, M., Coons, S.J. (2006). A comparative review of health-related quality-of-life measures for use in HIV/AIDS clinical trials. *Pharmacoconomics*, 24(8), 751-765. <https://doi.org/10.2165/00019053-200624080-00003>

Cross, H.M., Combrinck, M.I., Joska, J.A. (2013). HIV-associated neurocognitive disorders: antiretroviral regimen, central nervous system penetration effectiveness, and cognitive outcomes. *South African Medical Journal*, 103(10), 758-62. <https://doi.org/10.7196/SAMJ.6677>

Degenhardt, L., Hall, W., Lynskey, M. (2003). Exploring the association between cannabis use and depression. *Addiction*, 98, 1493-1504. <https://doi.org/10.1046/j.1360-0443.2003.00437.x>

Degroote, S., Vogelaers, D., Vandijck, D.M. (2014). What determines health-related quality of life among people living with HIV : an updated review of the literature. *Archives of Public Health*, 72, 40. <https://doi.org/10.1186/2049-3258-72-40>

Doyle, K., Weber, E., Atkinson, J.H., Grant, I., Woods, S.P. and The HIV Neurobehavioral Research Program (HNRN) Group (2012). Aging, prospective memory, and health-related quality of life in HIV infection. *AIDS and Behavior*, 16(8), 2309-2318. <https://doi.org/10.1007/s10461-011-0121-x>

Emlet, C.A., Fredriksen-Goldsen, K.I., Kim, H.-J. (2013). Risk and protective factors associated with health-related quality of life among older gay and bisexual men living with HIV disease. *The Gerontologist*, 53(6), 963-972. <https://doi.org/10.1093/geront/gns191>

Foster, J.H., Powell, J.E., Marshall, E.J., Peters, T.J. (1999). Quality of Life in alcohol-dependent subjects E A review. *Quality of Life Research*, 8, 255-261. <https://doi.org/10.1023/A:1008802711478>

Friedland, J., Renwick, R., McColl, M. (1996). Coping and social support as determinants of quality of life in HIV/AIDS. *AIDS Care*, 8(1), 15-31 <https://doi.org/10.1080/09540129650125966>

Hansen, N.B., Vaughan, E.L., Cavanaugh, C.E., Connell, C.M., Sikkema, K.J. (2009). Health-related quality of life in bereaved HIV-positive adults: relationships between HIV symptoms, grief, social support, and axis II indication. *Health Psychology*, 28(2), 249-257. <https://doi.org/10.1037/a0013168>

Hays, R.D., Cunningham, W.E., Sherbourne, C.D., Wilson, I.B., Wu, A.W., Cleary, P.D., McCaffrey, D.F., Fleishman, J.A., Crystal, S., Collins, R., Eggan, F., Shapiro, M.F., Bozzette, S.A. (2000). Health-related quality of life in patients with human immunodeficiency virus infection in the United States: results from the HIV cost and services utilization study. *The American Journal of Medicine*, 108(9), 714-22. [https://doi.org/10.1016/S0002-9343\(00\)00387-9](https://doi.org/10.1016/S0002-9343(00)00387-9)

Havlik, R. (2009). Health status, comorbidities and health-related quality of life. W: M. Brennan, S.E. Karpia, A.R. Shippy, M.H. Cantor (red.). Older adults with HIV: an in-depth examination of an emerging population (s. 13-26). Nowy Jork: Nova Science Publishers.

Herrmann, S., McKinnon, E., Hyland, N.B., Lalanne, C., Mallal, S., Nolan, D., Chassany, O., Duracinsky, M. (2013). HIV-related stigma and physical symptoms have a persistent influence on health-related quality of life in Australians with HIV infection. *Health and Quality of Life Outcomes*, 11, 56.
<https://doi.org/10.1186/1477-7525-11-56>

Hoffman, M.A. (1997). HIV disease and work: effect on the individual, workplace, and interpersonal contexts. *Journal of Vocational Behavior*, 51, 163-201. <https://doi.org/10.1006/jvbe.1997.1613>

Ironson, G., Friedman, A., Klimas, N., Antoni, M., Fletcher, M.A., LaPerriere, A., et al. (1994). Distress, denial and low adherence to behavioral interventions predict faster disease Rozdział 11. Jako 7K życia osb żyjących infekcją HIV 171 progression in gay men infected with human immunodeficiency virus. *International Journal of Behavioral Medicine*, 1, 90-105.

https://doi.org/10.1207/s15327558ijbm0101_6

Jia, H., Uphold, C.R., Zheng, Y., Wu, S., Chen, G.J., Findley, K., Duncan, P.W. (2007). A further investigation of health-related quality of life over time among men with HIV infection in the HAART era. *Quality of Life Research*, 16(6), 961-968. <https://doi.org/10.1007/s11136-007-9214-4>

Kalman, D., Lee, A., Chan, E., Miller, D.R., Spiro, A., Ren, X.S., Kazis, L.E. (2004). Alcohol dependence, other psychiatric disorders, and health-related quality of life: A replication study in a large random sample of enrollees in the veterans health administration. *The American Journal of Drug and Alcohol Abuse*, 30, 473-487. <https://doi.org/10.1081/ADA-120037389>

Kessler, R., Andrews, G., Mroczek, D., Ustun, B., Wittchen, H. (1998). The World Health Organization Composite International Diagnostic Interview Short-Form (CIDI-SF). Geneva: WHO.
<https://doi.org/10.1002/mpr.47>

Korthuis, P.T., Zephyrin, L.C., Fleishman, J.A., Saha, S., Josephs, J.S., McGrath, M.M., Hellinger, J., Gebo, K.A., HIV ResearchNetwork (2008). Health-related quality of life in HIV-infected patients: the role of substance use. *AIDS Patient Care STDS*, 22, 859-867. <https://doi.org/10.1089/apc.2008.0005>

Kowal, J., Overduin, L.Y., Balfour, L., Tasca, G.A., Corace, K., Cameron, D.W. (2008). The role of psychological and behavioral variables in quality of life and the experience of bodily pain among persons living with HIV. *Journal of Pain and Symptom Management*, 36(3), 247-258.

<https://doi.org/10.1016/j.jpainsymman.2007.10.012>

Krause, D.D., Butler, K.R., May, W.L. (2013). Associations between factors affecting access to care and health-related quality of life: results of a statewide HIV/AIDS cross-sectional study. *AIDS Care*, 25, 77-84. <https://doi.org/10.1080/09540121.2012.686596>

Liu, C., Johnson, L., Ostrow, D., Silvestre, A., Visscher, B., Jacobson, L.P. (2006). Predictors for lower quality of life in the HAARTera among HIV-infected men. *Journal of Acquired Immune Deficiency Syndromes*, 42, 470-477. <https://doi.org/10.1097/01.qai.0000225730.79610.61>

Łojeć, E. (2000). Neuropsychologia osób zakażonych wirusem HIV i chorych na AIDS. Warszawa: Medyk.

Malaspina, L., Woods, S.P., Moore, D.J., et al. (2011). Successful cognitive aging in persons living with HIV infection. *Journal of Neurology*, 17, 110-119. <https://doi.org/10.1007/s13365-010-0008-z>

Mannheimer, S.B., Matts, J., Telzak, E., Chesney, M., Child, C., Wu, A.W., Friedland, G. (2005). Quality of life in HIV-infected individuals receiving antiretroviral therapy is related to adherence. AIDS Care, 17(1), 10-22. <https://doi.org/10.1080/09540120412331305098>

Marcus, K.S., Kerns, R.D., Rosenfeld, B., Breitbart, W. (2000). HIV/AIDS-related pain as a chronic pain condition: Implications of a biopsychosocial model for comprehensive assessment and effective management. Pain Medicine, 1(3), 260-273. <https://doi.org/10.1046/j.1526-4637.2000.00033.x>

Mbada, C.E., Onayemi, O., Ogunmoyole, Y., Johnson, O.E., Akosile, C.O. (2013). Health-related quality of life and physical functioning in people living with HIV/AIDS: a case-control design. Health and Quality of Life Outcomes, 11, 106. <https://doi.org/10.1186/1477-7525-11-106>

Miners, A.H., Sabin, C.A., Mocroft, A., Youle, M., Fisher, M., Johnson, M. (2001). Health-related quality of life in individuals infected with HIV in the era of HAART. HIV Clinical Trials, 2(6), 484-492. <https://doi.org/10.1310/48ET-TT7G-35RA-D4C3>

Moore, R.C., Fazeli, P.L., Jeste, D.V., Moore, D.J., Grant, I., Woods, S.P. (2014). Successful cognitive aging and health-related quality of life in younger and older adults infected with HIV. AIDS and Behavior, 18(6), 1186-1197. <https://doi.org/10.1007/s10461-014-0743-x>

Nightingale, V.R., Sher, T.G., Mattson, M., Thilges, S., Hansen, N.B. (2011). The effects of traumatic stressors and HIV-related trauma symptoms on health and health related quality of life. AIDS and Behavior, 15(8), 1870-1878. <https://doi.org/10.1007/s10461-011-9980-4>

Nojomi, M., Anbary, K., Ranjbar, M. (2008). Health-related quality of life in patients with HIV/AIDS. Archives of Iranian Medicine, 11, 608-612.

Okifuji, A., Ackerlind, S. (2007). Behavioral medicine approaches to pain. The Medical Clinics of North America, 91(1), 45-55. <https://doi.org/10.1016/j.mcna.2006.10.008>

Okoro, C.A., Brewer, R.D., Naimi, T.S., Moriarty, D.G., Giles, W.H., Mokdad, A.H. (2004). Binge drinking and health-related quality of life: Do popular perceptions match reality? American Journal of Preventive Medicine, 26, 230-233. <https://doi.org/10.1016/j.amepre.2003.10.022>

Parkerson, G.R. Jr., Broadhead, W.E., Tse, C.-K.J. (1990). The Duke Health Profile: A 17-Item Measure of Healthand Dysfunction. Medical Care, 28(11), 1056-1072. <https://doi.org/10.1097/00005650-199011000-00007>

Peltzer, K., Ramlagan, S. (2011). Perceived stigma among patients receiving antiretroviral therapy: a prospective study in KwaZulu-Natal, SouthAfrica. AIDS Care, 23, 60-68. <https://doi.org/10.1080/09540121.2010.498864>

Peterman, A.H., Celli, D., Mo, F., McCain, N. (1997). Psychometric validation of the revised functional assessment of human immunodeficiency virus infection (FAHI) quality of life instrument. Quality of Life Research, 6(6), 572-584. <https://doi.org/10.1023/A:1018416317546>

Piette, J., Wachtel, T.J., Mor, V., Mayer, K. (1995). The impact of age on the quality of life in persons with HIV infection. Journal of Aging and Health, 7(2), 163-178. <https://doi.org/10.1177/089826439500700201>

Préau, M., Vincent, E., Spire, B., Reliquet, V., Fournier, I., Michelet, C., Leport, C., Morin, M., Grp, A.S. (2005). Health-related quality of life and health locus of control beliefs among HIV-infected treated patients. Journal of Psychosomatic Research, 59(6), 407-413. <https://doi.org/10.1016/j.jpsychores.2005.06.005>

Psaros, C., OcCleirigh, C., Bullis, J.R., Markowitz, S.M., Safran, S.A. (2013). The influence of psychological variables on Health-Related Quality of Life among HIV-positive individuals with a history of intravenous drug use. *Journal of Psychoactive Drugs*, 45(4), 304-312.

<https://doi.org/10.1080/02791072.2013.825030>

Rapkin, B.D. (2000). Personal goals and response shifts: Understanding the impact of illness and events on the quality of life of people living with AIDS. W: C. Schwartz i M.A. Sprangers (red.). *Adaptation to changing health* (s. 53-71). Washington: American Psychological Association.

<https://doi.org/10.1037/10382-004>

Reed, G.M., Kemeny, M.E., Taylor, S.E., Visscher, B.R. (1999). Negative HIV-specific expectancies and AIDS-related bereavement as predictors of symptom onset in asymptomatic HIV-positive gay men. *Health Psychology*, 18, 354-363. <https://doi.org/10.1037/0278-6133.18.4.354>

Ruiz Pérez, I., Rodriguez Baño, J., Lopez Ruz, M.A., del Arco Jimenez, A., Causse Prados, M., Pasquau Liaño, J., Martin Rico, P., de la Torre Lima, J., Prada Pardal, J.L., Lopez Gomez, M., Muñoz, N., Morales, D., Marcos, M. (2005). Health-related quality of life of patients with HIV: impact of sociodemographic, clinical and psychosocial factors. *Quality of Life Research*, 14(5), 1301-1310.

<https://doi.org/10.1007/s11136-004-4715-x>

Rosenbloom, M.J., Sullivan, E.V., Sassoon, S.A., O'Reilly, A., Fama, A., Kemper, C.A., Deresinski, S., Pfefferbaum, A. (2007). Alcoholism, HIV infection, and their comorbidity: Factors affecting self-rated health-related quality of life. *Journal of Studies on Alcohol and Drugs*, 68, 115-125.

<https://doi.org/10.15288/jsad.2007.68.115>

Sarna, L., van Servellen, G., Padilla, G., Brecht, M.L. (1999). Quality of life in women with symptomatic HIV/AIDS. *Journal of Advanced Nursing*, 30(3), 597-605. <https://doi.org/10.1046/j.1365-2648.1999.01129.x>

Sax, P.E., Gathe, J.C. (2005). Beyond efficacy: the impact of combination antiretroviral therapy on quality of life. *AIDS Patients Care and STDs*, 19, 563-576. <https://doi.org/10.1089/apc.2005.19.563>

Sherbourne, C.D., Hays, R.D., Fleishman, J.A., Vitiello, B., Magruder, K.M., Bing, E.G., et al. (2000). Impact of psychiatric conditions on health-related quality of life in persons with HIV infection. *American Journal of Psychiatry*, 157, 248-254. <https://doi.org/10.1176/appi.ajp.157.2.248>

Sikkema, K.J., Kalichman, S., Hoffmann, R., Koob, J., Kelly, J., Heckman, T. (2000). Coping strategies and emotional wellbeing among HIV-infected men and women experiencing AIDS-related bereavement. *AIDS Care*, 12, 613-624. <https://doi.org/10.1080/095401200750003798>

da Silva, J., Bunn, K., Bertoni, R., Neves, O., Traebert, J. (2013). Quality of life of people living with HIV. *AIDS Care*, 25(1), 71-76. <https://doi.org/10.1080/09540121.2012.686594>

Silverman, G.K., Jacobs, S.C., Kasl, S.V., Shear, M.K., Maciejewski, P.K., Noagliu, F.S., et al. (2000). Quality of life impairments associated with diagnostic criteria for traumatic grief. *Psychological Medicine*, 30, 857-862. <https://doi.org/10.1017/S0033291799002524>

Szaflarski, M., Ritchey, P., Leonard, A.C., Mrus, J.M., Peterman, A.H., Ellison, C.G., et al. (2006). Modeling the effects of spirituality/religion on patients' perceptions of living with HIV/AIDS. *Journal of General Internal Medicine*, 21(Suppl 5), 28-38. <https://doi.org/10.1111/j.1525-1497.2006.00646.x>

Tate, D., Paul, R.H., Flanigan, T.P., Tashima, K., Nash, J., Adair, C., Boland, R., Cohen, R.A. (2003). The impact of apathy and depression on quality of life in patients infected with HIV. AIDS Patient Care and STDS, 17(3), 115-120. <https://doi.org/10.1089/108729103763807936>

Tomita, A., Garrett, N., Werner, L., Burns, J.K., Mpanza, L., Mlisana, K., van Loggerenberg, F., Abdool Karim, S.S. (2014). Health-related quality of life dynamics of HIV-positive South African women up to ART initiation: evidence from the CAPRISA 002 Acute Infection Cohort Study. AIDS and Behavior, 18, 1114-1123 <https://doi.org/10.1007/s10461-014-0800-5>

Tozzi, V., Balestra, P., Galgani, S., Murri, R., Bellagamba, R., Narciso, P., et al. (2003). Neurocognitive performance and quality of life in patients with HIV infection. AIDS Research and Human Retroviruses, 19(8), 643-652. <https://doi.org/10.1089/088922203322280856>

Tran, B.X. (2012) Quality of life outcomes of antiretroviral treatment for HIV/AIDS patients in Vietnam. PLoS ONE, 7(7), e41062. <https://doi.org/10.1371/journal.pone.0041062>

Tylka, J., Piotrowicz, R. (2009). Kwestionariusz oceny jakości życia SF-36 - wersja polska. Kardiologia Polska, 67, 1166-1169.

UNAIDS (2016). Global AIDS update 2016.

http://www.unaids.org/sites/default/files/media_asset/global-AIDS-update-2016-en.pdf.

Van Tam, V., Larsson, M., Pharris, A., Diedrichs, B., Phuong Nguyen, H., Nguyen, H., Ho, P.D., Marrone, G., Thorson, A. (2012). Peer support and improved quality of life among persons living with HIV on antiretroviral treatment: A randomized controlled trial from north-eastern Vietnam. Health and Quality of Life Outcomes, 10, 53. <https://doi.org/10.1186/1477-7525-10-53>

Vorma, H., Naukkarinen, H., Sarna, S., Kuoppasalmi, K. (2004). Symptom severity and quality of life after benzodiazepine withdrawal treatment in participants with complicated dependence. Addictive Behaviors, 29, 1059-1065. <https://doi.org/10.1016/j.addbeh.2004.03.003>

Voswick, M., Gore-Felton, C., Koopman, C., Thoresen, C., Krumboltz, J., Spiegel, D. (2002). Maladaptive Coping Strategies in Relation to Quality of Life Among HIV+ Adults. AIDS and Behavior, 6(1), 97-106. <https://doi.org/10.1023/A:1014584730432>

Ware, J.E., Sherbourne, C.D. (1992). The MOS 36-item Short-Form Health Survey (SF-36): I. Conceptual framework and item selection. Medical Care, 30, 473-483. <https://doi.org/10.1097/00005650-199206000-00002>

Ware, J.E. Jr., Kosinski, M., Keller, S.D. (1996). A 12-item short-form health survey: construction of scales and preliminary tests of reliability and validity. Medical Care, 34, 220-233. <https://doi.org/10.1097/00005650-199603000-00003>

Webster, K., Cell, D., Yost, K. (2003). The functional assessment of chronic illness therapy (FACIT) measurement system: properties, applications and interpretation. Health and Quality of Life Outcomes, 1(79), 1-7. <https://doi.org/10.1186/1477-7525-1-79>

Wig, N., Lekshmi, R., Pal, H., Ahuja, V., Mittal, C.M., Agarwal, S.K. (2006). The impact of HIV/AIDS on the quality of life: A cross sectional study in north India. Indian Journal of Medical Sciences, 60, 3-12. <https://doi.org/10.4103/0019-5359.19670>

Wu, A.W., Revicki, D.A., Jacobson, D., Malitz, F.E. (1997). Evidence for reliability, validity and usefulness of the Medical Outcomes Study HIV Health Survey (MOS-HIV). Quality of Life Research, 6(6), 481-493. <https://doi.org/10.1023/A:1018451930750>

Natalia Gawron Rezerwa mózgowa, czynniki psychospołeczne oraz tryb życia a ryzyko zaburzeń poznawczych u starszych pacjentów zakażonych wirusem HIV

Ances, B.M., Ortega, M., Vaida, F., Heaps, J., Paul, R. (2012). Independent effects of HIV, aging, and HAART on brain volumetric measures. *Journal of Acquired Immune Deficiency Syndromes*, 59(5), 469-477. <https://doi.org/10.1097/QAI.0b013e318249db17>

Arenaza-Urquijo, E.M., Wirth, M., Chételat, G. (2015). Cognitive reserve and lifestyle: moving towards preclinical Alzheimer's disease. *Frontiers in Aging Neuroscience*, 7, 134. <https://doi.org/10.3389/fnagi.2015.00134>

Barulli, D., Stern, Y. (2013). Efficiency, capacity, compensation, maintenance, plasticity: emerging concepts in cognitive reserve. *Trends in Cognitive Sciences*, 17(10), 502-509. <https://doi.org/10.1016/j.tics.2013.08.012>

Becker, B.W., Thames, A.D., Woo, E., Castellon, S.A., Hinkin, C.H. (2011). Longitudinal change in cognitive function and medication adherence in HIV-infected adults. *AIDS and Behavior*, 15(8), 1888-1894. <https://doi.org/10.1007/s10461-011-9924-z>

Braskie, M.N., Boyle, C.P., Rajagopalan, P., Gutman, B.A., Toga, A.W., Raji, C.A., Tracy, R.P., Kuller, L.H., Becker, J.T., Lopez, O.L., Thompson, P.M. (2014). Physical activity, inflammation, and volume of the aging brain. *Neuroscience*, 273, 199-209. <https://doi.org/10.1016/j.neuroscience.2014.05.005>

Chernoff, R.A., Martin, D.J., Schrock, D.A., Huy, M.P. (2010). Neuropsychological functioning as a predictors of employment activity in a longitudinal study of HIV-infected adults contemplating workforce reentry. *Journal of the International Neuropsychological Society*, 16(1), 38-48. <https://doi.org/10.1017/S1355617709990828>

Colcombe, S., Kramer, A.F. (2003). Fitness effects on the cognitive function of older adults. A metaanalytic study. *Psychological Science*, 14, 125-130. <https://doi.org/10.1111/1467-9280.t01-1-01430>

Crum-Cianflone, N.F., Moore, D.J., Letendre, S., Poehlman Roediger, M., Eberly, L., Weintrob, A., Ganesan, A., Johnson, E., Del Rosario, R., Agan, B.K., Hale, B.R. (2013). Low prevalence of neurocognitive impairment in early diagnosed and managed HIV-infected persons. *Neurology*, 80(4), 371-379. <https://doi.org/10.1212/WNL.0b013e31827f0776>

Dufouor, C.A., Mrquine, M.J., Fazeli, P.L., Henry, B.L., Ellis, R.J., Grant, I., Moore, D.J., HNRP Group (2013). Physical exercise is associated with less neurocognitive impairment among HIV-infected adults. *Journal of Neurovirology*, 19(5), 410-417. <https://doi.org/10.1007/s13365-013-0184-8>

Egger M., May, M., Chone, G., Philips A.N., Ledergeber, B., Dabis, F., Costagliola, D., DcArminio Monforte, A., de Wolf, F., Reiss, P., Lundgren J.D., Justice A.C., Staszewski S., Leport, C., Hogg, R.S., Sabin, C.A., Gill M.J., Salzberger, B., Sterne, J.A., ART Cohort Collaboration (2002). Prognosis of HIV-1-infected patients starting highly active antiretroviral therapy: a collaborative analysis of prospective studies. *Lancet*, 360(9327), 119-129. [https://doi.org/10.1016/S0140-6736\(02\)09411-4](https://doi.org/10.1016/S0140-6736(02)09411-4)

Erlandson, K.M., Allshouse, A.A., Jankowski, C.M., Mawhinney, S., Kohrt, W. M., Campbell, T.B. (2014). Relationship of physical function and quality of life among persons aging with HIV infection. *AIDS*, 28(13), 1939-1943. <https://doi.org/10.1097/QAD.0000000000000384>

European Centre for Disease Prevention and Control (2015). Annual Epidemiological Reports 2014. Stockholm: ECDC.

Fazeli, P.L., Woods, S.P., Heaton, R.K., Umlauf, A., Gouaux, B., Rosario, D., Moore, R.C., Grant, I., Moore, D.J., HNRP Group (2014). An active lifestyle is associated with better neurocognitive functioning in adults living with HIV infection. *Journal of Neurovirology*, 20(3), 233-242.

<https://doi.org/10.1007/s13365-014-0240-z>

Fellows, R.P., Byrd, D.A., Morgello, S. (2014). Effects of information processing speed on learning, memory, and executive functioning in people living with HIV/AIDS. *Journal of Clinical and Experimental Neuropsychology*, 36(8), 806-817. <https://doi.org/10.1080/13803395.2014.943696>

Fitch, K.V., Looby, S.E., Rope, A., Eneh, P., Hemphill, L., Lee, H., Steven, K., Grinspoon, S.K. (2013). Effects of aging and smoking on carotid intima media thickness in HIV-infection. *AIDS*, 27(1), 49-57. <https://doi.org/10.1097/QAD.0b013e328358b29c>

Foley, J.M., Ettenhofer, M.L., Kim, M.S., Behdin, N., Castellon, S.A., Hinkin, Ch.H. (2012). Cognitive reserve as a protective factor in older HIV-positive patients at risk for cognitive decline. *Applied Neuropsychology: Adult*, 19(1), 16-25. <https://doi.org/10.1080/09084282.2011.595601>

Gongvatana, A., Morgan, E.E., Iudicello, J.E., Letendre, S.L., Grant, I., Woods, S.P., HIV Neurobehavioral Research Program (HNRP) Group (2014). A history of alcohol dependence augments HIV-associated neurocognitive deficits in persons aged 60 and older. *Journal of Neurovirology*, 20(5), 505-513. <https://doi.org/10.1007/s13365-014-0277-z>

Gorman, A.A., Foley, J.M., Ettenhofer, M.L., Hinkin, C., van Gorp, W.G. (2009). Functional consequences of HIV-associated neuropsychological impairment. *Neuropsychological Review*, 19, 186-203. <https://doi.org/10.1007/s11065-009-9095-0>

Hardy, D.J., Vance, D.E. (2009). The neuropsychology of HIV/AIDS in older adults. *Neuropsychology Review*, 19(2), 263-272. <https://doi.org/10.1007/s11065-009-9087-0>

Hearps, A.C., Martin, G.E., Rajasuriar, R., Crowe, S.M. (2014). Inflammatory co-morbidities in HIV+ individuals: Learning lessons from healthy ageing. *Current HIV/AIDS Reports*, 11, 20-34. <https://doi.org/10.1007/s11904-013-0190-8>

Henrich, T.J., Lauder, N., Desai, M.M., Sofair, A.N. (2008). Association of alcohol abuse and injection drug use with immunologic and virologic responses to HAART in HIV-positive patients from urban community health clinics. *Journal of Community Health*, 33(2), 69-77. <https://doi.org/10.1007/s10900-007-9069-1>

Hinkin, C.H., Hardy, D.J., Mason, K.I., Castellon, S.A., Durvasula, R.S., Lam, M.N., Stefaniak, M. (2004). Medication adherence in HIV-infected adults: effect of patient age, cognitive status, and substance abuse. *AIDS*, 18(Suppl. 1), 19-25. <https://doi.org/10.1097/0002030-200401001-00004>

Honn, V.J., Para, M.F., Whitacre C.C., Bornstein R.A. (1999). Effect of exercise on neuropsychological performance in asymptomatic HIV infection. *AIDS and Behavior*, 3, 67-74. <https://doi.org/10.1023/A:1025471503738>

Lee, M.L., Amin, N.D., Venkatesan, A., Wang, T., Tyagi, R., Pant, H.C., Nath, A. (2013). Impaired neurogenesis and neurite outgrowth in an HIV-gp 120 transgenic model is reversed by exercise via BDNF production and Cdk5 regulation. *Journal of Neurovirology*, 19(5), 418-431. <https://doi.org/10.1007/s13365-013-0194-6>

Malaspina, L., Woods, S.P., Moore, D.J., Depp, C.A., Letendre, S.L., Jeste, D.V., Grant, I.; The HNRP Group (2011). Successful cognitive aging in persons living with HIV infection. *Journal of Neurovirology*, 17, 110-119. <https://doi.org/10.1007/s13365-010-0008-z>

Mapstone, M., Hilton, T.N., Yang, H., Guido, J.J., Luque, A.E., Hall, W.J., Dewhurst, S., Shah, K. (2013). Poor aerobic fitness may contribute to cognitive decline in HIV-infected older adults. *Aging and Disease*, 4(6), 311-319. <https://doi.org/10.14336/AD.2013.0400311>

Mattson, M.P. (2013). Exercise and the brain: a slap on the HAND. *Journal of Neurovirology*, 19(5), 407-409. <https://doi.org/10.1007/s13365-013-0208-4>

Mavandadi, S., Zaniani, F., Have, T.R., Oslin, D.W. (2009). Psychological well-being among individuals aging with HIV: the value of social relationships. *Journal of Acquired Immune Deficiency Syndrome*, 51(1), 91-98. <https://doi.org/10.1097/QAI.0b013e318199069b>

Moore, R.C., Moore, D.J., Thompson, W., Vahia, I.V., Grant, I., Jeste, D.V. (2013). A case-controlled study of successful aging in older adults with HIV . *Journal of Clinical Psychiatry*, 74(5), e417-e423. <https://doi.org/10.4088/JCP.12m08100>

Morgan, E.E., Woods, S.P., Smith, C., Weber, E., Scott, J.C., Grant, I.; The HIV Neurobehavioral Research Program (HNRP) Group (2012). Lower cognitive reserve among individuals with syndromic HIV-associated neurocognitive disorders (HAND). *AIDS and Behavior*, 16(8), 2279-2285. <https://doi.org/10.1007/s10461-012-0229-7>

Nachega, J.B., Uthman, O.A., Peltzer, K., Richardson, L.A., Mills, E.J., Amekudzi, K., Ouédraogo, A. (2015). Association between antiretroviral therapy adherence and employment status: systematic review and meta-analysis. *Bulletin of the World Health Organization*, 93(1), 29-41. <https://doi.org/10.2471/BLT.14.138149>

O'Brien K., Nixon S., Tynan A.M., Glazier, R. (2010). Aerobic interventions for adults living with HIV/AIDS. *Cochrane Database of Systematic Reviews*, 8, CD001796. <https://doi.org/10.1002/14651858.CD001796.pub3>

Ortega, M., Baker, L.M., Vaida, F., Paul, R., Basco, B., Ances, B.M. (2015). Physical activity affects brain integrity in HIV+ individuals. *Journal of the International Neuropsychological Society*, 21(10), 880-889. <https://doi.org/10.1017/S1355617715000879>

Pfefferbaum, A., Rogosa, D., Rosenbloom, M.J., Chu, W., Sassoone, S.A., Carol, A., Kemper, C.A., Deresinski, S., Rohlfing, R., Zahr, N.M., Sullivan, E.V. (2014). Accelerated aging of selective brain structures in HIV infection: a controlled, longitudinal MRI study. *Neurobiology of Aging*, 35(7), 1755-1768. <https://doi.org/10.1016/j.neurobiolaging.2014.01.008>

Policarpo, S., Valadas, E., Rodrigues, T., Moreira, A.C. (2014). Mediterranean diet: the impact on cardiovascular risk and metabolic syndrome in HIV patients, in Lisbon, Portugal. *Journal of the International AIDS Society*, 17(4 Suppl 3), 19727. <https://doi.org/10.7448/IAS.17.4.19727>

Rosenbloom, M.J., Sullivan, E.V., Pfefferbaum, A. (2010). Focus on the brain: HIV infection and alcoholism comorbidity effects on brain structure and function. *Alcohol Research and Health*, 33(3), 247-257.

Smit, E., Wanke, C., Dong, K., Grotheer, A., Hansen, S., Skinner, S., Tang, A.M. (2015). Frailty, food insecurity, and nutritional status in people living with HIV. *The Journal of Frailty and Aging*, 4(4), 191-197.

Smith, J.C., Nielson, K.A., Woodard, J.L., Seidenberg, M., Rao, S.M. (2013). Physical activity and brain function in older adults at increased risk for Alzheimer's disease. *Brain Sciences*, 3, 54-83.

<https://doi.org/10.3390/brainsci3010054>

Stern, R.A., Silva, S.G., Chaisson, N., Evans, D.L. (1996). Influence of cognitive reserve on neuropsychological functioning in asymptomatic Human Immunodeficiency Virus-1 infection. *Archives of Neurology*, 53, 148-153. <https://doi.org/10.1001/archneur.1996.00550020052015>

Stern, Y. (2009). Cognitive reserve. *Neuropsychologia*, 47(10), 2015-2028.

<https://doi.org/10.1016/j.neuropsychologia.2009.03.004>

Tedaldi, E.M., Minniti, N.L., Fischer, T. (2015). HIV associated neurocognitive disorders: the relationship of HIV infection with physical and social comorbidities. *BioMed Research International*, 2015, 641913. <https://doi.org/10.1155/2015/641913>

Tripathi, A., Liese, A.D., Winniford, M.D., Jerrell, J.M., Albrecht, H., Rizvi, A.A., Zhang, J., Duffus, W.A. (2014). Impact of clinical and therapeutic factors on incident cardiovascular and cerebrovascular events in a population-based cohort of HIV-infected and non-HIV-infected adults. *Clinical Cardiology*, 37(9), 517-522. <https://doi.org/10.1002/clc.22311>

Valcour, V.G., Shikuma, C.M., Watters, M.R., Sacktor, N.C. (2004). Cognitive impairment in older HIV-1-seropositive individuals: prevalence and potential mechanisms. *AIDS*, 18 (Suppl. 1), S79-86.

<https://doi.org/10.1097/00002030-200401001-00012>

Vance, D.E., Cody, S.L., Yoo-Jeong, M., Jones, G., Nicholson, W.C. (2015). The role of employment on neurocognitive reserve in adults with HIV: a review of the literature. *Journal of the Association of Nurses in AIDS Care*, 26(4), 316-329. <https://doi.org/10.1016/j.jana.2015.04.003>

Szymon Chrząstowski Badania nad pomocą psychologiczną dla osób zakażonych wirusem HIV

American Psychological Association (2015). What mental health providers should know about working with older adults. Uzyskano z: <http://www.apa.org/pi/aging/resources/guides/practitioners-should-know.aspx>.

Antoni, M., Ironson, G., Schneiderman, N. (2007a). Cognitive-behavioral stress management for individuals living with HIV: Facilitator guide (Treatments that work). Oxford: Oxford University Press. <https://doi.org/10.1093/med:psych/9780195327915.001.0001>

Antoni, M., Ironson, G., Schneiderman, N. (2007b). Cognitive-behavioral stress management. Workbook (Treatments that work). Oxford: Oxford University Press. <https://doi.org/10.1093/med:psych/9780195327908.001.0001>

Arseniou, S., Arvanti, A., Samakouri, M. (2014). HIV infection and depression. *Psychiatry and Clinical Neuroscience*, 68, 96-109. <https://doi.org/10.1111/pcn.12097>

ATLIS (2010). Stigma, isolation, and discrimination and their impact on HIV serostatus disclosure: A global survey of 2,035 patients. Uzyskano z: http://www.avert.org/hiv-aids-stigma-anddiscrimination.htm#footnote38_mzy8aol.

Baltes, P., Staudinger, U. (2000). Wisdom: A metaheuristic (pragmatic) to orchestrate mind and virtue toward excellence. *American Psychologist*, 55, 122-136. <https://doi.org/10.1037/0003-066X.55.1.122>

Barreto, I., Viegas, P., Ziff, E., Konkiewitz, E. (2014). Animal models for depression associated with HIV-1 infection. *Journal of Neuroimmune Pharmacology*, 9, 195-208. <https://doi.org/10.1007/s11481-013-9518-9>

Batista, W., Goforth, H., Cohen, M. (2010). Diagnosis of psychiatric disorders. W: M. Cohen, H. Goforth, J. Lux, S. Batista, S. Khalife, K. Cozza, J. Soffer (red.). *Handbook of AIDS psychiatry* (s. 113-146). Oxford: Oxford University Press.

Beck, J. (2012). *Terapia poznańczo-behawioralna. Podstawy i zagadnienia szczegółowe*. Kraków: Wydawnictwo Uniwersytetu Jagiellońskiego.

Beckerman, N. (2008). Couples of mixed HIV status. Clinical issues and interventions. New York, London: Routledge. Taylor & Francis Group. Kindle Edition.

Bennett-Levy, J. Richard, D., Farrand, P., Christensen, H., Griffiths, K., Kavanagh, D. ... Williams, Ch. (red.) (2010). *Oxford guide to low intensity CBT interventions*. Oxford University Press. Benton, T., Blume, J., Dube, B. (2010). Treatment consideration for psychiatric syndromes association with HIV infection. *HIV Therapy*, 4, 231-245. <https://doi.org/10.2217/hiv.10.12>

Brown, J., Venable, P. (2008). Cognitive-behavioral stress management interventions for persons living with HIV: A review and critique of the literature. *Annals of Behavioral Medicine*, 35, 26-40. <https://doi.org/10.1007/s12160-007-9010-y>

Brown, J., Venable, P. (2011). Stress management interventions for HIV-infected individuals: review of recent interventions approaches and directions for future research. *Neurobehavioral HIV Medicine*, 11, 95-106. <https://doi.org/10.2147/NBHIV.S17829>

Bryant, Ch., Koder, D. (2015). Why psychologists do not want to work with older adults. *International Psychogeriatrics*, 27, 351-354. <https://doi.org/10.1017/S1041610214002208>

Celestia, B., Nigro, L., Pinzone, M., Coco, C., Rosa, R., Bisicchia, F. ... Nunnari, G. (2013). High prevalence of undiagnosed anxiety symptoms among HIV-positive individuals on cART: a cross-sectional study. *European Review for Medical and Pharmacological Sciences*, 17, 2040-2046. Uzyskano z: <http://www.europeanreview.org/wp/wp-content/uploads/2040-20461.pdf>.

Centre for AIDS Prevention Studies. (2007). The CHANGES Project: Coping effectiveness training for HIV+ gay men. Centre for AIDS prevention studies. UCSF AIDS ResearchInstitute. Uzyskano z: <http://caps.ucsf.edu/changes>

Centrum Badania Opinii Społecznej (2001). Społeczeństwo wobec AIDS. Komunikat z badań. Warszawa: CBOS. Uzyskano z: http://www.cbos.pl/SPISKOM.POL/2001/K_163_01.PDF.

Charles, S. (2005). Viewing injustice: Greater emotion heterogeneity with age. *Psychology and Aging*, 20, 159-164. <https://doi.org/10.1037/0882-7974.20.1.159>

Chesney, M., Chambers, D., Jonelle, T., Johnson, L., Folkman, S. (2003). Coping effectiveness training for men living with HIV : Results from a randomized clinical trial testing a group-based intervention. *Psychosomatic Medicine*, 65, 1038-1046. <https://doi.org/10.1097/01.PSY.0000097344.78697.ED>

Chrząstowski, S., de Barbaro, B. (2011). Postmodernistyczne inspiracje w psychoterapii. Kraków: Wydawnictwo Uniwersytetu Jagiellońskiego.

Czapíński, J., Błędowski, P. (2014). Aktywność społeczna osób starszych w kontekście percepcji Polaków. Diagnoza Społeczna 2013. Warszawa: Ministerstwo Pracy i Polityki Społecznej i Centrum Rozwoju Zasobów Ludzkich.

Drozd, F., Skeie, L., Kraftab, P., Kvale, D. (2014). A web-based intervention trial for depressive symptoms and subjective well-being in patients with chronic HIV infection. AIDS Care, 26, 1080-1089.
<https://doi.org/10.1080/09540121.2013.869541>

EACS (2014). European AIDS Clinical Society. European guidelines for treatment of HIV-infected adults in Europe. Uzyskano z: <http://eacsociety.org/Portals/0/GUIDELINES/English%20-PDF%20-%20Version%207.1.pdf>.

Erber, J.T., Schuman, L.T. (2015), Great myths of aging. Wiley-Blackwell.

Gayner, B., Esplen, M., DeRoché, P., Wong, J., Bishop, S., Kavanagh, L., Butler, K. (2012). A randomized controlled trial of mindfulness-based stress reduction to manage affective symptoms and improve quality of life in gay men living with HIV. Journal of Behavioral Medicine, 35, 272-285.
<https://doi.org/10.1007/s10865-011-9350-8>

Gąsiorowski, J., Knysz, B., Łapiński, Ł. (2010). Zakażenie HIV - poradnictwo okołotestowe. Kompendium dla lekarzy i osób pracujących w punktach konsultacyjnych. Wrocław: MedPharm Polska.

Ghebremichael, M., Paintsil, E., Vlahov, D., Schuman, P., Boland, R., Schoenbaum, E., ... Zhang, H. (2009). Longitudinal association of alcohol use with HIV disease progression and psychological health of women with HIV. AIDS Care, 21, 834-841. <https://doi.org/10.1080/09540120802537864>

Glicken, M. (2009). Evidence-based counseling and psychotherapy for an aging population (Practical resources for the mental health professional). Academic Press, Elsevier.

Heckman, T., Heckman, B., Anderson, T., Lovejoy, T., Mohr, D., Sutton, M., Bianco, J., Gau, J. (2013). Supportive-expressive and coping group teletherapies for HIV-infected older adults: A randomized clinical trial. AIDS and Behavior, 17, 3034-3044. <https://doi.org/10.1007/s10461-013-0441-0>

Hedge, B. (2012). Psychological and mental health issues. W: M. Adler, S. Edwards, G. Miller, I. Williams (red.). ABC of HIV and AIDS (s. 108-113). Wiley-Blackwell.

Hepple, J. (2004). Psychotherapies with older people: an overview. Advances in Psychiatric Treatment, 10, 371-377. <https://doi.org/10.1192/apt.10.5.371>

Heszen, I. (2013). Psychologia stresu. Warszawa: Wydawnictwo Naukowe PWN.

Hill, R. (2010). Pozytywne starzenie się. Warszawa: Wydawnictwo Laurum.

Honagodu, A., Krishna, M., Sundarachari, R., Lepping, P. (2013). Group psychotherapies for depression in persons with HIV : A systemic review. Indian Journal of Psychiatry, 55, 323-330.
<https://doi.org/10.4103/0019-5545.120541>

Horban, A., Podlasin, R., Cholewińska, G., Wiercińska-Drapała, A., Knysz, B., Inglot, M., Szymczak, A. (red.) (2014). Zasady opieki nad osobami zakażonymi HIV. Zalecenia Polskiego Towarzystwa Naukowego AIDS. Warszawa: Polskie Towarzystwo Naukowe AIDS.

Hormes, J., Gerhardstein, K., Griffin, P. (2011). Brief screening for alcohol use disorders in HIV primary care. HIV Clinician, 23, 8-13.

Kendall-Tacket, K. (2013). Depression, hostility, posttraumatic stress disorder, and inflammation: The corrosive health effects of negative mental states. W: K. Kendall-Tacket (red.). The psychoneuroimmunology of chronic disease. Exploring the links between inflammation, stress, and illness. Washington: American Psychological Association. Kindle Edition.

National AIDS Trust (2010). Psychological support for people living with HIV. NAT: London. Uzyskano z: <http://www.nat.org.uk/media/Files/Publications/July-2010-Psychological-supportfor-PLHIV.pdf>.

Negin, J., Rozea, A., Martiniuk, A. (2014). HIV behavioural interventions targeted towards older adults: a systematic review. BMC Public Health, 14. <https://doi.org/10.1186/1471-2458-14-507>

Paluchowski, W. (2010). Diagnoza oparta na dowodach empirycznych - Czy potrzebny jest "Polski Buros"? Roczniki Psychologiczne, 13, 7-27.

Perez, G., Cruess, D., Kalichman, S. (2011). Effects of Stress on Health in HIV/AIDS. W: R. Contrada, A. Baum (red.). The Handbook of stress science. Biology, psychology, and health. New York: Springer Publishing Company. Kindle Edition.

Rakowska, J. (2005). Skuteczność psychoterapii. Warszawa: Wydawnictwo Naukowe Scholar.

Riley, K., Kalichman, S. (2014). Mindfulness-based stress reduction for people living with HIV/AIDS: preliminary review of intervention trial methodologies and findings. Health Psychology Review. <https://doi.org/10.1080/17437199.2014.895928>

Rachel, W., Turkot, A. (2014). Psychoterapia pacjentów depresyjnych w starszym wieku stosowana na psychogeriatrycznym oddziale stacjonarnym i dziennym. Psychoterapia, 171, 77-87.
<https://doi.org/10.12740/PT/30178>

Sanmarti, M., Ibáñez, L., Huertas, S. et al. (2014). HIV-associated neurocognitive disorders. Journal of Molecular Psychiatry, 2. Uzyskano z: <http://www.jmolecularpsychiatry.com/content/2/1/2>.
<https://doi.org/10.1186/2049-9256-2-2>

Shacham, E., Morgan, J., Onen, N., Taniguchi, T., Overton, E. (2012). Screening anxiety in the HIV clinic. AIDS and Behavior, 16, 2407-2413. <https://doi.org/10.1007/s10461-012-0238-6>

Sherr, I., Nagra, N., Kulubya, G., Catalan, J., Clucas, C., Harding, R. (2011). HIV infection associated post-traumatic stress disorder and post-traumatic growth- a systemic review. Psychology, Health and Medicine, 16, 612-629. <https://doi.org/10.1080/13548506.2011.579991>

Sin, N., DiMatteo, R. (2014). Depression treatment enhances adherence to antiretroviral therapy: a meta-analysis. Annals of Behavioral Medicine, 47, 259-269. <https://doi.org/10.1007/s12160-013-9559-6>

Soffer, J., Cohen, M., (2010). Psychotherapeutic treatment of psychiatric disorders. W: M. Cohen, H. Goforth, J. Lux, S. Batista, S. Khalife, K. Cozza, J. Soffer (red.). Handbook of AIDS psychiatry (s. 201-217). Oxford: Oxford University Press.

Spies, G., Asmal, L., Seedat, S. (2013). Cognitive-behavioral interventions for mood and anxiety disorders in HIV: A systemic review. Journal of Affective Disorders, 150, 171-180.
<https://doi.org/10.1016/j.jad.2013.04.018>

Stuart-Hamilton, I. (2006). Psychologia starzenia się. Poznań: Wydawnictwo Zysk i S-ka.

Szweda-Lewandowska, Z. (2012) Starzenie się i starość - ogólna charakterystyka. W: P. Błędowski, B. Szatur-Jaworska, Z. Szweda-Lewandowska, P. Kubicki (red.). Raport na temat sytuacji osób starszych w Polsce (s. 15-32). Warszawa: Instytut Pracy i Spraw Socjalnych.

Treisman, G., Angelino, A. (2004). The psychiatry of AIDS: a guide to diagnosis and treatment. Baltimore: The John Hopkins University Press.

UNAIDS (2013). HIV and aging. A special supplement to the UNAIDS report on the global AIDS epidemic 2013. Joint United Nations Programme on HIV/AIDS (UNAIDS). Uzyskano z:
http://www.unaids.org/sites/default/files/media_asset/20131101_JC2563_hiv-and-aging_en_0.pdf.

Welbel, M. (2011). Ochrona zdrowia psychicznego osb żyjących z HIV/AIDS w Polsce i innych krajach Unii Europejskiej z regionu Europy =rodkowej i Wschodniej. Kontra, 48, 5-6.

World Health Organization (1998). ICD-10. Klasyfikacja zaburzeń psychicznych i zaburzeń zachowania w ICD-10. Badawcze kryteria diagnostyczne. Kraków, Warszawa: Uniwersyteckie Wydawnictwo Medyczne "Vesalius", Instytut Psychiatrii i Neurologii.

Yudofsky, S.C., Hales, R.E. (2012). Neuropsychiatry, red. wyd. pol. J. Wciórka. Wrocław: Elsevier Urban & Partner.

Włodzimierz Oniszczenko, Marcin Rzeszutek, Magdalena Żebrowska, Ewa Firlag-Burkacka Wiek a nasilenie objawów traumy i wsparcie społeczne u osób zakażonych wirusem HIV

Adewuya, A.O., Afolabi, M.O., Ola, B.A., Ogundele, O.A., Ajibare, A.O., Oladipo, B.F., Fakande, I. (2009). Post-traumatic stress disorder (PTSD) after stigma related events in HIV infected individuals in Nigeria. Social Psychiatry and Psychiatric Epidemiology, 44, 761-766. <https://doi.org/10.1007/s00127-009-0493-7>

APA, Amerykańskie Towarzystwo Psychiatryczne (1994). Diagnostic and statistical manual of mental disorders (wyd. 4). Washington, DC: American Psychiatric Association.

Beckerman, N.L., Auerbach, C. (2010). Post-traumatic stress disorder and HIV: A snapshot of cooccurrence. Social Work in Health Care, 49, 687-702.
<https://doi.org/10.1080/00981389.2010.485089>

Benoit, A.C., Light, L., Burchell, A.N., Gardner, S., Rourke, S.B., Wobeser, W., Loutfy, M.R., OHTN Cohort Study Team Ontario CHIWOS Research Team (2014). Demographic and clinical factors correlating with high levels of psychological distress in HIV-positive women living in Ontario, Canada. AIDS Care, 26, 694-701. <https://doi.org/10.1080/09540121.2013.855301>

Breet, E., Kagee, A., Seedat, S. (2014). HIV-related stigma and symptoms of post-traumatic stress disorder and depression in HIV-infected individuals: Does social support play a mediating or moderating role? AIDS Care, 26, 947-951. <https://doi.org/10.1080/09540121.2014.901486>

Brewin, C., Andrews, B., Valentine, J. (2000). Meta-analysis of risk factors for posttraumatic stress disorder in trauma-exposed adults. Journal of Consulting and Clinical Psychology, 68, 748-766.
<https://doi.org/10.1037/0022-006X.68.5.748>

- Dąbkowska, M. (2009). Czynniki socjodemograficzne i kliniczne a nasilenie objaww PTSD u ofiar przemocy ze strony bliskiego partnera. Neuropsychiatria i Neuropsychologia, 2, 90-97.
- Deeks, S., Lewin, S., Havlir, D. (2013). The end of AIDS: HIV infection as a chronic disease. Lancet, 9903, 1525-1533. [https://doi.org/10.1016/S0140-6736\(13\)61809-7](https://doi.org/10.1016/S0140-6736(13)61809-7)
- Donnellan, M.B., Lucas, R.E. (2008). Age differences in the Big Five across the life span: Evidence from two national samples. Psychology and Aging, 23, 558-566. <https://doi.org/10.1037/a0012897>
- Emlet, C.A. (2006a). A comparison of HIV stigma and disclosure patterns between older and younger adults living with HIV/AIDS. AIDS Patient Care and STDs, 20, 350-358.
<https://doi.org/10.1089/apc.2006.20.350>
- Emlet, C.A. (2006b). "You're awfully old to have this diseaseS: Experiences of stigma and ageism in adults 50 years and older living with HIV/AIDS. Gerontologist, 46, 781-790.
<https://doi.org/10.1093/geront/46.6.781>
- Emlet, C.A. (2007). Experiences of stigma in older adults living with HIV/AIDS: A mixed-methods analysis. AIDS Patient Care and STDs, 21, 740-752. <https://doi.org/10.1089/apc.2007.0010>
- Emlet, C.A., Fredriksen-Goldsen, K.I., Kim, H.-J. (2013). Risk and protective factors associated with health-related quality of life among older gay and bisexual men living with HIV disease. Gerontologist, 53, 963-972. <https://doi.org/10.1093/geront/gns191>
- Endeshaw, M., Walson, J., Rawlins, S., Dessie, A., Alemu, S., Andrews, N., Rao, D. (2014). Stigma in Ethiopia: Association with depressive symptoms in people with HIV . AIDS Care, 26, 935-939.
<https://doi.org/10.1080/09540121.2013.869537>
- Engelhard, I.M., van den Hout, M.A., Schouten, E.G. (2006). Neuroticism and low educational level predict the risk of posttraumatic stress disorder in women after miscarriage or stillbirth. General Hospital Psychiatry, 28, 414-417. <https://doi.org/10.1016/j.genhosppsych.2006.07.001>
- Farber, E.W., Lamis, D.A., Shahane, A.A., Campos, P.E. (2014). Personal meaning, social support, and perceived stigma in individuals receiving HIV mental health services. Journal of Clinical Psychology in Medical Settings, 21, 173-182. <https://doi.org/10.1007/s10880-014-9394-3>
- Halkitis, P.N., Perez-Figueroa, R.E., Carreiro, T., Kingdon, M.J., Kupprat, S.A., Eddy, J. (2014). Psychosocial burdens negatively impact HIV antiretroviral adherence in gay, bisexual, and other men who have sex with men aged 50 and older. AIDS Care, 26, 1426-1434.
<https://doi.org/10.1080/09540121.2014.921276>
- Hansen, N.B., Vaughan, E.L., Cavanaugh, C.E., Connell, C.M., Sikkema, K.J. (2009). Health-related quality of life in bereaved HIV-positive adults: Relationships between HIV symptoms, grief, social support, and Axis II indication. Health Psychology, 28, 249-257. <https://doi.org/10.1037/a0013168>
- Hou, W.-L., Chen, C.-E., Liu, H.-Y., Lai, Y.-Y., Lee, H.-C., Lee, N.-Y., Chang, C.-M., Chen, P.-L., Ko, W.-C., Shu, B.-C., Ko, N.-Y. (2014). Mediating effects of social support on depression and quality of life among patients with HIV infection in Taiwan. AIDS Care, 26, 996-1003.
<https://doi.org/10.1080/09540121.2013.873764>
- IBM Corp (2012). IBM SPSS Statistics 21 core system user's guide. Somers, NY: IBM Corp. Israelski, D.M., Prentiss, D.E., Lubega, S., Balmas, G., Garcia, P., Muhammad, M., Cummings, S., Koopman, C. (2007). Psychiatric co-morbidity in vulnerable populations receiving primary care for HIV/AIDS. AIDS Care, 19, 220-225. <https://doi.org/10.1080/09540120600774230>

Jakrić, N., Brajković, L., Ivezić, E., Topić, R., Jakovljević, M. (2012). The role of personality traits in posttraumatic stress disorder (PTSD). *Psychiatria Danubina*, 24, 256-266.

Kamen, C., Bergstrom, J., Koopman, C., Lee, S., Gore-Felton, C. (2012). Relationships among childhood trauma, posttraumatic stress disorder, and dissociation in men living with HIV/AIDS. *Journal of Trauma & Dissociation*, 13, 102-114. <https://doi.org/10.1080/15299732.2011.608629>

Keuroghlian, A.S., Kamen, C.S., Neri, E., Lee, S., Liu, R., Gore-Felton, C. (2011). Trauma, dissociation, and antiretroviral adherence among persons living with HIV/AIDS. *Journal of Psychiatric Research*, 45, 942-948. <https://doi.org/10.1016/j.jpsychires.2011.05.003>

Khamarko, K., Myers, J.J. (2013). The influence of social support on the lives of HIV-infected individuals in low- and middle-income countries. Geneva: World Health Organization.

Koopman, C., Gore-Felton, C., Azimi, N., OcShea, K., Ashton, E., Power, R., ... Spiegel, D. (2002). Acute stress reactions to recent live events among women and men living with HIV/AIDS. *International Journal of Psychiatry in Medicine*, 32, 361-378. <https://doi.org/10.2190/CK2N-33NV-3PVF-GLVR>

Lawrence, S., Cross, M. (2013). Life transition with HIV: Some observations of the phenomenon of growing older with the infection. *Counselling Psychology Review*, 28, 25-36.

Leserman, J. (2008). Role of depression, stress, and trauma in HIV disease progression. *Psychosomatic Medicine*, 70, 539-545. <https://doi.org/10.1097/PSY.0b013e3181777a5f>

Leserman, J., Whetten, K., Lowe, K., Stangl, D., Swartz, M.S., Thielman, N.M. (2005). How trauma, recent stressful events, and PTSD affect functional health status and health utilization in HIV-infected patients in the South. *Psychosomatic Medicine*, 67, 500-507.

<https://doi.org/10.1097/01.psy.0000160459.78182.d9>

Levett, T., Wright, J., Fisher, M. (2014). HIV and ageing: what the geriatrician needs to know. *Reviews in Clinical Gerontology*, 24, 10-24. <https://doi.org/10.1017/S0959259813000208>

Low, Y., Goforth, H., Preudchomme, X., Edinger, J., Krystal, A. (2014). Insomnia in HIV-infected patients: pathophysiologic implications. *AIDS Reviews*, 16, 3-13.

Lowther, K., Selman, L., Harding, R., Higginson, I.J. (2014). Experience of persistent psychological symptoms and perceived stigma among people with HIV on antiretroviral therapy (ART): A systematic review. *International Journal of Nursing Studies*, 51, 1171-1189.

<https://doi.org/10.1016/j.ijnurstu.2014.01.015>

Łuszczynska, A. (2004). Wsparcie społeczne a stres traumatyczny. W: H. Sęk, R. Cieślak (red.). *Wsparcie społeczne, stres i zdrowie* (s. 190-205). Warszawa: Wydawnictwo Naukowe PWN.

Łuszczynska, A., Kowalska, M., Mazurkiewicz, M., Schwarzer, R. (2006). Berlińskie Skale Wsparcia Społecznego (BSSS). Wyniki wstępnych badań nad rzetelnością i trafnością. *Studia Psychologiczne*, 44, 17-27.

Machtinger, E.L., Wilson, T.C., Haberer, J.E., Weiss, D.S. (2012). Psychological trauma and PTSD in HIV-positive women: A Meta-Analysis. *AIDS and Behavior*, 16, 2091-2100. <https://doi.org/10.1007/s10461-011-0127-4>

Magruder, K.M., Frueh, B.C., Knapp, R.G., Johnson, M.R., Vaughan III, J.A., Carson, T.C., Powell, D.A., Hebert, R. (2004). PTSD symptoms, demographic characteristics, and functional status among veterans

treated in VA primary care clinics. *Journal of Traumatic Stress*, 17, 293-301.

<https://doi.org/10.1023/B:JOTS.0000038477.47249.c8>

Mahajan, A.P., Sayles, J.N., Patel, V.A., Remien, R.H., Sawires, S.R; Ortiz, D.J., Szekeres, G., Coates, T.J. (2008). Stigma in the HIV/AIDS epidemic: A review of the literature and recommendations for the way forward. *AIDS*, 22, Suplement 2, S67-S79. <https://doi.org/10.1097/01.aids.0000327438.13291.62>

Martin, L., Kagee, A. (2011). Lifetime and HIV-related PTSD among persons recently diagnosed with HIV. *AIDS and Behavior*, 15, 125-131. <https://doi.org/10.1007/s10461-008-9498-6>

May, M.T., Gompels, M., Delpech, V., Porter, K., Orkin, C., Kegg, S., Hay, P., Johnson, M., Palfreeman, A., Gilson, R., Chadwick, D., Martin, F., Hill, T., Walsh, J., Post, F., Fisher, M., Ainsworth, J., Jose, S., Leen, C., Nelson, M., Anderson, J., Sabin, C., UK Collaborative HIV Cohort (UK CHIC) Study (2014). Impact on life expectancy of HIV-1 positive individuals of CD4+ cell count and viral load response to antiretroviral therapy. *AIDS*, 28, 1193-1202. <https://doi.org/10.1097/QAD.0000000000000243>

McIntosh, R.C., Rosselli, M. (2012). Stress and coping in women living with HIV: A meta-analytic review. *AIDS and Behavior*, 16, 2144-2159. <https://doi.org/10.1007/s10461-012-0166-5>

Miller, M.W., Sadeh, N. (2014). Traumatic stress, oxidative stress and post-traumatic stress disorder: neurodegeneration and the accelerated-aging hypothesis. *Molecular Psychiatry*, 19, 1156-1162. <https://doi.org/10.1038/mp.2014.111>

Myers, H.F., Sumner, L.A., Ullman, J.B., Loeb, T.B., Carmona, J.V., Wyatt, G.E. (2009). Trauma and psychosocial predictors of substance abuse in women impacted by HIV/AIDS. *Journal of Behavioral Health Services & Research*, 36, 233-246. <https://doi.org/10.1007/s11414-008-9134-2>

Narodowy Instytut Zdrowia Publicznego E Państwowy Zakład Higieny (2014). Zakażenia HIV i zachorowania na AIDS. Źródło: www.pzh.gov.pl

Odek, W.O. (2014). Social networks and mental health among people living with human immunodeficiency virus (HIV) in Johannesburg, South Africa. *AIDS Care*, 26, 1042-1049. <https://doi.org/10.1080/09540121.2014.902421>

Onisczenko, W., Laskowska, A. (2014). Emotional reactivity, coping style and cancer trauma symptoms. *Archives of Medical Science*, 10, 110-116. <https://doi.org/10.5114/aoms.2013.33069>

Ozer, E.J., Best, S.R., Lipsey, T.L., Weiss, D.S. (2008). Predictors of Posttraumatic Stress Disorder and symptoms in adults: A meta-analysis. *Psychological Trauma: Theory, Research, Practice, and Policy*, S1, 3-36. <https://doi.org/10.1037/1942-9681.S.1.3>

Pérez, L.G., Abrams, M.P., Lpez-Martinez, A.E., Asmundson, G.J. (2012). Trauma exposure and health: the role of depressive and hyperarousal symptoms. *Journal of Traumatic Stress*, 25, 641-648. <https://doi.org/10.1002/jts.21762>

Qiao, S., Li, X., Stanton, B. (2014). Practice and perception of parental HIV disclosure to children in Beijing, China. *Qualitative Health Research*, 24, 1276-1286. <https://doi.org/10.1177/1049732314544967>

Rzeszutek, M., Onisczenko, W. (2013). Association between social support and temperament and the intensity of PTSD symptoms in a sample of HIV positives. *Polish Psychological Bulletin*, 44, 431-438. <https://doi.org/10.2478/ppb-2013-0046>

Rzeszutek, M., Oniszczenko, W., Firląg-Burkacka, E. (2012). Temperament traits, coping style and trauma symptoms in HIV+ men and women. AIDS Care, 24, 1150-1154.

<https://doi.org/10.1080/09540121.2012.687819>

Rzeszutek, M., Oniszczenko, W., Żebrowska, M., Firląg-Burkacka, E. (2014). HIV infection duration, social support and the level of trauma symptoms in a sample of HIV positives Polish individuals. AIDS Care: Psychological, and Socio-medical Aspects of AIDS/HIV, 27(3), 363-369.

<https://doi.org/10.1080/09540121.2014.963018>

Sankar, A., Nevedal, A., Neufeld, S., Berry, R., Luborsky, M. (2011). What do we know about older adults and HIV? A review of social and behavioral literature. AIDS Care, 23, 1187-1207.

<https://doi.org/10.1080/09540121.2011.564115>

Schulz, U., Schwarzer, R. (2003). Social support in coping with illness. The Berlin Social Support Scales (BSSS). Diagnostica, 49, 73-82. <https://doi.org/10.1026//0012-1924.49.2.73>

Strelau, J., Zawadzki, B., Oniszczenko, W., Sobolewski, A. (2002). Kwestionariusz PTSD - wersja czynnikowa (PTSDC). Konstrukcja narzędzia do diagnozy głównych wymiarów zespołu stresu pourazowego. Przegląd Psychologiczny, 45, 149-176.

Theuninck, A.C., Lake, N., Gibson, S. (2010). HIV-related Posttraumatic Stress Disorder: Investigating the traumatic events. AIDS Patient Care and STDs, 24, 485-491. <https://doi.org/10.1089/apc.2009.0231>

Webel, A.R., Longenecker, C.T., Gripshover, B., Hanson, J.E., Schmotzer, B.J., Salata, R.A. (2014). Age, stress, and isolation in older adults living with HIV. AIDS Care, 26, 523-531.

<https://doi.org/10.1080/09540121.2013.845288>

Weiss, N.H., Tull, M.T., Borne, M.E.R., Gratz, K.L. (2013). Posttraumatic stress disorder symptom severity and HIV-risk behaviors among substance-dependent inpatients. AIDS Care, 25, 1219-1226.

<https://doi.org/10.1080/09540121.2013.764381>

Agnieszka Kałwa Wiek a stan procesów poznawczych u osób z konfekcją wirusów HIV i HCV. Badania własne

Alter, M.J. (2006). Epidemiology of viral hepatitis and HIV co-infection. Journal of Hepatology, 44, 6-9. <https://doi.org/10.1016/j.jhep.2005.11.004>

Antinori, A., Arendt, G., Becker, J.T., Brew, B.J., Byrd, D.A., Cherner, M., Clifford, D.B., Cinque, P., Epstein, L.G., Goodkin, K., Gisslen, M., Grant, I., Heaton, R.K., Joseph, J., Marder, K., Marra, C.M., McArthur, J.C., Nunn, M., Price, R.W., Pulliam, L., Robertson, K.R., Sacktor, N., Valcour, V., Wojna, V.E. (2007). Updated researchnosology for HIV-associated neurocognitive disorders. Neurology, 69(18), 1789-1799. <https://doi.org/10.1212/01.WNL.0000287431.88658.8b>

Brzeziński, J., Gaul, M., Hornowska, E., Jaworowska, A. (2004). WAIS-R (PL) - Skala Inteligencji Wechslera dla Dorosłych - Wersja Zrewidowana. Renormalizacja. Warszawa: Pracownia Testów Psychologicznych.

Cholewińska, G., Szymańska, B. (2012). Zaburzenia neuropsychologiczne u pacjentów z HIV/AIDS. W: A. Horban, R. Podlasin, A. Wiercińska-Drapała, B. Knysz, M. Inglot, A. Szymczak (red.). Zasady opieki nad osobami zakażonymi HIV. Zalecenia Polskiego Towarzystwa Naukowego AIDS (s. 345-356). Warszawa-Wrocław: Polskie Towarzystwo Naukowe AIDS.

Ciccarelli, N., Fabbiani, M., Grima, P., Falasca, K., Tana, M., Baldonero, E., Colafigli, M., Silveri, M.C., Vecchiet, J., Cauda, R., Di Gianbenedetto, S. (2013). Comparison of cognitive performance in HIV Or HCV mono-infected and HIV-HCV co-infected patients. Clinical and Epidemiological Study, 41(6), 1103-1109. <https://doi.org/10.1007/s15010-013-0503-2>

Ciechanowicz, A., Stańczak, J. (2006). TUS B Testy Uwagi i SpostrzegawczoCci. Podręcznik. Warszawa: Pracownia Testów Psychologicznych.

Clark, U.S., Cohen, R.A., Cohen, M.L., Westbrook, K.N., Devlin, K.N., Tashima, K.T. (2010). Facial emotion recognition impairments in individuals with HIV . Journal of the International Neuropsychological Society, 16(6), 1127-1137. <https://doi.org/10.1017/S1355617710001037>

Crdoba, J., Flavia, M., Jacas, C., Sauleda, S., Esteban, J., Vargas, V., Esteban, R., Guardia, J. (2003a). Quality of life and cognitive function in hepatitis C at different stages of liver disease. Journal of Hepatology, 39(2), 231-238. [https://doi.org/10.1016/S0168-8278\(03\)00189-2](https://doi.org/10.1016/S0168-8278(03)00189-2)

Crdoba, J., Reyes, J., Esteban, J.I., Hernandez, J.M. (2003a). Labeling may be an important cause of reduced quality of life and cognitive function in chronic hepatitis C. American Journal of Gastroenterology, 98(1), 226-227. [https://doi.org/10.1016/S0002-9270\(02\)05863-X](https://doi.org/10.1016/S0002-9270(02)05863-X)

Dróżdż, W., Borkowska, A., Wiłko7K, M., Tomaszewska, M., Halota, W., Pawłowska, M., Dybowska, D., Rybakowski, J. (2006). Przewlekłe zaburzenia psychotyczne i otępienne u chorego z przewlekłym wirusowym zapaleniem wątroby typu C w następstwie leczenie pegylowanym interferonem alfa i rybawiryną. Opis przypadku. Farmakoterapia w Psychiatry i Neurologii, 2, 87-92.

Ettenhofer, M.L., Hinkin, C.H., Castellon, S.A., Durvasula, R., Ullman, J., Lam, M., Myers, H., Wright, M.J., Foley, J. (2009). Aging, neurocognition, and medication adherence in HIV infection. American Journal of Geriatric Psychiatry, 17(4), 281-290. <https://doi.org/10.1097/JGP.0b013e31819431bd>

Fernandez, F., Quinta, B., Tan, J. (2012). Neuropsychiatryczne aspekty zakażenia ośrodkowego układu nerwowego ludzkim wirusem upośledzenia odporności. W: J. Wciórka (red.). Neuropsychiatria (s. 363-382). Wrocław: Elservier Urban&Partner.

Forton, D.M., Thomas, H.C., Murphy, C.A., Allsop, J.M., Foster, G.R., Main, J., Wesnes, K.A., Taylor-Robinson, S.D. (2002). Hepatitis C and cognitive impairment in a cohort of patients with mild liver disease. Hepatology, 35(2), 433-439. <https://doi.org/10.1053/jhep.2002.30688>

Forton, D.M., Thomas, H.C., Taylor-Robinson, S.D. (2004). Central nervous system involvement in hepatitis C virus infection. Metabolic Brain Disease, 19(3-4), 383-391.

<https://doi.org/10.1023/B:MEBR.0000043983.42843.ac>

Gonzalez, R., Jacobus, J., Martin, E.M. (2005). Investigating neurocognitive features of hepatitis C virus in drug users: Potential challenges and lessons learned from the HIV literature. Clinical Infectious Diseases, 41 (Suppl.1), 45-49. <https://doi.org/10.1086/429495>

Halota, W., Juszczak, J. (red.) (2006). HIV/AIDS. Podręcznik dla lekarzy i studentów. Poznań: Wydawnictwo Termedia.

Hilsabeck, R.C., Perry, W., Hassainein, T. (2002). Neuropsychological impairment in patients with chronic hepatitis C. Hepatology, 35(2), 440-446. <https://doi.org/10.1053/jhep.2002.31257>

Hinkin, C.H., Castellon, S.A., Levine, A., Barclay, T.R., Singer, E.J. (2008). Neurocognition in individuals co-infected with HIV and hepatitis C. Journal of Addictive Disorders, 27(2), 11-17.
https://doi.org/10.1300/J069v27n02_02

Hogg, R., Lima, V., Sterne, J.A.C., Grabar, S., Battegay, M., Bonarek, M. et al. (2008). Life expectancy of individuals on combination antiretroviral therapy in high-income countries: a collaborative analysis of 14 cohort studies. *Lancet*, 372, 293-299. [https://doi.org/10.1016/S0140-6736\(08\)61113-7](https://doi.org/10.1016/S0140-6736(08)61113-7)

Kalinowska, S., Trze7niowska-Drukała, B., Samochowiec, J. (2013). Zaburzenia neuropoznawcze w przebiegu zakażenia wirusem HIV. *Psychiatria Polska*, 3, 453-463.

Kałwa, A., Szymańska, B., Cholewińska, G., Siwy-Hudowska, A. (2012). HIV/HCV co-infection. A dual neurocognitive problem. *World Journal of AIDS*, 2, 33-41. <https://doi.org/10.4236/wja.2012.21005>

Lezak, M.D., Howieson, D.B., Loring, D.W. (red.) (2004). *Neuropsychological assessment*. New York: Oxford University Press.

Łojek, E. (2000). *Neuropsychologia osób zakażonych wirusem HIV*. Warszawa: Wydawnictwo Medyk.

Łojek, E., Bornstein, R.A. (2005). The stability of neurocognitive patterns in HIV infected men: classification considerations. *Journal of Clinical and Experimental Neuropsychology*, 27(6), 665-682. <https://doi.org/10.1081/13803390490918426>

Łojek, E., Stańczak, J. (2005). Test PłynnoCci Figuralnej Ruffa RFFT. Polska standaryzacja i normalizacja. Podręcznik. Warszawa: Pracownia Testów Psychologicznych Polskiego Towarzystwa Psychologicznego.

Marcotte, T., Scott, J.C. (2008). Evolution of neuropsychological issues in HIV-1 infection during the HAART era. W: K. Goodkin (red.). *The spectrum of neuro-AIDS disorders: pathology, diagnosis and treatment* (s. 29-44). Washington DC: ASM Press.

Marra, C.M., Zhao, Y., Clifford, D.B., Letendre, S., Evans, S., Henry, K., Ellis, R.J., Rodriguez, B., Coombs, R.W., Schifitto, G., McArthur, J.C., Robertson, K., and AIDS Clinical Trials Group 736 Study Team. (2009). Impact of combination antiretroviral therapy on cerebrospinal fluid HIV RNA and neurocognitive performance. *AIDS*, 23(11), 1359-1366. <https://doi.org/10.1097/QAD.0b013e32832c4152>

Navia, B.A., Cho, E.S., Petito, C.K., Price, R.W. (1986). The AIDS dementia complex. II. Neuropathology. *Annals of Neurology*, 19, 525-535. <https://doi.org/10.1002/ana.410190603>

Reger, M., Welsh, R., Razani, J., Martin, D.J., Boone, K.B. (2002). A meta-analysis of the neuropsychological sequale of HIV infection. *Journal of International Neuropsychological Society*, 8, 532-538. <https://doi.org/10.1017/S1355617702813212>

Ryan, E.L., Morgello, S., Isaacs, K., Naseer, P., Gerits, R.N., The Manhattan HIV Brain Bank (2004). Neuropsychiatric impact of hepatitis C on advanced HIV. *Neurology*, 62(6), 957-962.

<https://doi.org/10.1212/01.WNL.0000115177.74976.6C>

Schuster, R.M., Gonzalez, R. (2012). Substance abuse, hepatitis C, and Aging in HIV: common cofactors that contribute to neurobehavioral disturbances. *Neurobehavioral HIV Medicine*, 16(4), 15-34. <https://doi.org/10.2147/NBHIV.S17408>

Stańczak, J. (2010). MINIMENTAL - Krótka Skala Oceny Stanu Umysłowego (MMSE). Warszawa: Pracownia Testów Psychologicznych.

Vigil, O., Posada, C., Woods, S.P., Atkinson, J.H., Heaton, R.K., Perry, W., Hassanhein, T., Grant, I., Letendre S.L., The HIV Neurobehavioral Research Center (HNRC) Group (2008). Impairments in fine-motor coordination and speed of information processing predict declines in everyday functioning in hepatitis C infection. *Journal of Clinical Experimental Neuropsychology*, 30(7), 805-815. <https://doi.org/10.1080/13803390701802354>

Winston, A., Winston, C., Duncombe, P.C.K., Li, J.M., Gill, S.J., Kerr, R., Puls, K., Petoumenos, S.D., Taylor-Robinson, S. (2010). Does choice of combination antiretroviral therapy (cART) alter changes in cerebral function testing after 48 weeks in treatment-naïve, HIV-1-infected individuals commencing cART? A randomized controlled study. *Clinical Infectious Diseases*, 50, 920-929.

<https://doi.org/10.1086/650743>

Emilia Łojek, Andrzej Horban, Tomasz Laskus, Marek Radkowski, Józef Higersberger, Izabella Weber-Kaniuk, Marta Sobańska, Natalia Gawron, Agnieszka Pluta **Funkcjonowanie psychiczne osób z konfekcją HIV/HCV oraz monoinfekcją HCV będących w trakcie leczenia wirusowego zapalenia wątroby typu C**

Beck, A.T., Steer, R.A., Brown, G.K. (1996). BDI-II. Beck Depression Inventory - Second Edition. Manual. San Antonio: The Psychological Corporation Harcourt Brace and Company.

<https://doi.org/10.1037/t00742-000>

Bergner, M., Robbitt, R.A., Kressel, S., Pollard, W.E., Gilson, B.S., Morris, J.R. (1976). The Sickness Impact Profile: Conceptual formulation and methodology for the development of a health status measure. *International Journal of Health Services*, 6, 393-415. <https://doi.org/10.2190/RHE0-GGH4-410W-LA17>

Bornstein, R.A. (1983). Verbal Concept Attainment Test: cross-validation and validation of a booklet form. *Journal of Clinical Psychology*, 39, 743-745. [https://doi.org/10.1002/1097-4679\(198309\)39:5<743::AID-JCLP2270390516>3.0.CO;2-J](https://doi.org/10.1002/1097-4679(198309)39:5<743::AID-JCLP2270390516>3.0.CO;2-J)

Brew, B.J., Chan, P. (2014). Update on HIV dementia and HIV-associated neurocognitive disorders. *Current Neurology and Neuroscience Reports*, 14, 468-474. <https://doi.org/10.1007/s11910-014-0468-2>

Byrnes, V., Miller, A., Lowry, D., Hill, E., Weinstein, C., Alsop, D., Lenkinski, R., Afdhal, N.H. (2012). Effects of anti-viral therapy and HCVclearance on cerebral metabolism and cognition. *Journal of Hepatology*, 56, 549-556. <https://doi.org/10.1016/j.jhep.2011.09.015>

Cruciani, R.A., Revuelta, M., Dvorki, E., Homel, P., Lesage, P., Esteban-Cruciani, N. (2015). L-carnitine supplementation in patients with HIV/AIDS andfatigue: a double-blind, placebo-controlled pilot study. *HIV/AIDS (Auckland)*, 19, 65-73. <https://doi.org/10.2147/HIV.S66695>

Desmet, V.J., Gerber, M., Hoofnagle, J.H., Manns, M., Schener, P.J. (1994). Classification of chronic hepatitis: Diagnosis, grading and staging. *Hepatology*, 19, 1513-1520. <https://doi.org/10.1002/hep.1840190629>

Dudek, B., Kietliński, R. (1968). Tymczasowy podręcznik do zestawu testów stosowanych w poradniictwie zawodowym. Warszawa: Ministerstwo Oświaty i Szkolnictwa Wyższego.

Haaland, K., Cleeland, C., Carr, D. (1977). Motor performance after unilateral hemisphere damage in patients with tumor. *Archives of Neurology*, 34, 556-559. <https://doi.org/10.1001/archneur.1977.00500210058010>

Hearps, A.C., Martin, G.E., Rajasuriar, R., Crowe, S.M. (2014). Inflammatory co-morbidities in HIV+ individuals: Learning lessons from healthy ageing. *Current HIV/AIDS Reports*, 11, 20-34.

<https://doi.org/10.1007/s11904-013-0190-8>

Hong, S., Banks, W.A. (2015). Role of the immune system in HIV-associated neuroinflammation and neurocognitive implications. *Brain, Behavior, and Immunity*, 45, 1-12.

<https://doi.org/10.1016/j.bbi.2014.10.008>

Huckans, M., Fuller, B., Wheaton, V., Jaehnert, S., Ellis, C., Kolessar, M., Kriz, D., Anderson, J.R., Berggren, K., Olavarria, H., Sasaki, A.W., C, M., Flora, K.D., Loftis, J.M. (2015). A longitudinal study evaluating the effects of interferon-alpha therapy on cognitive and psychiatric function in adults with chronic hepatitis C. *Journal of Psychosomatic Research*, 78, 184-192.

<https://doi.org/10.1016/j.jpsychores.2014.07.020>

IBM Corp (2012). IBM SPSS Statistics 21 core system userls guide. Somers, NY: IBM Corp.

Jaworowska, A. (1999). Test Sortowania Kart z Wisconsin. Instrukcja do badań normalizacyjnych. Warszawa: Pracownia Testów Psychologicznych Polskiego Towarzystwa Psychologicznego.

Kądzielawa, D., Mroziak, J., Boleska, A., Osiejuk, E. (1990). Podręcznik do Baterii Testów Neuropsychologicznych Halsteada-Reitana (nieopublikowany maszynopis). Warszawa: Wydział Psychologii Uniwersytetu Warszawskiego.

Kemmer, N., Hua, L., Andersen, J.W., Chung, R.T., Bitt, A.A., Sherman, K.E. dla ACTG 5178 Study Team (2012). Health-related quality of life in subjects with HCV/HIV coinfection: results from ACTG 5178 study. *Journal of Viral Hepatitis*, 19, 792-800. <https://doi.org/10.1111/j.1365-2893.2012.01609.x>

Liner II, K.J., Ro, M.J., Robertson, K.R. (2010). HIV, antiretroviral therapies, and the brain. *Current HIV/AIDS Reports*, 7, 85-91. <https://doi.org/10.1007/s11904-010-0042-8>

Łojek, E. (2001). Neuropsychologia osób zakażonych HIV i chorych na AIDS. Warszawa: Wydawnictwo Medyk.

Łojek, E. (2003). Jakość życia osób żyjących HIV. *Psychologia Jakości Życia*, 2, 49-67.

Łojek, E., Bornstein, R.A. (2004). Quality of life in HIV infected men with differing neurocognitive performance. *Acta Neuropsychologica*, 2, 259-277.

Łojek, E., Stańczak, J. (2010). Podręcznik do Kalifornijskiego Testu Uczenia się Językowego CVLT Deana C. Delisa, Joela H. Kramera, Edith Kaplan i Beth A. Ober. Polska normalizacja. Warszawa: Pracownia Testów Psychologicznych Polskiego Towarzystwa Psychologicznego.

Łojek, E., Stańczak, J. (2012). Kolorowy Test Połączeń, wersja dla Dorosłych, CTT. Podręcznik. Polska normalizacja. Warszawa: Pracownia Testów Psychologicznych Polskiego Towarzystwa Psychologicznego.

Łojek, E., Stańczak, J., Wójcik, A. (2015). Kwestionariusz do Pomiaru Depresji. Podręcznik. Warszawa: Pracownia Testów Psychologicznych Polskiego Towarzystwa Psychologicznego.

Łukawska, M., Oszczapowicz, I. (2009). Perspektywy terapii wirusowego zapalenia wątroby typu C z użyciem nowych inhibitorów HCV. *Farmakologia Polska*, 65, 845-852.

Mendoza, T.R., Wang, X.S., Cleeland, C.S., Morrissey, M., Johnson, B.A., Wendt, J.K., Huber, S.L. (1999). The rapid assessment of fatigue severity in cancer patients: use of the Brief Fatigue Inventory. *Cancer*,

85, 1186-1196. [https://doi.org/10.1002/\(SICI\)1097-0142\(19990301\)85:5<1186::AID-CNCR24>3.0.CO;2-N](https://doi.org/10.1002/(SICI)1097-0142(19990301)85:5<1186::AID-CNCR24>3.0.CO;2-N)

Nasi, M., Pinti, M., De Biasi, S., Gibellini, L., Feraro, D., Mussini, C., Cossarizza, A. (2014). Aging with HIV infection: A journey to the center of inflammAIDS, immunosenescence and neuroHIV. *Immunology Letters*, 162, 329-333. <https://doi.org/10.1016/j.imlet.2014.06.012>

Radkowski, M., Wilkinson, J., Nowicki, M., Adair, D., Vargas, H., Ingui, C., Rakela, J., Laskus, T. (2002). Search for hepatitis C virus negative-strand RNA sequences and analysis of viral sequences in the central nervous system: evidence of replication. *Journal of Virology*, 76, 600-608. <https://doi.org/10.1128/JVI.76.2.600-608.2002>

Sagnelli, C., Uberti-Foppa, C., Pasquale, G., De Pascalis, S., Coppola, N., Albarello, L., Doglioni, C., Lazzarin, A., Sagnelli, E. (2013). Factors influencing liver fibrosis and necroinflammation in HIV/HCV coinfection and HCV monoinfection. *Infection*, 41, 959-967. <https://doi.org/10.1007/s15010-013-0502-3>

Soriano, V., Vispo, E., Fernandez-Montero, J.V., Labarga, P., Barreiro, P. (2013). Update on HIV/HCV coinfection. *Current HIV/AIDS Reports*, 10, 226-234. <https://doi.org/10.1007/s11904-013-0169-5>

Spudich, S. (2013). HIV and neurocognitive dysfunction. *Current HIV/AIDS Reports*, 10, 235-243. <https://doi.org/10.1007/s11904-013-0171-y>

Vivithanaporn, P., Nelles, K., DeBlock, L., Newman, S.C., Gill, M.J., Power, C. (2012). Hepatitis C virus co-infection increases neurocognitive impairment severity and risk of death in treated HIV/AIDS. *Journal of the Neurological Sciences*, 312, 45-51. <https://doi.org/10.1016/j.jns.2011.08.025>

Webster, D.P., Klenerman, P., Dusheiko, G.M. (2015). Hepatitis C. *Lancet*, 385, 1124-1135. [https://doi.org/10.1016/S0140-6736\(14\)62401-6](https://doi.org/10.1016/S0140-6736(14)62401-6)

Wilkinson, J., Radkowski, M., Laskus, T. (2009). Hepatitis C virus neuroinvasion: identification of infected cells. *Journal of Virology*, 83, 1312-1319. <https://doi.org/10.1128/JVI.01890-08>

Zayyad, Z., Spudich, S. (2015). Neuropathogenesis of HIV: From initial neuroinvasion to HIV-associated neurocognitive disorders (HAND). *Current HIV/AIDS Reports*, 12, 16-24. <https://doi.org/10.1007/s11904-014-0255-3>

Mateusz Choiński, Emilia Łojek Zdolności węchowe nowy obszar badań klinicznych w infekcji HIV

Borenstein Graves, A., Bowen, J.D., Rajaram, L., McCormick, W.C., McCurry, S.M., Schellenberg, G.D., Larson, E.B. (1999). Impaired olfaction as a marker for cognitive decline interaction with apolipoprotein - 4 status. *Neurology*, 53(7), 1480-1487. <https://doi.org/10.1212/WNL.53.7.1480>

Brewer, W.J., Pantelis, C., Anderson, V., Velakoulis, D., Singh, B., Copolov, D.L., McGorry, P.D. (2001). Stability of olfactory identification deficits in neuroleptic-naïve patients with firstepisode psychosis. *American Journal of Psychiatry*, 158(1), 107-115. <https://doi.org/10.1176/appi.ajp.158.1.107>

Brody, D., Serby, M., Etienne, N., Kalkstein, D.S. (1991). Olfactory identification deficits in HIV infection. *American Journal of Psychiatry*, 148(2), 248-250.

Czerniawska, E., Czerniawska-Far, J.M. (2007). Psychologia węchu i pamięci węchowej. Warszawa: Wydawnictwa Akademickie i Profesjonalne.

Darwin, K. (2013). O powstawaniu gatunków drogą doboru naturalnego, czyli o utrzymywaniu się doskonalszych ras w walce o byt. Warszawa: Wydawnictwo Uniwersytetu Warszawskiego. (Pierwsze wydanie 1859).

Devanand, D.P., Michaels-Marston, K.S., Liu, X., Pelton, G.H., Padilla, M., Marder, K., Bell, K., Stern, Y., Mayeux, R. (2000). Olfactory deficits in patients with mild cognitive impairment predict Alzheimer's disease at follow-up. American Journal of Psychiatry, 157(9), 1399-1405.

<https://doi.org/10.1176/appi.ajp.157.9.1399>

Doty, R.L. (2015). Handbook of olfaction and gustation. Hoboken, New Jersey: John Wiley & Sons. Doty, R.L., Hawkes, C.H., Good, K.P., Duda, J.E. (2015). Odor perception and neuropathology in neurodegenerative diseases and schizophrenia. W: R.L. Doty (red.). Handbook of olfaction and gustation (s. 403-451). Hoboken, New Jersey: John Wiley & Sons. <https://doi.org/10.1002/9781118971758.ch18>

Doty, R.L., Laing, D. (2015). Psychophysical measurement of human olfactory function. W: R.L. Doty, (red.). Handbook of Olfaction and Gustation (227-260). Hoboken, New Jersey: John Wiley & Sons.

<https://doi.org/10.1002/9781118971758.ch11>

Dulay, M.F., Gesteland, R.C., Shear, P.K., Ritchey, P.N., Frank, R.A. (2008). Assessment of the influence of cognition and cognitive processing speed on three tests of olfaction. Journal of Clinical and Experimental Neuropsychology, 30(3), 327-337. <https://doi.org/10.1080/13803390701415892>

Dżaman, K. (2008). Współczesne metody badania węchu i smaku. Otolaryngologia, 7, 173-177.

Economou, A. (2003). Olfactory identification in elderly Greek people in relation to memory and attention measures. Archives of Gerontology and Geriatrics, 37(2), 119-130.

[https://doi.org/10.1016/S0167-4943\(03\)00025-6](https://doi.org/10.1016/S0167-4943(03)00025-6)

Finkel, D., Pedersen, N.L., Larsson, M. (2001). Olfactory Functioning and Cognitive Abilities A Twin Study. The Journals of Gerontology Series B: Psychological Sciences and Social Sciences, 56(4), P226-P233. <https://doi.org/10.1093/geronb/56.4.P226>

Gangestad, S.W., Thornhill, R. (1998). Menstrual cycle variation in women's preferences for the scent of symmetrical men. Proceedings of the Royal Society of London B: Biological Sciences, 265(1399), 927-933. <https://doi.org/10.1098/rspb.1998.0380>

Gąsiorowski, J. (2010) Przebieg zakażenia HIV leczonego i nialeczonego. W: J. Gąsiorowski, B. Knysz, Ł. Łapiński, (red.). Zakażenie HIV - poradnictwo okołotestowe. Kompendium dla lekarzy i osób pracujących w punktach konsultacyjno-diagnostycznych (s. 40-55). Wrocław: Medpharm.

Good, K.P., Whitehorn, D., Rui, Q., Milliken, H., Kopala, L.C. (2006). Olfactory identification deficits in first-episode psychosis may predict patients at risk for persistent negative and disorganized or cognitive symptoms. American Journal of Psychiatry, 163(5), 932-933.

<https://doi.org/10.1176/ajp.2006.163.5.932>

Graham, C.S., Graham, B.G., Bartlett, J.A., Heald, A.E., Schiffman, S.S. (1995). Taste and smell losses in HIV infected patients. Physiology & Behavior, 58(2), 287-293. [https://doi.org/10.1016/0031-9384\(95\)00049-O](https://doi.org/10.1016/0031-9384(95)00049-O)

Hedner, M., Larsson, M., Arnold, N., Zucco, G.M., Hummel, T. (2010). Cognitive factors in odor detection, odor discrimination, and odor identification tasks. *Journal of Clinical and Experimental Neuropsychology*, 32(10), 1062-1067. <https://doi.org/10.1080/13803391003683070>

Herz, R.S., Inzlicht, M. (2002). Sex differences in response to physical and social factors involved in human mate selection: The importance of smell for women. *Evolution and Human Behavior*, 23(5), 359-364. [https://doi.org/10.1016/S1090-5138\(02\)00095-8](https://doi.org/10.1016/S1090-5138(02)00095-8)

Hornung, D.E., Kurtz, D.B., Bradshaw, C.B., Seipel, D.M., Kent, P.F., Blair, D.C., Emko, P. (1998). The olfactory loss that accompanies an HIV infection. *Physiology & Behavior*, 64(4), 549-556. Hummel, T., Sekinger, B., Wolf, S.R., Pauli, E., Kobal, G. (1997). "Sniffincsticks": olfactory performance assessed by the combined testing of odor identification, odor discrimination and olfactory threshold. *Chemical Senses*, 22(1), 39-52. [https://doi.org/10.1016/S0031-9384\(98\)00112-7](https://doi.org/10.1016/S0031-9384(98)00112-7)

Kovács, T. (2004). Mechanisms of olfactory dysfunction in aging and neurodegenerative disorders. *Ageing Research Reviews*, 3(2), 215-232. <https://doi.org/10.1016/j.arr.2003.10.003>

Kwapisil, T.R., Chapman, J.P., Chapman, L.J., Miller, M.B. (1996). Deviant olfactory experiences as indicators of risk for psychosis. *Schizophrenia Bulletin*, 22(2), 371. <https://doi.org/10.1093/schbul/22.2.371>

Larsson, M. (1997). Semantic factors in episodic recognition of common odors in early and late adulthood: a review. *Chemical Senses*, 22(6), 623-633. <https://doi.org/10.1093/chemse/22.6.623>

Larsson, M., Bfckman, L. (1993). Semantic activation and episodic odor recognition in young and older adults. *Psychology and Aging*, 8(4), 582-588. <https://doi.org/10.1037/0882-7974.8.4.582>

Larsson, M., Finkel, D., Pedersen, N.L. (2000). Odor identification influences of Age, gender, cognition, and personality. *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 55(5), P304-P310. <https://doi.org/10.1093/geronb/55.5.P304>

Larsson, M., Nilsson, L.G., Olofsson, J.K., Nordin, S. (2004). Demographic and cognitive predictors of cued odor identification: evidence from a population-based study. *Chemical Senses*, 29(6), 547-554. <https://doi.org/10.1093/chemse/bjh059>

Lawless, H., Engen, T. (1977). Associations to odors: interference, mnemonics, and verbal labeling. *Journal of Experimental Psychology: Human Learning and Memory*, 3(1), 52. <https://doi.org/10.1037//0278-7393.3.1.52>

Łojek, E., Bornstein, R.A. (2005). The stability of neurocognitive patterns in HIV infected men: Classification considerations. *Journal of Clinical and Experimental Neuropsychology*, 27(6), 665-682. <https://doi.org/10.1081/13803390490918426>

Miwa, T., Furukawa, M., Tsukatani, T., Costanzo, R.M., DiNardo, L.J., Reiter, E.R. (2001). Impact of olfactory impairment on quality of life and disability. *Archives of Otolaryngology-Head & Neck Surgery*, 127(5), 497-503. <https://doi.org/10.1001/archotol.127.5.497>

Moberg, P.J., Agrin, R., Gur, R.E., Gur, R.C., Turetsky, B.I., Doty, R.L. (1999). Olfactory dysfunction in schizophrenia: a qualitative and quantitative review. *Neuropsychopharmacology*, 21(3), 325-340. [https://doi.org/10.1016/S0893-133X\(99\)00019-6](https://doi.org/10.1016/S0893-133X(99)00019-6)

Moberg, P.J., Doty, R.L., Turetsky, B.I., Arnold, S.E., Mahr, R.N., Gur, R.C., Bilker, W., Gur, R.E. (1997). Olfactory identification deficits in schizophrenia: correlation with duration of illness. *American Journal of Psychiatry*, 154(7), 1016-1018. <https://doi.org/10.1176/ajp.154.7.1016>

Mueller, C., Temmel, A.F. P., Quint, C., Rieger, A., Hummel, T. (2002). Olfactory function in HIV-positive subjects. *Acta Otolaryngologica*, 122(1), 67-71. <https://doi.org/10.1080/00016480252775760>

Öberg, C., Larsson, M., Bfckman, L. (2002). Differential sex effects in olfactory functioning: the role of verbal processing. *Journal of the International Neuropsychological Society*, 8(5), 691-698. <https://doi.org/10.1017/S1355617702801424>

Prehn, A., Ohrt, A., Sojka, B., Ferstl, R., Pause, B.M. (2006). Chemosensory anxiety signals augment the startle reflex in humans. *Neuroscience Letters*, 394(2), 127-130. <https://doi.org/10.1016/j.neulet.2005.10.012>

Razani, J., Murphy, C., Davidson, T.M., Grant, I., McCutchan, A. (1996). Odor sensitivity is impaired in HIV-positive cognitively impaired patients. *Physiology & Behavior*, 59(4), 877-881. [https://doi.org/10.1016/0031-9384\(95\)02163-9](https://doi.org/10.1016/0031-9384(95)02163-9)

Rikowski, A., Grammer, K. (1999). Human body odour, symmetry and attractiveness. *Proceedings of the Royal Society of London B: Biological Sciences*, 266(1422), 869-874. <https://doi.org/10.1098/rspb.1999.0717>

Savic, I., Gulyas, B., Larsson, M., Roland, P. (2000). Olfactory functions are mediated by parallel and hierarchical processing. *Neuron*, 26(3), 735-745. [https://doi.org/10.1016/S0896-6273\(00\)81209-X](https://doi.org/10.1016/S0896-6273(00)81209-X)

Serby, M., Larson, P., Kalkstein, D. (1991). The nature and course of olfactory deficits. *American Journal of Psychiatry*, 148(3), 357-360. <https://doi.org/10.1176/ajp.148.3.357>

Smit, M., Brinkman, K., Geerlings, S., Smit, C., Thyagarajan, K., von Sighem, A., de Wolf, F., Hallett, B. (2015). Future challenges for clinical care of an ageing population infected with HIV: a modelling study. *The Lancet Infectious Diseases*, 15(7), 810-818. [https://doi.org/10.1016/S1473-3099\(15\)00056-0](https://doi.org/10.1016/S1473-3099(15)00056-0)

Sorokowska, A., Hummel, T. (2014). Polska wersja testu Sniffing Sticks - adaptacja i normalizacja. *Otolaryngologia Polska. The Polish Otolaryngology*, 68(6), 308-314. <https://doi.org/10.1016/j.otpol.2014.08.001>

Stevenson, R.J. (2010). An initial evaluation of the functions of human olfaction. *Chemical Senses*, 35(1), 3-20. <https://doi.org/10.1093/chemse/bjp083>

Temmel, A.F., Quint, C., Schickinger-Fischer, B., Klimek, L., Stoller, E., Hummel, T. (2002). Characteristics of olfactory disorders in relation to major causes of olfactory loss. *Archives of Otolaryngology-Head & Neck Surgery*, 128(6), 635-641. <https://doi.org/10.1001/archotol.128.6.635>

Turetsky, B.I., Hahn, C.G., Borgmann-Winter, K., Moberg, P.J. (2009). Scents and non-sense: olfactory dysfunction in schizophrenia. *Schizophrenia Bulletin*, 35(6), 1117-1131. <https://doi.org/10.1093/schbul/sbp111>

Turetsky, B.I., Moberg, P.J., Yousem, D.M., Doty, R.L., Arnold, S.E., Gur, R.E. (2000). Reduced olfactory bulb volume in patients with schizophrenia. *American Journal of Psychiatry*, 157(5), 828-830. <https://doi.org/10.1176/appi.ajp.157.5.828>

Westervelt, H.J., McCaffrey, R.J., Cousins, J.P., Wagle, W.A., Haase, R.F. (1997). Longitudinal analysis of olfactory deficits in HIV infection. *Archives of Clinical Neuropsychology*, 12(6), 557-565. <https://doi.org/10.1093/arclin/12.6.557>

Zucco, G.M., Ingegneri, G. (2004). Olfactory deficits in HIV-infected patients with and without AIDS dementia complex. *Physiology & Behavior*, 80(5), 669-674.
<https://doi.org/10.1016/j.physbeh.2003.12.001>

Monika Lewandowska, Iwona Niedziałek, Joanna Wójcik Funkcje słuchowe w zakażeniu HIV osób dorosłych

Araoejo, E. da S., Zucki, F., Corteletti, L.C.B.J., Lopes, A.C., Feniman, M.R., Alvarenga, K. de F. (2012). Hearing loss and acquired immune deficiency syndrome: systematic review. *Jornal Da Sociedade Brasileira de Fonoaudiologia*, 24(2), 188-192. <https://doi.org/10.1590/S2179-64912012000200017>

Assuiti, L.F.C., de Melo Lanzoni, G.M., dos Santos, F.C., Erdmann, A.L., Meirelles, B.H.S. (2013). Hearing loss in people with HIV/AIDS and associated factors: an integrative review. *Brazilian Journal of Otorhinolaryngology*, 79(2), 248-255. <https://doi.org/10.5935/1808-8694.20130042>

Brownell, W.E. (1990). Outer hair cell electromotility and otoacoustic emissions. *Ear and Hearing*, 11(2), 82. <https://doi.org/10.1097/00003446-199004000-00003>

Chandrasekhar, S.S., Connelly, P.E., Brahmbhatt, S.S., Chetan, B.S., Shah, S., Kloster, P.C., Baredes, S. (2000). Otologic and audiologic evaluation of human immunodeficiency virus-infected patients. *American Journal of Otolaryngology*, 21(1), 1-9. [https://doi.org/10.1016/S0196-0709\(00\)80117-9](https://doi.org/10.1016/S0196-0709(00)80117-9)

Cohen, B.E., Durstenfeld, A., Roehm, P.C. (2014). Viral causes of hearing loss: A review for hearing health professionals. *Trends in Hearing*, 18(0). <https://doi.org/10.1177/2331216514541361>

Dellepiane, M., Medicina, M.C., Mora, R., Salami, A. (2005). Static and dynamic posturography in patients with asymptomatic HIV-1 infection and AIDS. *Acta Otorhinolaryngologica Italica*, 25(6), 353. Pobrano z <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2639898/>.

Heilman, K.J., Harden, E.R., Weber, K.M., Cohen, M., Porges, S.W. (2013). Atypical autonomic regulation, auditory processing, and affect recognition in women with HIV. *Biological Psychology*, 94(1), 143-151. <https://doi.org/10.1016/j.biopsych.2013.06.003>

Heinze, B.M., Vinck, B.M., Hofmeyr, L.M., Swanepoel, D.W. (2014). Vestibular involvement in adults with HIV/AIDS. *Auris Nasus Larynx*, 41(2), 160-168. <https://doi.org/10.1016/j.anl.2013.08.003>

Iakovou, E., Vlastarakos, P.V., Papacharalampous, G., Kampessis, G., Nikolopoulos, T.P. (2012). Diagnosis and treatment of HIV-associated manifestations in otolaryngology. *Infectious Disease Reports*, 4(1), 9. <https://doi.org/10.4081/idr.2012.e9>

Joint United Nations Programme on HIV/AIDS. (2010). Global report: UNAIDS report on the global AIDS epidemic 2010. Geneva: UNAIDS.

Kallail, K.J., Downs, D., Scherz, J., Sweet, D., Zackula, R.E. (2014). Prevalence of communication disorders in HIV-infected adults. *Journal of the International Association of Providers of AIDS Care*, Vol. 13(1), 8-11. <https://doi.org/10.1177/2325957413510608>

Khanna, N., Nüesch, R., Buitrago-Tellez, C., Battegay, M., Hirsch, H.H. (2006). Hearing loss after discontinuing secondary prophylaxis for cryptococcal meningitis: Relapse or immune reconstitution? *Infection*, 34(3), 163-168. <https://doi.org/10.1007/s15010-006-4042-y>

Khoza-Shangase, K. (2010). HIV/AIDS and auditory function in adults: the need for intensified researchin the developing world. African Journal of AIDS Research, 9(1), 1-9.
<https://doi.org/10.2989/16085906.2010.484531>

Khoza-Shangase, K. (2011). An analysis of auditory manifestations in a group of adult with AIDS prior to antiretroviral therapy. African Journal of Infectious Diseases, 5(1).
<https://doi.org/10.4314/ajid.v5i1.66506>

Khoza, K., Ross, E. (2002). Auditory function in a group of adults infected with HIV/AIDS in Gauteng, SouthAfrica. South African Journal of Communication Disorders, 49, 17-27.
<https://doi.org/10.4102/sajcd.v49i1.214>

Kohan, D., Giacchi, R.J. (1999). Otologic surgery in patients with HIV-1 and AIDS. Otolaryngology - Head and Neck Surgery, 121(4), 355-360. [https://doi.org/10.1016/S0194-5998\(99\)70220-2](https://doi.org/10.1016/S0194-5998(99)70220-2)

Luque, A.E., Orlando, M.S., Leong, U.-C., Allen, P.D., Guido, J.J., Yang, H., Wu, H. (2014). Hearing Function in Patients Living With HIV/AIDS. Ear and Hearing, 35(6), e282-e290.
<https://doi.org/10.1097/AUD.0000000000000064>

Marra, C.M., Wechkin, H.A., Longstreth, W.T. Jr, Rees, T.S., Syapin, C.L., Gates, G.A., (1997). Hearing loss and antiretroviral therapy in patients infected with HIV-1. Archives of Neurology, 54(4), 407-410.
<https://doi.org/10.1001/archneur.1997.00550160049015>

Matas, C.G., Silva, S.M., Marcon, B. de A., Gonnalves, I.C. (2010). Electrophysiological manifestations in adults with HIV/AIDS submitted and not submitted to antiretroviral therapy. Pr3-Fono Revista de AtualizaUaaoo CientVfica, 22(2), 107-112. <https://doi.org/10.1590/S0104-56872010000200007>

Ranjan, R., Bhat, J.S. (2008). DPOAE in HIV infected adults. Online Journal of Health and Allied Sciences, 7(1), 9.

Rusiniak, M., Lewandowska, M., Wolak, T., Pluta, A., Milner, R., Ganc, M., ... Skarżyński, H. (2013). A modified oddball paradigm for investigation of neural correlates of attention: a simultaneous ERPEfMRI study. Magnetic Resonance Materials in Physics, Biology and Medicine, 26(6), 511-526.
<https://doi.org/10.1007/s10334-013-0374-7>

Schouten, J.T., Lockhart, D.W., Rees, T.S., Collier, A.C., Marra, C.M. (2006). A prospective study of hearing changes after beginning zidovudine or didanosine in HIV-1 treatment-nadcve people. BMC Infectious Diseases, 6(1), 28. <https://doi.org/10.1186/1471-2334-6-28>

Shargorodsky, J., Curhan, G.C., Farwell, W.R. (2010). Prevalence and characteristics of tinnitus among US adults. The American Journal of Medicine, 123(8), 711-718.
<https://doi.org/10.1016/j.amjmed.2010.02.015>

Sooy, C.D. (1987). The impact of AIDS on otolaryngology head and neck surgery. Adv. Otolaryngology Head and Neck Surgery, 1, 1-28.

Teggi, R., Ceserani, N., Luce, F.L., Lazzarin, A., Bussi, M. (2008). Otoneurological findings in human immunodeficiency virus positive patients. The Journal of Laryngology & Otology, 122(12), 1289.
<https://doi.org/10.1017/S0022215107001624>

Torre, P., Hoffman, H.J., Springer, G., Cox, C., Young, M.A., Margolick, J.B., Plankey, M. (2015). Hearing loss among HIV-seropositive and HIV-seronegative men and women. JAMA Otolaryngology-Head & Neck Surgery, 141(3), 202. <https://doi.org/10.1001/jamaoto.2014.3302>

Van der Westhuizen, Y., Swanepoel, D.W., Heinze, B., Hofmeyr, L.M. (2013). Auditory and otological manifestations in adults with HIV/AIDS. International Journal of Audiology, 52(1), 37-43.

<https://doi.org/10.3109/14992027.2012.721935>

Vincenti, V., Pasanisi, E., Bacciu, A., Giordano, D., Di Lella, F., Guida, M., Bacciu, S. (2005). Cochlear implantation in a human immunodeficiency virus-infected patient: The Laryngoscope, 115(6), 1079-1081. <https://doi.org/10.1097/01.MLG.0000163099.01930.C2>

WHO global estimates on prevalence of hearing loss. Mortality and Burden of Diseases and Prevention of Blindness and Deafness WHO, 2012.

Zeman, F., Koller, M., Langguth, B., Landgrebe, M., et al. (2014). Which tinnitus-related aspects are relevant for quality of life and depression: results from a large international multicentre sample.

Health Qual Life Outcomes, 12(7). <https://doi.org/10.1186/1477-7525-12-7>

Ewa Siwak, Iwona Cielniak, Ewa Firląg-Burkacka Metaboliczne choroby kości u pacjentów zakażonych HIV

Assessment of fracture risk and its application to screening for postmenopausal osteoporosis. Report of a WHO Study Group. World Health Organization - Technical Report Series (1994). 843, 1-129.

Borderi, M., Gibelini, D., Vescini, F., De Crignis, E., Cimatti, L., Biagetti, C., Tampellini, L., Re M.C. (2009). Metabolic bone disease in HIV infection. AIDS, 23, 1297-1310.
<https://doi.org/10.1097/QAD.0b013e32832ce85a>

Brown, T.T. (2013). Challenges in the management of osteoporosis and vitamin D deficiency in HIV infection. Topics in Antiviral Medicine, 21(3), 115-118.

Brown, T.T., Qaqish, R.B. (2006). Antiretroviral therapy and the prevalence of osteopenia and osteoporosis: a meta-analytic review. AIDS (London, England), 20(17), 2165-2174.
<https://doi.org/10.1097/QAD.0b013e32801022eb>

Brown, T.T., Moser, C., Currier, J.S., Ribaudo, H.J., Rothenberg, J., Kelesidis, T., ... McComsey, G.A. (2015). Changes in bone mineral density after initiation of antiretroviral treatment with Tenofovir Disoproxil Fumarate/Emtricitabine plus Atazanavir/Ritonavir, Darunavir/Ritonavir, or Raltegravir. Journal of Infectious Diseases, 2, 1-10. <https://doi.org/10.1093/infdis/jiv194>

Compston, J. (2015). HIV infection and osteoporosis. BoneKEy Reports, 4, artykuł nr 636.
<https://doi.org/10.1038/bonekey.2015.3>

Czerwiński, E. (2004). Zaburzenia metabolizmu tkanki kostnej. W: J. Szmidt, Z. Gruca, M. Krawczyk, J. Kuźdzał, P. Lampe, J. Polański, Podstawy chirurgii. Podręcznik dla lekarzy specjalizujących się w dziedzinie chirurgii ogólnej (s. 77-82), tom II. Kraków: Medycyna Praktyczna.

Dao, C.N., Patel, P., Overton, E.T., Rhame, F., Pals, S.L., Johnson, C., ... Study to understand the natural history of HIV and AIDS in the era of effective therapy (SUN) investigators. (2011). Low vitamin D among HIV-infected adults: prevalence of and risk factors for low vitamin D Levels in a cohort of HIV-infected adults and comparison to prevalence among adults in the US general population. Clinical Infectious Diseases, 52(3), 396-405. <https://doi.org/10.1093/cid/ciq158>

European AIDS Clinical Society. Guidelines 2015 version 8.0. Prevention and management of comorbidities in HIV positive persons (www.eacsociety.org/guidelines).

Gèrri-Fernandez, R., Vestergaard, P., Carbonell, C., Knobel, H., Avilés, F.F., Castro, A.S., ... Diez-Perez, A. (2013). HIV infection is strongly associated with fracture risk, independently of age, gender, and comorbidities: a population-based cohort study. *Journal of Bone and Mineral Research*, 28(6), 1259-1263. <https://doi.org/10.1002/jbmr.1874>

Hansen, A.-B.E., Gerstoft, J., Kronborg, G., Larsen, C.S., Pedersen, C., Pedersen, G., Obel, N. (2012). Incidence of low and high-energy fractures in persons with and without HIV infection: a Danish population-based cohort study. *AIDS (London, England)*, 26(3), 285-293. <https://doi.org/10.1097/QAD.0b013e32834ed8a7>

Havers, F.P., Detrick, B., Cardoso, S.W., Berendes, S., Lama, J.R., Sugandhavesa, P., ... ACTG A5175 PEARLS and NWCS319 Study Teams. (2014). Change in vitamin d levels occurs early after antiretroviral therapy initiation and depends on treatment regimen in resource-limited settings. *PloS One*, 9(4), e95164. <https://doi.org/10.1371/journal.pone.0095164>

Indridason, O.S., Franzson, L., Sigurdsson, G. (2005). Serum osteoprotegerin and its relationship with bone mineral density and markers of bone turnover. *Osteoporosis International*, 16(4), 417-423. <https://doi.org/10.1007/s00198-004-1699-x>

Kearns, A.E., Khosla, S., Kostenuik, P.J. (2008). Receptor activator of nuclear factor kappaB ligand and osteoprotegerin regulation of bone remodeling in health and disease. *Endocrine Reviews*, 29(2), 155-192. <https://doi.org/10.1210/er.2007-0014>

Lima, A.L.L.M., de Oliveira, P.R.D., Plapler, P.G., Marcolino, F.M.D.A., de Souza Meirelles, E., Sugawara, A., ... Camanho, G.L. (2011). Osteopenia and osteoporosis in people living with HIV: multiprofessional approach. *HIV/AIDS (Auckland, N.Z.)*, 3, 117-124. <https://doi.org/10.2147/HIV.S6617>

Marcinowska-Suchowierska, E., Czerwiński, E., Badurski, J., Walicka, M., Tałałaj, M. (2011). Osteoporosis - diagnostyka i terapia u osób starszych. *Postępy Nauk Medycznych*, 5, 410-423.

McComsey, G.A., Tebas, P., Shane, E., Yin, M.T., Overton, E.T., Huang, J.S., ... Brown, T.T. (2010). Bone disease in HIV infection: a practical review and recommendations for HIV care providers. *Clinical Infectious Diseases*, 51(8), 937-946. <https://doi.org/10.1086/656412>

Moyle, G.J., Stellbrink, H.-J., Compston, J., Orkin, C., Arribas, J.R., Domingo, P., ... ASSERT Team. (2013). 96-Week results of abacavir/lamivudine versus tenofovir/emtricitabine, plus efavirenz, in antiretroviral-naïve, HIV-1-infected adults: ASSERT study. *Antiviral Therapy*, 18(7), 905-913. <https://doi.org/10.3851/IMP2667>

NIH Consensus Development Panel on Osteoporosis Prevention, Diagnosis, and Therapy, March 7-29, 2000: highlights of the conference. (2001). *Southern Medical Journal*, 94(6), 569-573. <https://doi.org/10.1097/00007611-200106000-00005>

Pan, G., Yang, Z., Ballinger, S.W., McDonald, J.M. (2006). Pathogenesis of osteopenia/osteoporosis induced by highly active anti-retroviral therapy for AIDS. *Annals of the New York Academy of Sciences*, 1068, 297-308. <https://doi.org/10.1196/annals.1346.057>

Powderly, W.G. (2012). Osteoporosis and bone health in HIV. *Current HIV/AIDS Reports*, 9(3), 218-222. <https://doi.org/10.1007/s11904-012-0119-7>

Shiau, S., Broun, E.C., Arpadi, S.M., Yin, M.T. (2013). Incident fractures in HIV-infected individuals: a systematic review and meta-analysis. AIDS (London, England), 27(12), 1949-1957.

<https://doi.org/10.1097/QAD.0b013e328361d241>

Stein, E.M., Yin, M.T., McMahon, D.J., Shu, A., Zhang, C.A., Ferris, D.C., ... Shane, E. (2011). Vitamin D deficiency in HIV-infected postmenopausal Hispanic and African-American women. Osteoporosis International, 22(2), 477-487. <https://doi.org/10.1007/s00198-010-1299-x>

Stone, B., Dockrell, D., Bowman, C., McCloskey, E. (2010). HIV and bone disease. Archives of Biochemistry and Biophysics, 503(1), 66-77. <https://doi.org/10.1016/j.abb.2010.07.029>

Tałałaj, M. (2004). Budowa kości, jej wzrost i zanikanie. W: E. Marcinowska-Suchowierska (red.), Osteoporoza (s. 32-49). Warszawa: PZWL.

Triant, V.A., Brown, T.T., Lee, H., Grinspoon, S.K. (2008). Fracture prevalence among human immunodeficiency virus (HIV)-infected versus non-HIV-infected patients in a large U.S. healthcare system. The Journal of Clinical Endocrinology and Metabolism, 93(9), 3499-3504.

<https://doi.org/10.1210/jc.2008-0828>

Wohl, D., Pozniak, A., Thompson, M. et al. Tenofovir alafenamide (TAF) in a single-tablet regimen in initial HIV-1 therapy. (2015). Conference on Retroviruses and Opportunistic Infections, Seattle, USA, abstract 113LB. <https://doi.org/10.1136/setrans-2015-052126.143>

Womack, J.A., Goulet, J.L., Gibert, C., Brandt, C., Chang, C.C., Gulanski, B., ... Team, dla the V. A. C. S. P. (2011). Increased risk of fragility fractures among HIV infected compared to uninfected male veterans. PLoS One, 6(2), e17217. <https://doi.org/10.1371/journal.pone.0017217>

Young, B., Dao, C.N., Buchacz, K., Baker, R., Brooks, J.T., HIV Outpatient Study (HOPS) Investigators. (2011). Increased rates of bone fracture among HIV-infected persons in the HIV Outpatient Study (HOPS) compared with the US general population, 2000-2006. Clinical Infectious Diseases, 52(8), 1061-1068. <https://doi.org/10.1093/cid/ciq242>