

Ahmed, A.H., Arai, S., Attia, A.K., 2001. Petrological characteristics of podiform chromitites and associated peridotites of the Pan African Proterozoic ophiolite complexes of Egypt. *Mineralium Deposita*, 36, 72-84. <https://doi.org/10.1007/s001260050287>

Ahmed, A.H., Arai, S., Abdel-Aziz, Y.M., Rahimi, A., 2005. Spinel composition as a petrogenetic indicator of the mantle section in the Neoproterozoic Bou Azzer ophiolite, Anti-Atlas, Morocco. *Precambrian Research*, 138, 225-234. <https://doi.org/10.1016/j.precamres.2005.05.004>

Aleksandrowski, P., Mazur, S., 2002. Collage tectonics in the northeasternmost part of the Variscan Belt: the Sudetes, Bohemian Massif. In: Winchester, J., Pharaoh, T., Verniers, J. (Eds.), *Palaeozoic Amalgamation of Central Europe*. Geological Society of London Special Publication, 201, 237-277. <https://doi.org/10.1144/GSL.SP.2002.201.01.12>

Arai, S., 1980. Dunite-harzburgite-chromitite complexes as refractory residue in the Sangun-Yamaguchi zone, western Japan. *Journal of Petrology*, 21, 141-165. <https://doi.org/10.1093/petrology/21.1.141>

Arai, S., 1992a. Petrology of peridotites as a tool of insight into mantle processes: a review. *Journal of Petrology of Economic Geology*, 87, 351-363 (in Japanese with English abstract). <https://doi.org/10.2465/ganko.87.351>

Arai, S., 1992b. Chemistry of chromian spinel in volcanic rocks as potential guide to magma chemistry. *Mineralogical Magazine*, 56, 173-184. <https://doi.org/10.1180/minmag.1992.056.383.04>

Arai, S., 1997a. Origin of podiform chromitites. *Journal of Southeast Asian Earth Sciences*, 15, 303-310. [https://doi.org/10.1016/S1367-9120\(97\)00015-1](https://doi.org/10.1016/S1367-9120(97)00015-1)

Arai, S., 1997b. Control of wall-rock composition on the formation of podiform chromitites as a result of magma/peridotite interaction. *Resource Geology*, 47, 177-187.

Arai, S., Matsukage, K., 1998. Petrology of chromitite micropod from Hess deep, equatorial Pacific: a comparison between abyssal and alpine-type podiform chromitites. *Lithos*, 43, 1-14. [https://doi.org/10.1016/S0024-4937\(98\)00003-6](https://doi.org/10.1016/S0024-4937(98)00003-6)

Arai, S., Okamura, H., Kadoshima, K., Tanaka, C., Suzuki, K., Ishimaru, S., 2011. Chemical characteristics of chromian spinel in plutonic rocks: Implications for deep magma processes and discrimination of tectonic setting. *The Island Arc*, 20, 125-137. <https://doi.org/10.1111/j.1440-1738.2010.00747.x>

Arai, S., Yurimoto, H., 1994. Podiform chromitites of the Tari-Misaka ultramafic complex, Southwest Japan, as mantle-melt interaction products. *Economic Geology*, 89, 1279-1288. <https://doi.org/10.2113/gsecongeo.89.6.1279>

Arai, S., Yurimoto, H., 1995. Possible subarc origin of podiform chromitites. *The Island Arc*, 4, 104-111. <https://doi.org/10.1111/j.1440-1738.1995.tb00135.x>

Arai, S., Shimizu, Y., Ismail, S.A., Ahmed, A.H., 2006. Low-T formation of high-Cr spinel with apparently primary chemical characteristics within podiform chromitite from Rayat, northeastern Iraq. *Mineralogical Magazine*, 70, 499-508. <https://doi.org/10.1180/0026461067050353>

Bach, W., Paulick, H., Garrido, C.J., Ildefonse, B., Meurer, W.P., Humphris, S.E., 2006. Unraveling the sequence of serpentization reactions: petrography, mineral chemistry, and petrophysics of serpentinites from MAR 15°N (ODP Leg 209, Site 1274). *Geophysical Research Letters* 33, L13306, <https://doi.org/10.1029/2006GL025681>

- Ballhaus, C., 1998. Origin of podiform chromite deposits by magma mingling. *Earth and Planetary Science Letters*, 156, 185-193. [https://doi.org/10.1016/S0012-821X\(98\)00005-3](https://doi.org/10.1016/S0012-821X(98)00005-3)
- Ballhaus, C., Berry, R.F., Green, D.H., 1991. High pressure experimental calibration of the olivineorthopyroxene-spinel oxygen geobarometer: implications for the oxidation state of the upper mantle. *Contributions to Mineralogy and Petrology*, 107, 27-40. <https://doi.org/10.1007/BF00311183>
- Barnes, S.J., 1998. Chromite in komatiites, I. Magmatic controls on crystallization and composition. *Journal of Petrology*, 39, 1689-1720. <https://doi.org/10.1093/petrology/39.10.1689>
- Barnes, S.J., 2000. Chromite in komatiites, II. Modification during greenshist to mid-amphibolite facies metamorphism, *Journal of Petrology*, 41, 387-409. <https://doi.org/10.1093/petrology/41.3.387>
- Barnes, S.J., Roeder, P.L., 2001. The range of spinel compositions in terrestrial mafic and ultramafic rocks. *Journal of Petrology*, 42, 2279-2302. <https://doi.org/10.1093/petrology/42.12.2279>
- Bédard, J.H., Hébert, R., 1998. Formation of chromitites by assimilation of crustal pyroxenites and gabbros into peridotitic intrusions: North Arm Mountain massif, Bay of Islands ophiolite, Newfoundland, Canada. *Journal of Geophysical Research*, 103, 5165-5184. <https://doi.org/10.1029/97JB03291>
- Birecki, T., 1962. Occurrence of chromites at Tąpadła (Lower Silesia), *Przegląd Geologiczny*, 3, 144-150 (in Polish).
- Bliss, N.W., MacLean, W.H., 1975. The paragenesis of zoned chromite from central Manitoba. *Geochimica et Cosmochimica Acta*, 39, 973-990. [https://doi.org/10.1016/0016-7037\(75\)90042-3](https://doi.org/10.1016/0016-7037(75)90042-3)
- Bock M., 1868. Über einige Schlesische Mineralien deren Constitution und einige andere analitische Resultate. Doktor Dissertation, Breslau, 1-26 (in German).
- Bröcner, M., Żelaźniewicz, A., Enders, M., 1998. Rb-Sr and U-Pb geochronology of migmatitic layers from the Góry Sowie (West Sudetes, Poland): the importance of Mid-Late Devonian metamorphism. *Journal of Geological Society, London*, 155, 1025-1036. <https://doi.org/10.1144/gsjgs.155.6.1025>
- Burkhard, D.J.M., 1993. Accessory chromium spinels: their coexistence and alteration in serpentinites. *Geochimica et Cosmochimica Acta*, 57, 1297-1306. [https://doi.org/10.1016/0016-7037\(93\)90066-6](https://doi.org/10.1016/0016-7037(93)90066-6)
- Ceuleneer, G., Nicolas, A., 1985. Structures in podiform chromite from the Maqsad district (Semail ophiolite, Oman). *Mineralium Deposita*, 20, 177-185. <https://doi.org/10.1007/BF00204562>
- Coleman, R.G., 1977. Ophiolites. Ancient Oceanic Lithosphere? Springer Verlag, Berlin. <https://doi.org/10.1007/978-3-642-66673-5>
- Cymerman, Z., Piasecki, M.A.J., Seston, R., 1997. Terranes and terrane boundaries in the Sudetes, northeast Bohemian Massif. *Geological Magazine*, 134, 717-725. <https://doi.org/10.1017/S0016756897007255>
- Delura, K., 2000. Ore mineralization in serpentinized ultramafic rocks from the Braszowice-Brzeźnica and Gogołów-Jordanów Massifs, Lower Silesia, Poland, Ph.D. thesis (manuscript). Wydział Geologii, Uniwersytet Warszawski, Warszawa, 1-120 (in Polish).
- Delura, K., 2012. Chromitites from the Braszowice-Brzeźnica Massif, Lower Silesia - potential chromium source for industry? *Gospodarka Surowcami Mineralnymi*, 28/1, 19-43 (in Polish with English abstract). <https://doi.org/10.2478/v10269-012-0002-6>

Dick, H.J.B., Bullen, T., 1984. Chromian spinel as a petrogenetic indicator in abyssal and alpine-type peridotites and spatially associated lavas. Contributions to Mineralogy and Petrology, 86, 54-76.  
<https://doi.org/10.1007/BF00373711>

Dubińska, E., 1995. Rodingites of the eastern part of the Jordanów-Gogołów serpentinite massif, Lower Silesia, Poland. Canadian Mineralogist, 33, 585-608.

Dubińska, E., 1997. Rodingites and amphibolites from the serpentinites surrounding Góry Sowie block (Lower Silesia, Poland): Record of supra-subduction zone magmatism and serpentinization, Neues Jahrbuch für Mineralogie und Petrologie, Abhandlungen, 171/3, 239-279.

Dubińska, E., Gunia, P., 1997. The Sudetic ophiolite: current view on its geodynamic model. Geological Quarterly, 41, 1-20.

Dubińska, E., Bylina, P., Kozłowski, A., Dörr, W., Nejbert, K., Schastok, J., Kulicki, C., 2004. U-Pb dating of serpentinization: hydrothermal zircon from a metasomatic rodingite shell (Sudetic ophiolite, SW Poland). Chemical Geology, 203, 183-203. <https://doi.org/10.1016/j.chemgeo.2003.10.005>

Dziedzic, H., 1989. Tectonics and petrogenesis of Braszowice gabbro. In: Narębski, W., Majerowicz, A., (Eds.). Lower and Upper Paleozoic metabasites and ophiolites of the Polish Sudetes. Guidebook of excursions, Wydawnictwo Uniwersytetu Wrocławskiego, Wrocław, 124-156.

Dziedzic, K., Dziedzic H., 2000. Genetic relationship between metabasalts and related gabbroic rocks: an example from the Fore-Sudetic Block, SW Poland. Geologia Sudetica, 33, 33-48.

Economou-Eliopoulos, M., 1996. Platinum-group element distribution in chromite ores from ophiolite complexes: implications for their exploration. Ore Geology Reviews, 11, 363-381.  
[https://doi.org/10.1016/S0169-1368\(96\)00008-X](https://doi.org/10.1016/S0169-1368(96)00008-X)

Evans, B.W., 1977. Metamorphism of Alpine peridotite and serpentinite. Annual Review of Earth and Planetary Sciences, 5, 397-447. <https://doi.org/10.1146/annurev.ea.05.050177.002145>

Evans, B.W., Frost, B.R., 1975. Chrome-spinel in progressive metamorphism-a preliminary analysis, Geochimica et Cosmochimica Acta, 39, 959-972. [https://doi.org/10.1016/0016-7037\(75\)90041-1](https://doi.org/10.1016/0016-7037(75)90041-1)

Fiedler H., 1863. Die Mineralien Schlesiens mit Berücksichtigung der angrenzenden Länder. Breslau (in German).

Floyd, P.A., Kryza, R., Crowley, Q.G., Winchester, J.A., Abdel Wahed, M., 2002. Ślęża ophiolite: geochemical features and relationship to Lower Palaeozoic rift magmatism in the Bohemian Massif. Geological Society of London Special Publication, 201, 197-215.  
<https://doi.org/10.1144/GSL.SP.2002.201.01.10>

Franke, W., Żelaźniewicz, A., 2000. The eastern termination of the Variscides: terrane correlation and kinematic evolution. Geological Society of London Special Publication, 179, 63-86.  
<https://doi.org/10.1144/GSL.SP.2000.179.01.06>

Frost, B.R., 1985. On the stability of sulfides, oxides and native metals in serpentinite. Journal of Petrology, 26, 31-63. <https://doi.org/10.1093/petrology/26.1.31>

Gahlan, H.A., Arai, S., Ahmed, A.H., Ishida, Y., Abdel-Aziz, Y.M., Rahim, A., 2006. Origin of magnetite veins in serpentinite from the late Proterozoic Bou-Azzer ophiolite, Anti-Atlas, Morocco: an implication for mobility of iron during serpentinization. Journal of African Earth Sciences, 46, 318-330. <https://doi.org/10.1016/j.jafrearsci.2006.06.003>

Glocker E., 1927. Über das Frankenstein Gebirge und das Vorkommen des Chrysoprases in demselben nebst einer Beschreibung der den letzteren begleitenden Fossilien. W: Beiträge zur mineralogischen der Kenntniss der Sudetenländer insbesondere Schlesiens. Breslau, 1, 1-152 (in German).

González-Jiménez, J.M., Kerestedjian, T., Proenza, J.A., Gerville, F., 2009. Metamorphism of Chromite ores from the Dobromirtsi Ultramafic Massif, Rhodope Mountains (SE Bulgaria). *Geologica Acta*, 7/4, 413-429.

González-Jiménez, J.M., Proenza, J.A., Gerville, F., Melgarejo, J.C., Blanco-Moreno, J.A., Ruiz-Sánchez, R., Griffin, W.L., 2011. High-Cr and high-Al chromitites from the Sagua de Táamo district, Mayarí-Cristal ophiolitic massif (eastern Cuba): Constraints on their origin from mineralogy and geochemistry of chromian spinel and platinum-group elements. *Lithos*, 125, 101-121.

<https://doi.org/10.1016/j.lithos.2011.01.016>

Graham, I.T., Franklin, B.J., Marshall, B., 1996. Chemistry and mineralogy of podiform chromitite deposits, southern NSW, Australia: a guide to their origin and evolution. *Mineralogy and Petrology*, 37, 129-150. <https://doi.org/10.1007/BF01162355>

Greenbaum, D., 1977. The chromitiferous rocks of the Troodos Ophiolite Complex, Cyprus. *Economic Geology*, 72, 1175-1194. <https://doi.org/10.2113/gsecongeo.72.7.1175>

Gunia, P., 1989. Ultrabasic rocks of the Brzeźnica-Brzeźnica ophiolite massif: their textural variability and petrologic implications. In: Narębski, W., Majerowicz, A., (Eds.). Lower and Upper Paleozoic metabasites and ophiolites of the Polish Sudetes. Guidebook of excursions, Wydawnictwo Uniwersytetu Wrocławskiego, Wrocław, 113-123.

Gunia, P., 1992. Petrology of the ultrabasic rocks from the Brzeźnica-Brzeźnica Massif (Fore-Sudetic Block). *Geologia Sudetica*, 26 (1-2), 119-170 (in Polish with English abstract).

Hock, M., Friedrich, G., 1985. Structural features of ophiolitic chromitites in the Zambales Range, Luzon, Philippines. *Mineralium Deposita*, 20, 290-301. <https://doi.org/10.1007/BF00204289>

Horninger, G., 1941. Beobachtungen am Erzinhalt von Gesteinen und an Chromerz aus Tampadel in Schlesien. *Mineralogische und Petrographische Mitteilungen*, 52/6, 315-346.

<https://doi.org/10.1007/BF02952496>

Irvine, T.N., 1965. Chromian spinel as a petrogenetic indicator. Part I. Theory. *Canadian Journal of Earth Sciences*, 2, 648-671. <https://doi.org/10.1139/e65-046>

Irvine, T.N., 1967. Chromian spinel as a petrogenetic indicator. Part II. Petrologic applications. *Canadian Journal of Earth Sciences*, 4, 71-103. <https://doi.org/10.1139/e67-004>

Irvine, T.N., 1977. Origin of chromite layers in the Muskox intrusion and other intrusions: a new interpretation. *Geology*, 5, 273-277. [https://doi.org/10.1130/0091-7613\(1977\)5<273:OOCIT>2.0.CO;2](https://doi.org/10.1130/0091-7613(1977)5<273:OOCIT>2.0.CO;2)

Jan, M.Q., Windley, B.F., 1990. Chromian spinel-silicate chemistry in ultramafic rocks of the Jijal complex, northwest Pakistan. *Journal of Petrology*, 31, 667-715.

<https://doi.org/10.1093/petrology/31.3.667>

Jędrysek, M.O., 1989. Hydrogen, carbon and oxygen isotope model of serpentization of ultramafic rocks exemplified by Ślęża Mt. and Brzeźnica ophiolite complexes. In: Narębski, W., Majerowicz, A., (Eds.): Guidebook of excursions in Poland, Scientific Conference "Lower and upper Paleozoic

metabasites and ophiolites of the Polish Sudetes". Polish Academy of Science, Committee of Mineralogical

Sciences and Institute of Geological Sciences at the Wrocław University. Wrocław, 73-92.

Kamenetsky, V.S., Crawford, A.J., Meffre, S., 2001. Factors controlling chemistry of magmatic spinel: an empirical study of associated olivine, Cr-spinel and melt inclusions from primitive rocks. *Journal of Petrology*, 42, 655-671. <https://doi.org/10.1093/petrology/42.4.655>

Kądziałko-Hofmokl, M., Jeleńska, M., Bylina, P., Dubińska, E., Delura, K., Nejbert, K., 2006.

Paleomagnetism of Paleozoic ultrabasic rocks from the Sudetes Mts (SW Poland): tectonic implications, *Geophysical Journal International*, 167, 24-42. <https://doi.org/10.1111/j.1365-246X.2006.03087.x>

Kądziałko-Hofmokl, M., Jeleńska, M., Delura, K., Bylina, P., 2010. Magnetic mineralogy and paleomagnetism of serpentinized ultramafic rocks from the Braszowice-Brzeźnica fragment of Sudetic paleozoic ophiolite. *Acta Geophysica*, 58/2, 269-299. <https://doi.org/10.2478/s11600-009-0054-1>

Khedr, Z.M., Arai, S., 2010. Hydrous peridotites with Ti-rich chromian spinel as a low-temperature forearc mantle facies: evidence from the Happo-O'ne metaperidotites (Japan). *Contributions to Mineralogy and Petrology*, 159, 137-157. <https://doi.org/10.1007/s00410-009-0420-7>

Kimball, K. L., 1990. Effects of hydrothermal alteration on the compositions of chromian spinels. *Contributions to Mineralogy and Petrology*, 105, 337-346. <https://doi.org/10.1007/BF00306543>

Kosmann B., 1888. Über neuere Aufschlüsse betreffend des Vorkommen der Chromeisenerze in Niederschlesien. *Jahresbericht der Schlesischen Gesellschaft für Vaterländische Cultur*, 65 (in German).

Kryza, R., Abdel Wahed, M., 2000. The Ślęża Mafic Complex: contrasting geochemistry of plutonic and subvolcanic/volcanic rocks. *Mineralogical Society of Poland Special Papers*, 17, 195-197.

Kryza, R., Mazur, S., Oberc-Dziedzic, T., 2004. The Sudetic geological mosaic: insights into the root of the Variscan orogen. *Przegląd Geologiczny*, 52 (8/2), 761-773.

Kryza, R., Pin, C., 2010. The Central-Sudetic ophiolites (SW Poland): Petrogenetic issues, geochronology and palaeotectonic implications. *Gondwana Research*, 17, 292-305. <https://doi.org/10.1016/j.gr.2009.11.001>

Kunisch H., 1887. Über das Vorkommen von Chromeisenstein in dem Serpentin der Grochauer Berge südwestlich von Frankenstein. *Jahresbericht der Schlesischen Gesellschaft für Vaterländische Cultur*, 64 (in German).

Lago, B., Rabinowicz, M., Nicolas, A., 1982. Podiform chromite ore bodies: a genetic model. *Journal of Petrology*, 23, 103-125. <https://doi.org/10.1093/petrology/23.1.103>

Leblanc M., 1987. Chromite in oceanic arc environments: New Caledonia. In: Stowe, C.W., (Ed.). *Evolution of chromium ore fields*. Van Nostrand-Reinhold, New York, 265-296.

Leblanc, M., 1991. Platinum-group elements and gold in ophiolitic complexes: distribution and fractionation from mantle to oceanic floor. In: Peters, T.J. et al. (Eds.). *Ophiolite genesis and evolution of the oceanic lithosphere*. Kluwer Academic Publishers, London, 231-260. [https://doi.org/10.1007/978-94-011-3358-6\\_13](https://doi.org/10.1007/978-94-011-3358-6_13)

Leblanc, M., Cassard, D., Juteau, T., 1981. Cristallisation et deformation des orbicules de chromite. Mineralium Deposita, 16, 269-282 (in Francoise with English abstract).  
<https://doi.org/10.1007/BF00202740>

Leblanc, M., Nicolas, A., 1992. Ophiolitic chromitites. International Geology Review, 34/7, 653-686.  
<https://doi.org/10.1080/00206819209465629>

Loferski, P.J., Lipin, B.R., 1983. Exsolution in metamorphosed chromite from the Red Lodge district, Montana. American Mineralogist, 68, 777-789.

Maciejewski, S., 1963. Some remarks on chromite occurrences in Lower Silesian ultrabasites. Kwartalnik Geologiczny, 6, 779-780 (in Polish).

Majerowicz, A., 1979. The mountain group of Ślęza and recent petrological problems of ophiolites, selected stratigraphical, petrological and tectonic problems of the eastern border of gneisses of Sowie Góry Mts. and Kłodzko Metamorphic Structure, in Materiały Konferencji Terenowej, Nowa Ruda, 9-34, Wydawnictwo Uniwersytetu Wrocławskiego, Wrocław (in Polish).

Majerowicz, A., 1981. Rock series of the Ślęza Mt. group in the light of petrologic studies of ophiolite complex. In: Narębski, W. (Ed.). Ophiolites and Initialites of Northern Border of the Bohemian Massif. Guidebook of Excursion, vol. 2. Potsdam-Freiberg, 172-179.

Majerowicz, A., 1994. Textural features and symptoms of ocean-floor metamorphism in the top part of the Ślęza ophiolite (SW Poland). Archiwum Mineralogiczne, 50/2, 97-139.

Majerowicz, A., Pin C., 1986. Preliminary trace element evidence for an oceanic depleted mantle origin of the Ślęza ophiolitic complex SW Poland. Mineralogia Polonica, 17/2.

Majerowicz, A., Pin C., 1994. The main petrological problems of the Mt. Ślęza ophiolite complex, Sudetes, Poland. Zentralblatt Geologie und Paläontologie, Teil 2, 9/10, 989-1018.

Matsumoto, I., Arai, S., Yamauchi, H., 1997. High-Al podiform chromitites in dunite-harzburgite complexes of the Sangun zone, central Chugoku district, Southwest Japan. Journal of Asian Earth Sciences, 15, 295-302. [https://doi.org/10.1016/S1367-9120\(97\)00014-X](https://doi.org/10.1016/S1367-9120(97)00014-X)

Matsumoto, I., Arai, S., 2001. Morphological and chemical variations of chromian spinel in dunite-harzburgite complexes from the Sangun zone (SW Japan): implications from mantle/melt reaction and chromitite formation processes. Mineralogy and Petrology, 73, 305-323.  
<https://doi.org/10.1007/s007100170004>

Matveev, S., Ballhaus, C., 2002. Role of water in the origin of podiform chromitite deposits. Earth and Planetary Science Letters, 203, 235-243. [https://doi.org/10.1016/S0012-821X\(02\)00860-9](https://doi.org/10.1016/S0012-821X(02)00860-9)

Mazur, S., Aleksandrowski, P., Kryza, R., Oberc-Dziedzic, T., 2006. The Variscan Orogen in Poland. Geological Quarterly, 50/1, 89-118.

Mazur, S., Aleksandrowski, P., Szczepański, J., 2010. Zarys budowy i ewolucji tektonicznej węgierskiej struktury Sudetów. Przegląd Geologiczny, 58/2, 133-145.

Melcher, F., Grum, W., Simon, G., Thalhammer, T.V., Stumpf, E.F., 1997. Petrogenesis of the ophiolitic giant chromite deposits of Kempirsai, Kazakhstan: a study of solid and fluid inclusions in chromite. Journal of Petrology, 38, 1419-1458. <https://doi.org/10.1093/petroj/38.10.1419>

Melcher, F., Grun, W., Thalhammer, T.V., Thalhammer, O.A.R., 1999. The giant chromite deposits at Kempirsai, Urals: constraints from trace elements (PGE, REE) and isotope data. *Mineralium Deposita*, 34, 250-272. <https://doi.org/10.1007/s001260050202>

Mellini, M., Rumori, C., Vitti, C., 2005. Hydrothermally reset of magmatic spinels in retrograde serpentinites: formation of "feeritchromit" rims and chlorite aureoles. *Contributions to Mineralogy and Petrology*, 149, 266-275. <https://doi.org/10.1007/s00410-005-0654-y>

Merlini, A., Grieco, G., Diella V., 2009. Ferritchromite and chromian-chlorite formation in mélange-hosted Kalkan chromitite (Southern Urals, Russia). *American Mineralogist*, 94, 1459-1467. <https://doi.org/10.2138/am.2009.3082>

Mierzejewski, M.P. (Ed.), 2000. Tectonics of the Ślęza Mt. ophiolite and its influence on the distribution of some mineral ores and ground water. Instytut Nauk Geologicznych, Uniwersytet Wrocławski, Wrocław.

Mierzejewski, M.P., Abdel Wahed, M., 2000. Overlapping thrust faults within the Gogołów-Jordanów serpentinite massif (SW Poland): evidence for the obduction of Ślęza ophiolite complex. In: Mierzejewski, M.P. (Ed.). Tectonics of the Ślęza Mt ophiolite and its influence on the distribution of some mineral ores and ground water. Instytut Nauk Geologicznych. Uniwersytet Wrocławski, Wrocław, 29-41.

Müntener, O., Hermann, J., Trommsdorff, V., 2000. Cooling history and exhumation of lower crust and upper mantle (Malenco, Eastern Central Alps). *Journal of Petrology*, 41, 175-200. <https://doi.org/10.1093/petrology/41.2.175>

Mydłowski, A., 2009. Isotopic mass balance of metamorphic fluids in the Gogołów-Jordanów serpentinite massif, Lower Silesia, SW Poland. *Annales Societatis Geologorum Poloniae*, 79, 147-158.

Narębski, W., 1992. Lower to Upper Paleozoic tectonomagmatic evolution of NE part of the Bohemian Massif. *Zentralblatt Geologie und Paläontologie*, 9/10, 961-972.

Narębski, W., Wajsprych, B., Bakun-Czubarow, N., 1982. On the nature, origin and geotectonic significance of ophiolites and related rock suites in the Polish part of the Sudetes. *Ophioliti*, 2/3, 407-428.

Nicolas, A., 1989. Structure of ophiolites and dynamics of oceanic lithosphere. Kluwer, Dordrecht, 1-367. <https://doi.org/10.1007/978-94-009-2374-4>

Nicolas A., Al Azri H., 1991. Chromite-rich and chromite-poor ophiolites: the Oman Case. In: Peters, T., Nicolas, A., Coleman, R.G. (Eds.). *Ophiolite genesis and evolution of the oceanic lithosphere*, Kluwer Academic Publishers, Dordrecht, 261-274. [https://doi.org/10.1007/978-94-011-3358-6\\_14](https://doi.org/10.1007/978-94-011-3358-6_14)

Ohara, Y., Stern, R.J., Ishii, T., Yurimoto, H., Yamazaki, T., 2002. Peridotites from the Mariana Through: first look at the mantle beneath an active back-arc basin. *Contributions to Mineralogy and Petrology*, 143, 1-18. <https://doi.org/10.1007/s00410-001-0329-2>

Oliver, G.J.H., Corfu, F., Kroug, T.E., 1993. U-Pb ages from SW Poland: evidence for a Caledonian suture zone between Baltica and Gondwana. *Journal of the Geological Society of London*, 150, 355-369. <https://doi.org/10.1144/gsjgs.150.2.0355>

Pietranik, A., Waught, T., 2008. Processes and sources during Late Variscan dioritic-tonalitic magmatism: insights from plagioclase chemistry (Gęsiniec Intrusion, NE Bohemian Massif, Poland). *Journal of Petrology*, 49/9, 1619-1645. <https://doi.org/10.1093/petrology/egn040>

Pin, C., Majerowicz, A., Wojciechowska, I., 1988. Upper Paleozoic oceanic crust in the Polish Sudetes: Nd-Sr isotope and trace element evidence. *Lithos*, 21, 195-209. [https://doi.org/10.1016/0024-4937\(88\)90009-6](https://doi.org/10.1016/0024-4937(88)90009-6)

Prichard, H.M., Neary, C.R., Fisher, P.C., O'Hara, M.J., 2008. PGE-rich podiform chromitites in the Al'Ays ophiolite complex, Saudi Arabia: an example of critical mantle melting to extract and concentrate PGE. *Economic Geology*, 103/7, 1507-1529.  
<https://doi.org/10.2113/gsecongeo.103.7.1507>

Proenza, J.A., Gervilla, F., Melgarejo, J.C., Bodinier, J.L., 1999. Al-rich and Cr-rich chromitites from the Mayarí-Baracoa Ophiolitic Belt (Eastern Cuba): consequence of interaction between volatile-rich melts and peridotites in supra-subduction mantle. *Economic Geology*, 94, 547-566.  
<https://doi.org/10.2113/gsecongeo.94.4.547>

Proenza, J.A., Ortega-Gutiérrez, F., Camprubí, A., Tritlla, J., Elías-Herrera, M., Reyes-Salas, M., 2004. Paleozoic serpentinite enclosed chromitites from Tehuitzingo (Acatlán Complex, southern Mexico): a petrological and mineralogical study. *Journal of South American Earth Sciences*, 16, 649-666.  
<https://doi.org/10.1016/j.jsames.2003.12.003>

Proenza, J.A., Zaccarini, F., Escayola, M., Cábana, C., Shalamuk, A., Garuti, G., 2008. Composition and textures of chromite and platinum-group minerals in chromitites of the western ophiolitic belt from Córdoba Pampeans Ranges, Argentine. *Ore Geology Review*, 33, 32-48.  
<https://doi.org/10.1016/j.oregeorev.2006.05.009>

Purvis, A.C., Nesbitt, R.W., Halberg, J.A., 1972. The geology of part of Carr Boyd Complex and its associated nickel mineralization, Western Australia. *Economic Geology*, 67, 1093-1113.  
<https://doi.org/10.2113/gsecongeo.67.8.1093>

Roberts, S., 1988. Ophiolitic chromitite formation: a marginal basin phenomenon?. *Economic Geology*, 83, 1034-1036. <https://doi.org/10.2113/gsecongeo.83.5.1034>

Roberts, S., 1992. Influence of partial melting regime on the formation of ophiolitic chromitite. In: Parson, L.M., Murton, B.J., Browning, P. (Eds.). *Ophiolites and their modern oceanic analogues*. Geological Society of London Special Publication, 60, 203-217.  
<https://doi.org/10.1144/GSL.SP.1992.060.01.12>

Roberts, S., Neary, C.R., 1993. Petrogenesis of ophiolitic chromitite. In: Prichard, H.M., Alabaster, T., Harris, N.B.W., Neary, C.R. (Eds.). *Magmatic processes and plate tectonics*, Geological Society of London, Special Publication, 76, 257-272. <https://doi.org/10.1144/GSL.SP.1993.076.01.12>

Robinson, P.T., Zhou, M., Malpas, J., Bai, W., 1998. Podiform chromitites: their composition, origin and environment of formation. *Episodes*, 204, 247-252.  
<https://doi.org/10.18814/epiugs/1997/v20i4/007>

Roeder, P.L., Reynolds, I., 1991. Crystallization of chromite and chromium solubility in basaltic melts. *Journal of Petrology*, 32, 909-934. <https://doi.org/10.1093/petrology/32.5.909>

Rollinson, P., 2008. The geochemistry of mantle chromitites from the northern part of the Oman ophiolite: inferred parental melt compositions. *Contributions to Mineralogy and Petrology*, 156, 273-288. <https://doi.org/10.1007/s00410-008-0284-2>

Ryka, W., Maliszewska A., 1982. Petrological Dictionary. Wydawnictwa Geologiczne, Warszawa (in Polish).

Sack, R.O., Ghiorso, M.S., 1991. Chromian spinels as petrogenetic indicators: thermodynamics and petrological application. *American Mineralogist*, 76, 827-847.

Sałaciński, R., 1992. Origin of ore minerals in mafic and ultramafic rocks of the Sowie Mountains block surrounding. *Geologia Sudetica*, 26/(1-2), 1-34.

Shervais, J.W., 2001. Birth, death, and resurrection: the life cycle of supra-subduction zone ophiolites. *Geochemistry, Geophysics, Geosystems*, G3, 2, (Paper number 2000GC000080).  
<https://doi.org/10.1029/2000GC000080>

Singer B., 1820. Über das Vorkommen des Chromeisens in Schlesien. *Karstens Archiv für Bergbau und Hüttenwesen*, 3, 82-86 (in German).

Spangenberg, K., 1943. Die Chromerzlagerstätte von Tampadel am Zobten, *Zetschrift für praktische Geologie*, 51/(2-3), 13-24 (in German).

Stern, R.J., Bloomer, S.H., 1992. Subduction zone infancy: Examples from the Eocene Izu-Bonin-Mariana and Jurassic California arcs. *Geological Society of America Bulletin*, 104, 1621-1636.  
[https://doi.org/10.1130/0016-7606\(1992\)104<1621:SZIEFT>2.3.CO;2](https://doi.org/10.1130/0016-7606(1992)104<1621:SZIEFT>2.3.CO;2)

Suita M.T., Strieder, A.J., 1996. Cr-spinels from Brazilian mafic-ultramafic complexes: metamorphic modifications. *International Geology Review*, 38, 245-267.  
<https://doi.org/10.1080/00206819709465333>

Talkington, R.W., Watkinson, D.H., Whittaker, P.J., Jones, P.C., 1984. Platinum-group minerals and other solid inclusions in chromite of ophiolitic complexes: Occurrence and petrological significance. *Tschermaks Mineralogische und Petrographische Mitteilungen*, 32, 285-301.  
<https://doi.org/10.1007/BF01081619>

Thayer, T.P., 1962. Application of structural petrology in exploration for podiform chromite deposits. In: Rep. 5th Meet. Geol. F. R. P. Yugoslavia, Belgrade, 295-303.

Traube H., 1888. Die Minerale Schlesiens. J. U. Körn's Verlag (Max Miller), Breslau (in German).

Uysal, I., Tarkian, M., Sadiklar, M.B., Zaccarini, F., Meisel, T., Garuti, G., Heidrich, S., 2009. Petrology of Al- and Cr-rich ophiolitic chromitites from the Muğla, SW Turkey: implications from composition of chromite, solid inclusions of platinum group mineral, silicate, and base-metal mineral, and Os-isotope geochemistry. *Contributions to Mineralogy and Petrology*, 158/5, 659-674.  
<https://doi.org/10.1007/s00410-009-0402-9>

Wagner, L.R., Brown, G.M., 1968. Layered igneous rocks. Oliver & Boyd, Edinburgh, 1-588.

Wakabayashi, J., Dilek, Y., 2003. What constitutes "emplacement" of an ophiolite?: Mechanisms and relationship to subduction initiation and formation of metamorphic soles. In Dilek, Y., Robinson, P.T. (Eds.). *Ophiolites in Earth History: Geological Society of London Special Publication*, 218, 427-447.  
<https://doi.org/10.1144/GSL.SP.2003.218.01.22>

Websky M., 1873. Über Grochauit und Magnochromit. *Zeitschrift der Deutschen Geologischen Gesellschaft*, 25, 394-398 (in German).

Zhou, M.F., Robinson, P.T., Bai, W.J., 1994. Formation of podiforme chromites by melt-rock interaction in the upper mantle. *Mineralium Deposita*, 29, 98-101.  
<https://doi.org/10.1007/BF03326400>

Zhou, M.F., Robinson, P.T., Malpas, J., Zijin, L., 1996. Podiform chromites in the Luobusa Ophiolite (Southern Tibet): implications for melt-rock interaction and chromite segregation in the upper mantle. *Journal of Petrology*, 37, 3-21. <https://doi.org/10.1093/petrology/37.1.3>

Zhou, M.F., Robinson, P.T., 1997. Origin and tectonic environment of podiform chromite deposits. *Economic Geology*, 92, 259-262. <https://doi.org/10.2113/gsecongeo.92.2.259>

Żelaźniewicz, A., Aleksandrowski, A., 2008. Tectonic subdivision of Poland: southwestern Poland. *Przegląd Geologiczny*, 56, 904-911 (in Polish with English abstract).