

- Acolas, M. L., Castelnaud, G., Lepage, M., Rochard, E. (2011). Biological cycles and migrations of *Acipenser sturio*. W: P. Williot, E. Rochard, N. Desse-Berset, F. Kirschbaum, J. Gessner (Red.), *Biology and conservation of the European sturgeon Acipenser sturio L. 1758* (s. 147–152), Berlin, Heidelberg: Springer. https://doi:10.1007/978-3-642-20611-5_10
- Allentoft, M. E., Heller, R., Oskam, C. L., Lorenzen, E. D., Hale, M. L., Gilbert, M. T. P., Bunce, M. (2014). Extinct New Zealand megafauna were not in decline before human colonization. *Proceedings of the National Academy of Sciences of the United States of America*, 111(13), 4922–4927. <https://doi:10.1073/pnas.1314972111>
- Ames, M., Spooner, D. M. (2008). DNA from herbarium specimens settles a controversy about origins of the European potato. *American Journal of Botany*, 95(2), 252–257. <https://doi:10.3732/ajb.95.2.252>
- Armstrong, C. G. D. (2013). Ancient DNA in archaeologically charred *Zea mays* L: Prospects and limitations. *Electronic Thesis and Dissertation Repository*. 1607. Dostępne pod: <https://ir.lib.uwo.ca/etd/1607>
- Avery, O. T., Macleod, C. M., McCarty, M. (1944). Studies on the chemical nature of the substance inducing transformation of pneumococcal types: Induction of transformation by a desoxyribonucleic acid fraction isolated from pneumococcus type III. *Journal of Experimental Medicine*, 79(2), 137–158. <https://doi:10.1084/jem.79.2.137>
- Baca, M., Doan, K., Sobczyk, M., Stankovic, A., Weglenski, P. (2012). Ancient DNA reveals kinship burial patterns of a pre-Columbian Andean community. *BMC Genetics*, 13(1), 30. <https://doi:10.1186/1471-2156-13-30>
- Baca, M., Popović, D., Panagiotopoulou, H., Marciszak, A., Krajcarz, M., Krajcarz, M. T., ... Nadachowski, A. (2018). Human-mediated dispersal of cats in the Neolithic Central Europe. *Heredity*, 121, 557–563. <https://doi:10.1038/s41437-018-0071-4>
- Baca, M., Popović, D., Stefaniak, K., Marciszak, A., Urbanowski, M., Nadachowski, A., Mackiewicz, P. (2016). Retreat and extinction of the Late Pleistocene cave bear (*Ursus spelaeus sensu lato*). *Science of Nature*, 103, 92. <https://doi:10.1007/s00114-016-1414-8>
- Baca, M., Stankovic, A., Stefaniak, K., Marciszak, A., Hofreiter, M., Nadachowski, A., Mackiewicz, P. (2012). Genetic analysis of cave bear specimens from Niedźwiedzia cave, Sudetes, Poland. *Palaeontologia Electronica*, 15(2), 21A. <https://doi:10.26879/301>
- Banks, W. E., D’Errico, F., Peterson, A. T., Kageyama, M., Colombeau, G. (2008). Reconstructing ecological niches and geographic distributions of caribou (*Rangifer tarandus*) and red deer (*Cervus elaphus*) during the Last Glacial Maximum. *Quaternary Science Reviews*, 27(27–28), 2568–2575.
- Barrangou, R., Fremaux, C., Deveau, H., Richards, M., Boyaval, P., Moineau, S., Horvath, P. (2007). CRISPR provides acquired resistance against viruses in Prokaryotes. *Science*, 315(5819), 1709–1712. <https://doi:10.1126/science.1138140>
- Barras, C. (2016). Neanderthals built stalagmite circles. *New Scientist*, 3076, 12.
- Binladen, J., Wiuf, C., Gilbert, M. T. P., Bunce, M., Barnett, R., Larson, G., Hansen, A. J. (2006). Assessing the fidelity of ancient DNA sequences amplified from nuclear genes. *Genetics*, 172(2), 733–741.

- Botigué, L. R., Song, S., Scheu, A., Gopalan, S., Pendleton, A. L., Oetjens, M., Veeramah, K. R. (2017). Ancient European dog genomes reveal continuity since the Early Neolithic. *Nature Communications*, 8, 16082. <https://doi:10.1038/ncomms16082>
- Brace, S., Palkopoulou, E., Dalén, L., Lister, A. M., Miller, R., Otte, M., Barnes, I. (2012). Serial population extinctions in a small mammal indicate Late Pleistocene ecosystem instability. *Proceedings of the National Academy of Sciences of the United States of America*, 109(50), 20532–20536. <https://doi:10.1073/pnas.1213322109>
- Bronzi, P., Rosenthal, H. (2014). Present and future sturgeon and caviar production and marketing: A global market overview. *Journal of Applied Ichthyology*, 30(6), 1536–1546. <https://doi:10.1111/jai.12628>
- Bronzi, P., Rosenthal, H., Gessner, J. (2011). Global sturgeon aquaculture production: An overview. *Journal of Applied Ichthyology*, 27(2), 169–175. <https://doi:10.1111/j.1439-0426.2011.01757.x>
- Brugal, J. P., Croitor, R. (2007). Evolution, ecology and biochronology of herbivore associations in Europe during the last 3 million years. *Quaternaire* 18(2), 129–152. <https://doi:10.4000/quaternaire.1014>
- Brylińska, M. (2000). *Ryby słodkowodne Polski: praca zbiorowa*. Warszawa: Wydawnictwo Naukowe PWN.
- Burney, D. A., Flannery, T. F. (2005). Fifty millennia of catastrophic extinctions after human contact. *Trends in Ecology and Evolution*, 20(7), 395–401. <https://doi:10.1016/j.tree.2005.04.022>
- Caliebe, A., Nebel, A., Makarewicz, C., Krawczak, M., Krause-Kyora, B. (2017). Insights into early pig domestication provided by ancient DNA analysis. *Scientific Reports*, 7, 44550. <https://doi:10.1038/srep44550>
- Callaway, E. (2014). Domestication: The birth of rice. *Nature*, 514(7524), S58–9. <https://doi:10.1038/514S58a>
- Cann, R. L., Stoneking, M., Wilson, A. C. (1987). Mitochondrial DNA and human evolution. *Nature*, 325(6099), 31–36. <https://doi:10.1038/325031a0>
- Cano, R. J., Poinar, H. N., Pieniazek, N. J., Acra, A., Poinar, G. O. (1993). Amplification and sequencing of DNA from a 120-135-million-year-old weevil. *Nature*, 363(6429), 536–538. <https://doi:10.1038/363536a0>
- Caron, F., Hatin, D., Fortin, R. (2002). Biological characteristics of adult Atlantic sturgeon (*Acipenser oxyrinchus*) in the St Lawrence River estuary and the effectiveness of management rules. *Journal of Applied Ichthyology*, 18(4–6), 580–585. <https://doi:10.1046/j.1439-0426.2002.00416.x>
- Castillo, C.C., Tanaka, K., Sato, Y.-I., Ishikawa, R., Bellina, B., Higham, C., Chang, N., Mohanty, R., Kajale, M., Fuller, D.Q. (2016). Archaeogenetic study of prehistoric rice remains from Thailand and India: evidence of early japonica in South and Southeast Asia. *Archaeological and Anthropological Sciences*, 8, 523–543.
- Chargaff, E. (1950). Chemical specificity of nucleic acids and mechanism of their enzymatic degradation. *Experientia*, 6, 201–209. <https://doi:10.1007/BF02173653>
- Chassaing, O., Desse-Berset, N., Duffraisse, M., Hughes, S., Hänni, C., Berrebi, P. (2013). Palaeogenetics of western French sturgeons spotlights the relationships between *Acipenser sturio*

- and *Acipenser oxyrinchus*. *Journal of Biogeography*, 40(2), 382–393. <https://doi:10.1111/j.1365-2699.2012.02785.x>
- Chassaing, O., Desse-Berset, N., Hänni, C., Hughes, S., Berrebi, P. (2016). Phylogeography of the European sturgeon (*Acipenser sturio*): A critically endangered species. *Molecular Phylogenetics and Evolution*, 94(Pt A), 346–57. <https://doi:10.1016/j.ympev.2015.09.020>
- Chessa, B., Pereira, F., Arnaud, F., Amorim, A., Goyache, F., Mainland, I., ... Palmarini, M. (2009). Revealing the history of sheep domestication using retrovirus integrations. *Science*, 324(5926), 532–536. <https://doi:10.1126/science.1170587>
- Cloutier, A., Sackton, T. B., Grayson, P., Edwards, S. V., Baker, A. J. (2018). First nuclear genome assembly of an extinct moa species, the little bush moa (*Anomalopteryx didiformis*). *BioRxiv*. <https://doi:10.1101/262816>
- Crick, F. H. C. (1958). On protein synthesis. *Symposia of the Society for Experimental Biology* 12, 138–163. <https://doi:10.1016/b978-0-12-813288-3.00013-6>
- Cyranoski, D. (2016). Chinese scientists to pioneer first human CRISPR trial. *Nature*, 535(7613), 476–477. <https://doi:10.1038/nature.2016.20302>
- Czekaj-Zastawny, A., Kabacinski, J., Terberger, T., Ilkiewicz, J. (2013). Relations of Mesolithic hunter-gatherers of Pomerania (Poland) with Neolithic cultures of central Europe. *Journal of Field Archaeology*, 38(3), 195–209. <https://doi:10.1179/0093469013Z.00000000059>
- Demirci, S., Koban Baştanlar, E., Dağtaş, N. D., Pişkin, E., Engin, A., Özer, F., ... Togan, I. (2013). Mitochondrial DNA diversity of modern, ancient and wild sheep (*Ovis gmelinii anatolica*) from Turkey: New insights on the evolutionary history of sheep. *PLoS ONE*, 8(12), e81952. <https://doi:10.1371/journal.pone.0081952>
- Dobon, B., Hassan, H. Y., Laayouni, H., Luisi, P., Ricaño-Ponce, I., Zhernakova, A., ... Bertranpetit, J. (2015). The genetics of East African populations: A Nilo-Saharan component in the African genetic landscape. *Scientific Reports*, 5, 9996. <https://doi:10.1038/srep09996>
- Driscoll, C. A., Macdonald, D. W., O'Brien, S. J. (2009). From wild animals to domestic, an evolutionary view of domestication. *Proceedings of the National Academy of Sciences of the United States of America*, 106(Supplement 1), 9971–9978. <https://doi:10.1073/pnas.pets0901586106>
- Driscoll, C. A., Menotti-Raymond, M., Roca, A. L., Hupe, K., Johnson, W. E., Geffen, E., ... Macdonald, D. W. (2007). The near eastern origin of cat domestication. *Science*, 317(5837), 519–523. <https://doi:10.1126/science.1139518>
- Dubcovsky, J., Dvorak, J. (2007). Genome plasticity a key factor in the success of polyploidy wheat under domestication. *Science*, 316(5833), 1862–1866. <https://doi:10.1126/science.1143986>
- Dymova, M. A., Zadorozhny, A. V., Mishukova, O. V., Khrapov, E. A., Druzhkova, A. S., Trifonov, V. A., ... Filipenko, M. L. (2017). Mitochondrial DNA analysis of ancient sheep from Altai. *Animal Genetics*, 48(5), 615–618. <https://doi:10.1111/age.12569>
- Ermini, L., Olivieri, C., Rizzi, E., Corti, G., Bonnal, R., Soares, P., ... Rollo, F. (2008). Complete mitochondrial genome sequence of the Tyrolean Iceman. *Current Biology*, 18(21), 1687–93. <https://doi:10.1016/j.cub.2008.09.028>

- Faerman, M., Bar-Gal, G. K., Filon, D., Greenblatt, C. L., Stager, L., Oppenheim, A., Smith, P. (1998). Determining the sex of infanticide victims from the late Roman era through ancient DNA analysis. *Journal of Archaeological Science*, 25(9), 861–865. Dostępne na: <http://bioanthropology.huji.ac.il/pdf/Faerman1998.pdf>
- FAO. (2015). The second report on the state of the world's animal genetic resources for food and agriculture, pod redakcją B. D. Scherf i D. Pilling. Dostępne na: <http://www.fao.org/3/a-i4787e.pdf>
- Faure, E., Kitchener, A. C. (2009). An archaeological and historical review of the relationships between felids and people. *Anthrozoos*, 22(3), 221–238. <https://doi:10.2752/175303709X457577>
- Fedorov, V. B., Goropashnaya, A. V. (1999). The importance of ice ages in diversification of Arctic collared lemmings (*Dicrostonyx*): Evidence from the mitochondrial cytochrome b region. *Hereditas*, 130(3), 301–307. <https://doi.org/10.1111/j.1601-5223.1999.00301.x>
- Feldman, M. (2001). Origin of cultivated wheat. W: *The World Wheat Book: A History of Wheat Breeding*. Dostępne na: https://www.researchgate.net/publication/270574331_The_World_Wheat_Book_A_History_of_Wheat_Breeding
- Firestone, R. B., West, A., Kennett, J. P., Becker, L., Bunch, T. E., Revay, Z. S., ... Erlandson, J. M. (2007). Evidence for an extraterrestrial impact 12,900 years ago that contributed to the megafaunal extinctions and the Younger Dryas cooling. *Proceedings of the National Academy of Sciences*, 104(41), 16016–16021.
- Fitzpatrick, D. (1980). Irish emigration in the Later Nineteenth Century. *Irish Historical Studies*, 22(86), 126–143. <https://doi:10.1017/s0021121400026158>
- Fordyce, S. L., Ávila-Arcos, M. C., Rasmussen, M., Cappellini, E., Romero-Navarro, J. A., Wales, N., Gilbert, M. T. P. (2013). Deep sequencing of RNA from ancient maize kernels. *PLoS ONE*, 8(1), e50961. <https://doi:10.1371/journal.pone.0050961>
- Frantz, L. A. F., Mullin, V. E., Pionnier-Capitan, M., Lebrasseur, O., Ollivier, M., Perri, A., ... Larson, G. (2016). Genomic and archaeological evidence suggests a dual origin of domestic dogs. *Science*, 352(6290), 1228–1231. <https://doi:10.1126/science.aaf3161>
- Fu, Q., Hajdinjak, M., Moldovan, O. T., Constantin, S., Mallick, S., Skoglund, P., ... Nickel, B. (2015). An early modern human from Romania with a recent Neanderthal ancestor. *Nature*, 524(7564), 216–219.
- Fu, Q., Li, H., Moorjani, P., Jay, F., Slepchenko, S. M., Bondarev, A. A., Pääbo, S. (2014). Genome sequence of a 45,000-year-old modern human from western Siberia. *Nature*, 514(7523), 445–449. <https://doi:10.1038/nature13810>
- Fu, Q., Mittnik, A., Johnson, P. L. F., Bos, K., Lari, M., Bollongino, R., ... Krause, J. (2013). A revised timescale for human evolution based on ancient mitochondrial genomes. *Current Biology*, 23(7), 553–559. <https://doi:10.1016/j.cub.2013.02.044>
- Fu, Q., Posth, C., Hajdinjak, M., Petr, M., Mallick, S., Fernandes, D., ... Reich, D. (2016). The genetic history of Ice Age Europe. *Nature*, 534(7606), 200–205. <https://doi:10.1038/nature17993>
- Fulton, T. L., Norris, R. W., Graham, R. W., Semken, H. A., Shapiro, B. (2013). Ancient DNA supports southern survival of Richardson's collared lemming (*Dicrostonyx richardsoni*) during the last glacial maximum. *Molecular Ecology*, 22(9), 2540–2548. <https://doi:10.1111/mec.12267>

- Gallego Llorente, M., Jones, E. R., Eriksson, A., Siska, V., Arthur, K. W., Arthur, J. W., ... Manica, A. (2015). Ancient Ethiopian genome reveals extensive Eurasian admixture throughout the African continent. *Science*, 350(6262), 820–822. <https://doi:10.1126/science.aad2879>
- Gessner, J., Jarić, I., Rochard, E., Pourkazemi, M. (2013). Sturgeon and paddlefish research focuses on low risk species and largely disregards endangered species. *Endangered Species Research*, 22, 99–97. <https://doi:10.3354/esr00543>
- Gessner, J., Tautenhahn, M., Spratte, S., Arndt, G. M., von Nordheim, H. (2011). Development of a German Action Plan for the restoration of the European sturgeon *Acipenser sturio* L. - implementing international commitments on a national scale. *Journal of Applied Ichthyology*, 27(2), 192–198. <https://doi:10.1111/j.1439-0426.2011.01697.x>
- Gitschier, J. (2008). Imagine: An interview with Svante Pääbo. *PLoS Genetics*, 4(3). e1000035. <https://doi:10.1371/journal.pgen.1000035>
- Gnerre, S., MacCallum, I., Przybylski, D., Ribeiro, F. J., Burton, J. N., Walker, B. J., ... Sykes, S. (2011). High-quality draft assemblies of mammalian genomes from massively parallel sequence data. *Proceedings of the National Academy of Sciences*, 108(4), 1513–1518.
- Graves, J. A. M. (2006). Sex chromosome specialization and degeneration in mammals. *Cell*, 124(5), 901–914. <https://doi:10.1016/j.cell.2006.02.024>
- Green, R. E., Krause, J., Briggs, A. W., Maricic, T., Stenzel, U., Kircher, M., Pääbo, S. (2010). A draft sequence of the Neandertal genome. *Science*, 328(3285979), 710–722. <https://doi:10.1126/science.1188021>
- Griffith, F. (1928). The significance of pneumococcal types. *Journal of Hygiene*, 27(2), 113–159. <https://doi:10.1017/S0022172400031879>
- Groucutt, H. S., Petraglia, M. D., Bailey, G., Scerri, E. M. L., Parton, A., Clark-Balzan, L., ... Scally, A. (2015). Rethinking the dispersal of *Homo sapiens* out of Africa. *Evolutionary Anthropology*, 24(4), 149–164. <https://doi:10.1002/evan.21455>
- Grunwald, C., Maceda, L., Waldman, J., Stabile, J., Wirgin, I. (2008). Conservation of Atlantic sturgeon *Acipenser oxyrinchus oxyrinchus*: Delineation of stock structure and distinct population segments. *Conservation Genetics*, 9, 1111–1124. <https://doi:10.1007/s10592-007-9420-1>
- Haak, W., Lazaridis, I., Patterson, N., Rohland, N., Mallick, S., Llamas, B., ... Reich, D. (2015). Massive migration from the steppe was a source for Indo-European languages in Europe. *Nature*, 522 (7555), 207–211. <https://doi:10.1038/nature14317>
- Hagelberg, E., Thomas, M. G., Cook, C. E., Sher, A. V., Baryshnikov, G. F., Lister, A. M. (1994). DNA from ancient mammoth bones. *Nature*, 370(6488), 333–334. <https://doi:10.1038/370333b0>
- Henderson, A. P., Spidle, A. P., King, T. L. (2005). Genetic diversity, kinship analysis, and broodstock management of captive Atlantic sturgeon for population restoration. *American Fisheries Society Symposium*, 44, 621–633.
- Hofmanová, Z., Kreutzer, S., Hellenthal, G., Sell, C., Diekmann, Y., Díez-Del-Molino, D., Burger, J. (2016). Early farmers from across Europe directly descended from Neolithic Aegeans. *Proceedings of the National Academy of Sciences of the United States of America*, 113(25), 6886–6891 <https://doi:10.1073/pnas.1523951113>

- Holdaway, R. N., Jacomb, C. (2000). Rapid extinction of the moas (Aves: Dinornithiformes): Model, test, and implications. *Science*, 287(5461), 2250–2254. <https://doi:10.1126/science.287.5461.2250>
- Höss, M., Pääbo, S., Vereshchagin, N. K. (1994). Mammoth DNA sequences. *Nature*, 370(6488), 333. <https://doi:10.1038/370333a0>
- Hublin, J. J., Ben-Ncer, A., Bailey, S. E., Freidline, S. E., Neubauer, S., Skinner, M. M., ... Gunz, P. (2017). New fossils from Jebel Irhoud, Morocco and the pan-African origin of *Homo sapiens*. *Nature*, 546(7657), 289–292. <https://doi:10.1038/nature22336>
- Huynen, L., Millar, C. D., Lambert, D. M. (2012). Resurrecting ancient animal genomes: The extinct moa and more. *BioEssays*, 34(8), 661–669. <https://doi:10.1002/bies.201200040>
- International Human Genome Sequencing Consortium. (2004). Finishing the euchromatic sequence of the human genome. *Nature*, 431(7011), 931.
- Ishino, Y., Shinagawa, H., Makino, K., Amemura, M., Nakamura, A. (1987). Nucleotide sequence of the *iap* gene, responsible for alkaline phosphatase isoenzyme conversion in *Escherichia coli*, and identification of the gene product. *Journal of Bacteriology*, 169(12), 5429–5433. <https://doi:10.1128/jb.169.12.5429-5433.1987>
- Kehlmaier, C., Barlow, A., Hastings, A. K., Vamberger, M., Paijmans, J. L. A., Steadman, D. W., ... Fritz, U. (2017). Tropical ancient DNA reveals relationships of the extinct bahamian giant tortoise *Chelonoidis alburyorum*. *Proceedings of the Royal Society B: Biological Sciences*, 284(1846), pii: 20162235. <https://doi:10.1098/rspb.2016.2235>
- Keller, A., Graefen, A., Ball, M., Matzas, M., Boisguerin, V., Maixner, F., ... Zink, A. (2012). New insights into the Tyrolean Iceman's origin and phenotype as inferred by whole-genome sequencing. *Nature Communications*, 3, 698. <https://doi:10.1038/ncomms1701>
- King, T. L., Lubinski, B. A., Spidle, A. P. (2001). Microsatellite DNA variation in Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*) and cross-species amplification in the *Acipenseridae*. *Conservation Genetics*, 2(2), 103–119. <https://doi:10.1023/A:1011895429669>
- Kirschbaum, F., Williot, P. (2011). Ontogeny of the European sturgeon, *Acipenser sturio*. W: P. Williot, E. Rochard, N. Desse-Berset, F. Kirschbaum, J. Gessner (Red.), *Biology and Conservation of the European Sturgeon Acipenser sturio L. 1758* (s. 65–80). Berlin, Heidelberg: Springer.
- Kirschbaum, F., Williot, P., Fredrich, F., Tiedemann, R., Gessner, J. (2011). Restoration of the European sturgeon *Acipenser sturio* in Germany. W: P. Williot, E. Rochard, N. Desse-Berset, F. Kirschbaum, J. Gessner (Red.), *Biology and Conservation of the European Sturgeon Acipenser sturio L. 1758* (s. 309–333). Berlin, Heidelberg: Springer.
- Kislev, M. E., Nadel, D., Carmi, I. (1992). Epipalaeolithic (19,000 BP) cereal and fruit diet at Ohalo II, Sea of Galilee, Israel. *Review of Palaeobotany and Palynology*, 73(1–4), 30. [https://doi:10.1016/0034-6667\(92\)90054-K](https://doi:10.1016/0034-6667(92)90054-K)
- Kistler, L. (2012). Ancient DNA extraction from plants. W: B. Shapiro, M. Hofreiter (Red.), *Ancient DNA. Methods and Protocols* (s. 71–79). Berlin, Heidelberg: Springer.
- Kivisild, T. (2017). The study of human Y chromosome variation through ancient DNA. *Human Genetics*, 136(5), 529–546. <https://doi:10.1007/s00439-017-1773-z>

Kolman, R., Kapusta, A., Duda, A. (2011). Re-establishing the Atlantic Sturgeon (*Acipenser oxyrinchus oxyrinchus* Mitchill) in Poland. W: P. Williot, E. Rochard, N. Desse-Berset, F. Kirschbaum, J. Gessner (Red.), *Biology and Conservation of the European Sturgeon Acipenser sturio* L. 1758 (s. 573–581). Berlin, Heidelberg: Springer. https://doi:10.1007/978-3-642-20611-5_43

Kolman, R., Kapusta, A., Duda, A., Wiszniewski, G. (2011). Review of the current status of the Atlantic sturgeon *Acipenser oxyrinchus oxyrinchus* Mitchill 1815, in Poland: Principles, previous experience, and results. *Journal of Applied Ichthyology*, 27(2), 186–191. <https://doi:10.1111/j.1439-0426.2011.01680.x>

Kolman, R., Kapusta, A., Morzuch, J. (2011). History of the sturgeon in the Baltic Sea and Lake Ladoga. W: P. Williot, E. Rochard, N. Desse-Berset, F. Kirschbaum, J. Gessner (Red.), *Biology and Conservation of the European Sturgeon Acipenser sturio* L. Berlin, Heidelberg: Springer 1758 (s. 221–226). https://doi:10.1007/978-3-642-20611-5_15

Kowalski, K. (1995). Lemmings (Mammalia, Rodentia) as indicators of temperature and humidity in the European Quaternary. *Acta Zoologica Cracoviensia*, 38(1), 85–94.

Krause, J., Dear, P. H., Pollack, J. L., Slatkin, M., Spriggs, H., Barnes, I., ... Hofreiter, M. (2006). Multiplex amplification of the mammoth mitochondrial genome and the evolution of Elephantidae. *Nature*, 439(7077), 724–7. <https://doi:10.1038/nature04432>

Krings, M., Stone, A., Schmitz, R. W., Krainitzki, H., Stoneking, M., Pääbo, S. (1997). Neandertal DNA sequences and the origin of modern humans. *Cell*, 90(1), 19–30. [https://doi:10.1016/S0092-8674\(00\)80310-4](https://doi:10.1016/S0092-8674(00)80310-4)

Kuwayama, R., Ozawa, T. (2000). Phylogenetic relationships among European red deer, wapiti, and sika deer inferred from mitochondrial DNA sequences. *Molecular Phylogenetics and Evolution*, 15(1), 115–23. <https://doi:10.1006/mpev.1999.0731>

Labbe, C., Depince, A., Bail, P.-Y., Williot, P. (2011). One alternative to germ cells cryopreservation: cryobanking of somatic cells in sturgeon. W: P. Williot, E. Rochard, N. Desse-Berset, F. Kirschbaum, J. Gessner (Red.) *Acipenser sturio* L. 1758 (s. 621–633). Berlin, Heidelberg: Springer. https://doi:10.1007/978-3-642-20611-5_47

Lander, E. S., Linton, L. M., Birren, B., Nusbaum, C., Zody, M. C., Baldwin, J., ... Morgan, M. J. (2001). Initial sequencing and analysis of the human genome. *Nature*, 409(6822), 860–921. <https://doi:10.1038/35057062>

Larson, G., Albarella, U., Dobney, K., Rowley-Conwy, P., Schibler, J., Tresset, A., ... Cooper, A. (2007). Ancient DNA, pig domestication, and the spread of the Neolithic into Europe. *Proceedings of the National Academy of Sciences of the United States of America*, 104(39), 15276–15281. <https://doi:10.1073/pnas.0703411104>

Larson, G., Dobney, K., Albarella, U., Fang, M., Matisoo-Smith, E., Robins, J., ... Cooper, A. (2005). Worldwide phylogeography of wild boar reveals multiple centers of pig domestication. *Science*, 307(5715), 1618–1621. <https://doi:10.1126/science.1106927>

Larson, G., Fuller, D. Q. (2014). The evolution of animal domestication. *Annual Review of Ecology, Evolution, and Systematics*, 45, 115–136. <https://doi:10.1146/annurev-ecolsys-110512-135813>

- Lazaridis, I., Nadel, D., Rollefson, G., Merrett, D. C., Rohland, N., Mallick, S., ... Reich, D. (2016). Genomic insights into the origin of farming in the ancient Near East. *Nature*, 536(7617), 419–24. <https://doi:10.1038/nature19310>
- Lazaridis, I., Patterson, N., Mittnik, A., Renaud, G., Mallick, S., Kirsanow, K., ... Krause, J. (2014). Ancient human genomes suggest three ancestral populations for present-day Europeans. *Nature*, 513(7518), 409–413. <https://doi:10.1038/nature13673>
- Lepage, M., Rochard, E. (2011). Fishery by-catch of European sturgeon in the Bay of Biscay. W: P. Williot, E. Rochard, N. Desse-Berset, F. Kirschbaum, J. Gessner (Red.), *Biology and Conservation of the European Sturgeon Acipenser sturio L. 1758* (s. 335–342). Berlin, Heidelberg: Springer
- Levene, P. (1919). The structure of yeast nucleic acid. *The Journal of Biological Chemistry*, 40, 415–424.
- Liang, P., Xu, Y., Zhang, X., Ding, C., Huang, R., Zhang, Z., ... Huang, J. (2015). CRISPR/Cas9-mediated gene editing in human tripronuclear zygotes. *Protein & Cell*, 6(5), 363–372. <https://doi:10.1007/s13238-015-0153-5>
- Librado, P., Fages, A., Gaunitz, C., Leonardi, M., Wagner, S., Khan, N., ... Orlando, L. (2016). The evolutionary origin and genetic makeup of domestic horses. *Genetics*, 204(2), 423–434. <https://doi:10.1534/genetics.116.194860>
- Liepelt, S., Sperisen, C., Deguilloux, M. F., Petit, R. J., Kissling, R., Spencer, M., ... Ziegenhagen, B. (2006). Authenticated DNA from ancient wood remains. *Annals of Botany*, 98(5), 1107–1111. <https://doi:10.1093/aob/mcl188>
- Lorenzini, R., Garofalo, L. (2015). Insights into the evolutionary history of *Cervus* (Cervidae, tribe Cervini) based on Bayesian analysis of mitochondrial marker sequences, with first indications for a new species. *Journal of Zoological Systematics and Evolutionary Research*, 53(4), 340–349. <https://doi:10.1111/jzs.12104>
- Ludt, C. J., Schroeder, W., Rottmann, O., Kuehn, R. (2004). Mitochondrial DNA phylogeography of red deer (*Cervus elaphus*). *Molecular Phylogenetics and Evolution*, 31, 1064–1083. <https://doi:10.1016/j.ympev.2003.10.003>
- Ludwig, A. (2006). A sturgeon view on conservation genetics. *European Journal of Wildlife Research*, 52, 3–8. <https://doi:10.1007/s10344-005-0006-2>
- Ludwig, A., Arndt, U., Lippold, S., Benecke, N., Debus, L., King, T. L., Matsumura, S. (2008). Tracing the first steps of American sturgeon pioneers in Europe. *BMC Evolutionary Biology*, 8(1), 214–221. <https://doi:10.1186/1471-2148-8-221>
- Ludwig, A., Debus, L., Lieckfeldt, D., Wirgin, I., Benecke, N., Jenneckens, I., ... Pitra, C. (2002). When the American sea sturgeon swam East. *Nature*, 419(6906), 447–448. <https://doi:10.1038/419447a>
- Luo, M. C., Gu, Y. Q., Puiu, D., Wang, H., Twardziok, S. O., Deal, K. R., Dvoák, J. (2017). Genome sequence of the progenitor of the wheat D genome *Aegilops tauschii*. *Nature*, 551(7681), 498–502. <https://doi:10.1038/nature24486>
- Lynch, V. J., Bedoya-Reina, O. C., Ratan, A., Sulak, M., Drautz-Moses, D. I., Perry, G. H., ... Schuster, S. C. (2015). Elephantid genomes reveal the molecular bases of woolly mammoth adaptations to the Arctic. *Cell Reports*, 12(2), 217–228. <https://doi:10.1016/j.celrep.2015.06.027>

- MacPherson, A. H. (1965). The origin of diversity in mammals of the Canadian arctic tundra. *Systematic Zoology*, 14(3), 153–173. <https://doi:10.2307/2411546>
- Mallick, S., Li, H., Lipson, M., Mathieson, I., Gymrek, M., Racimo, F., ... Reich, D. (2016). The Simons Genome Diversity Project: 300 genomes from 142 diverse populations. *Nature*, 538(7624), 201–206. <https://doi:10.1038/nature18964>
- Markova, A. K. (2011). Small mammals from Palaeolithic sites of the Crimea. *Quaternary International*, 231(1–2), 22–27. <https://doi:10.1016/j.quaint.2010.07.016>
- Markova, A. K., Simakova, A. N., Puzachenko, A. Y. (2009). Ecosystems of Eastern Europe at the time of maximum cooling of the Valdai glaciation (24–18 kyr BP) inferred from data on plant communities and mammal assemblages. *Quaternary International*, 201(1–2), 53–59.
- Markova, A. K., Smirnov, N. G., Kozharinov, A. V, Kazantseva, N. E., Simakova, A. N., Kitaev, L. M. (1995). Late Pleistocene distribution and diversity of mammals in Northern Eurasia (PALEOFAUNA Database). *Paleontologica i Evolucio*, 28–29, 5–143.
- Mathieson, I., Alpaslan-Roodenberg, S., Posth, C., Szécsényi-Nagy, A., Rohland, N., Mallick, S., Reich, D. (2018). The genomic history of southeastern Europe. *Nature*, 555(7695), 197–203. <https://doi:10.1038/nature25778>
- Matisoo-Smith, E. (2015). Ancient DNA and the human settlement of the Pacific: a review. *Journal of Human Evolution*, 79, 93–104. <https://doi:10.1016/j.jhevol.2014.10.017>
- Matsuoka, Y., Vigouroux, Y., Goodman, M. M., Sanchez, J. G., Buckler, E., Doebley, J. (2002). A single domestication for maize shown by multilocus microsatellite genotyping. *Proceedings of the National Academy of Sciences of the United States of America*, 99(9), 6080–6084;. <https://doi:10.1073/pnas.052125199>
- Meiri, M., Lister, A. M., Higham, T. F. G., Stewart, J. R., Straus, L. G., Obermaier, H., ... Barnes, I. (2013). Late-glacial recolonization and phylogeography of European red deer (*Cervus elaphus* L.). *Molecular Ecology*, 22(18), 4711–4722. <https://doi:10.1111/mec.12420>
- Meyer, M., Fu, Q., Aximu-Petri, A., Glocke, I., Nickel, B., Arsuaga, J.-L., ... Carbonell, E. (2014). A mitochondrial genome sequence of a hominin from Sima de los Huesos. *Nature*, 505(7483), 403–406.
- Meyer, M., Kircher, M., Gansauge, M. T., Li, H., Racimo, F., Mallick, S., ... Pääbo, S. (2012). A high-coverage genome sequence from an archaic Denisovan individual. *Science*, 338(6104), 222–226. <https://doi:10.1126/science.1224344>
- Mikić, A. M. (2015). The first attested extraction of ancient DNA in legumes (Fabaceae). *Frontiers in Plant Science*. <https://doi:10.3389/fpls.2015.01006>
- Miller, W., Drautz, D. I., Ratan, A., Pusey, B., Qi, J., Lesk, A. M., ... Schuster, S. C. (2008). Sequencing the nuclear genome of the extinct woolly mammoth. *Nature*, 456(7220), 387–90. <https://doi:10.1038/nature07446>
- Miller, W., Schuster, S. C., Welch, A. J., Ratan, A., Bedoya-Reina, O. C., Zhao, F., ... Lindqvist, C. (2012). Polar and brown bear genomes reveal ancient admixture and demographic footprints of past climate change. *Proceedings of the National Academy of Sciences of the United States of America*, 109(36), E2382–E2390. <https://doi:10.1073/pnas.1210506109>

- Mitchell, K. J., Llamas, B., Soubrier, J., Rawlence, N. J., Worthy, T. H., Wood, J., ... Cooper, A. (2014). Ancient DNA reveals elephant birds and kiwi are sister taxa and clarifies ratite bird evolution. *Science*, 344(6186), 898–900. <https://doi:10.1126/Science.1251981>
- Moorjani, P., Sankararaman, S., Fu, Q., Przeworski, M., Patterson, N., Reich, D. (2016). A genetic method for dating ancient genomes provides a direct estimate of human generation interval in the last 45,000 years. *Proceedings of the National Academy of Sciences of the United States of America*, 113(20), 5652–5657. <https://doi:10.1073/pnas.1514696113>
- Nielsen, R., Akey, J. M., Jakobsson, M., Pritchard, J. K., Tishkoff, S., Willerslev, E. (2017). Tracing the peopling of the world through genomics. *Nature*, 541(7637), 302–310. <https://doi:10.1038/nature21347>
- Niemi, M., Bläuer, A., Iso-Touru, T., Harjula, J., Edmark, V. N., Rannamäe, E., Taavitsainen, J.-P. (2015). Temporal fluctuation in North East Baltic Sea region cattle population revealed by mitochondrial and Y-chromosomal DNA analyses. *PLoS One*, 10(5), e0123821.
- Noonan, J. P., Hofreiter, M., Smith, D., Priest, J. R., Rohland, N., Rabeder, G., ... Rubin, E. M. (2005). Genomic sequencing of pleistocene cave bears. *Science*, 309(5734), 597–599. <https://doi:10.1126/science.1113485>
- Omrak, A., Günther, T., Valdiosera, C., Svensson, E. M., Malmström, H., Kiesewetter, H., Götherström, A. (2016). Genomic evidence establishes Anatolia as the source of the European neolithic gene pool. *Current Biology*, 26(2), 270–275. <https://doi:10.1016/j.cub.2015.12.019>
- Orlando, L., Ginolhac, A., Zhang, G., Froese, D., Albrechtsen, A., Stiller, M., ... Willerslev, E. (2013). Recalibrating *Equus* evolution using the genome sequence of an early Middle Pleistocene horse. *Nature*, 499(7456), 74–78. <https://doi:10.1038/nature12323>
- Orlando, L., Leonard, J. A., Thenot, A., Laudet, V., Guerin, C., Hänni, C. (2003). Ancient DNA analysis reveals woolly rhino evolutionary relationships. *Molecular Phylogenetics and Evolution*, 28(3), 485–499. [https://doi:10.1016/S1055-7903\(03\)00023-X](https://doi:10.1016/S1055-7903(03)00023-X)
- Otoni, C., Van Neer, W., De Cupere, B., Daligault, J., Guimaraes, S., Peters, J., ... Geigl, E.-M. (2017). The palaeogenetics of cat dispersal in the ancient world. *Nature Ecology & Evolution*, 1(7), 0139. <https://doi:10.1038/s41559-017-0139>
- Outram, A. K., Stear, N. A., Bendrey, R., Olsen, S., Kasparov, A., Zaibert, V., ... Evershed, R. P. (2009). The earliest horse harnessing and milking. *Science*, 323(5919), 1332–1335. <https://doi:10.1126/science.1168594>
- Pääbo, S. (1985). Molecular cloning of Ancient Egyptian mummy DNA. *Nature*, 314(6012), 644–645. <https://doi:10.1038/314644a0>
- Pacher, M., Stuart, A. J. (2009). Extinction chronology and palaeobiology of the cave bear (*Ursus spelaeus*). *Boreas*, 38(2), 189–206. <https://doi:10.1111/j.1502-3885.2008.00071.x>
- Palkopoulou, E., Baca, M., Abramson, N. I., Sablin, M., Socha, P., Nadachowski, A., Dalén, L. (2016). Synchronous genetic turnovers across Western Eurasia in Late Pleistocene collared lemmings. *Global Change Biology*, 22(5), 1710–1721. <https://doi:10.1111/gcb.13214>
- Parducci, L., Bennett, K. D., Ficetola, G. F., Alsos, I. G., Suyama, Y., Wood, J. R., Pedersen, M. W. (2017). Ancient plant DNA in lake sediments. *New Phytologist*, 214(3), 924–942. <https://doi:10.1111/nph.14470>

- Parducci, L., Jørgensen, T., Tollefsrud, M. M., Elverland, E., Alm, T., Fontana, S. L., Willerslev, E. (2012). Glacial survival of boreal trees in Northern Scandinavia. *Science*, 335(6072), 1083–1086. <https://doi:10.1126/science.1216043>
- Parducci, L., Suyama, Y. (2011). Single-Pollen Genotyping of Holocene Lake Sediments. W: Y. Isagi, Y. Suyama (Red.), *Single-pollen genotyping*. (s. 101-109), Tokyo: Springer. <https://doi:10.1007/978-4-431-53901-8>
- Pariset, L., Gabbianelli, F., De Bernardis, D., Fortunato, M. T., Alhaique, F., De Minicis, E., Valentini, A. (2007). Ancient DNA: Genomic amplification of Roman and medieval bovine bones. *Italian Journal of Animal Science*, 6, 179–181. <https://doi:10.4081/ijas.2007.1s.179>
- Parks, M., Subramanian, S., Baroni, C., Salvatore, M. C., Zhang, G., Millar, C. D., Lambert, D. M. (2015). Ancient population genomics and the study of evolution. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1660), 20130381. <https://doi:10.1098/rstb.2013.0381>
- Piperno, D. R., Flannery, K. V. (2001). The earliest archaeological maize (*Zea mays* L.) from highland Mexico: New accelerator mass spectrometry dates and their implications. *Proceedings of the National Academy of Sciences of the United States of America*, 98(4), 2101–2103. <https://doi:10.1073/pnas.98.4.2101>
- Piperno, D. R. (2011). The origins of plant cultivation and domestication in the New World tropics. *Current Anthropology*, 52(S4), S453–S470. <https://doi:10.1086/659998>
- Pires, A. E., Detry, C., Fernandez-Rodriguez, C., Valenzuela-Lamas, S., Arruda, A. M., Mazzorin, J. D. G., ... Ginja, C. (2018). Roman dogs from the Iberian Peninsula and the Maghreb – A glimpse into their morphology and genetics. *Quaternary International*, 471, 132–146.
- Poinar, H. N., Schwarz, C., Qi, J., Shapiro, B., MacPhee, R. D. E., Buigues, B., ... Schuster, S. C. (2006). Metagenomics to paleogenomics: Large-scale sequencing of mammoth DNA. *Science*, 311(5759), 392–394. <https://doi:10.1126/science.1123360>
- Popović, D., Panagiotopoulou, H., Baca, M., Stefaniak, K., Mackiewicz, P., Makowiecki, D., ... Stankovic, A. (2014). The history of sturgeon in the Baltic Sea. *Journal of Biogeography*, 41(8), 1590–1602. <https://doi:10.1111/jbi.12307>
- Posth, C., Renaud, G., Mittnik, A., Drucker, D. G., Rougier, H., Cupillard, C., ... Krause, J. (2016). Pleistocene mitochondrial genomes suggest a single major dispersal of non-Africans and a late glacial population turnover in Europe. *Current Biology*, 26(6), 827–33. <https://doi:10.1016/j.cub.2016.01.037>
- Poulakakis, N., Parmakelis, A., Lymberakis, P., Mylonas, M., Zouros, E., Reese, D. S., ... Caccone, A. (2006). Ancient DNA forces reconsideration of evolutionary history of Mediterranean pygmy elephantids. *Biology Letters*, 2(3), 451–454.
- Prost, S., Smirnov, N., Fedorov, V. B., Sommer, R. S., Stiller, M., Nagel, D., ... Hofreiter, M. (2010). Influence of climate warming on Arctic mammals? New insights from ancient DNA studies of the collared lemming *Dicrostonyx torquatus*. *Plos One*, 5(5), e10447. <https://doi:10.1371/journal.pone.0010447>
- Prüfer, K., Racimo, F., Patterson, N., Jay, F., Sankararaman, S., Sawyer, S., Pääbo, S. (2014). The complete genome sequence of a Neanderthal from the Altai Mountains. *Nature*, 505(7481), 43–49. <https://doi:10.1038/nature12886>

Quintana-Murci, L., Semino, O., Bandelt, H.-J., Passarino, G., McElreavey, K., Santachiara-Benerecetti, A. S. (1999). Genetic evidence of an early exit of *Homo sapiens sapiens* from Africa through eastern Africa. *Nature Genetics*, 23(4), 437–441.

Raghavan, M., DeGiorgio, M., Albrechtsen, A., Moltke, I., Skoglund, P., Korneliussen, T. S., ... Willerslev, E. (2014). The genetic prehistory of the New World Arctic. *Science*, 345(6200). <https://doi:10.1126/science.1255832>

Raghavan, M., Skoglund, P., Graf, K. E., Metspalu, M., Albrechtsen, A., Moltke, I., ... Willerslev, E. (2014). Upper palaeolithic Siberian genome reveals dual ancestry of Native Americans. *Nature*, 505(7481), 87–91. <https://doi:10.1038/nature12736>

Raghavan, M., Steinrücken, M., Harris, K., Schiffels, S., Rasmussen, S., DeGiorgio, M., Willerslev, E. (2015). Genomic evidence for the Pleistocene and recent population history of Native Americans. *Science*, 349(6250), aab3884. <https://doi:10.1126/science.aab3884>

Ramos-Madrigal, J., Smith, B. D., Moreno-Mayar, J. V., Gopalakrishnan, S., Ross-Ibarra, J., Gilbert, M. T. P., Wales, N. (2016). Genome sequence of a 5,310-year-old maize cob provides insights into the early stages of maize domestication. *Current Biology*, 26(23), 3195–3201. <https://doi:10.1016/j.cub.2016.09.036>

Rasmussen, M., Anzick, S. L., Waters, M. R., Skoglund, P., Degiorgio, M., Stafford, T. W., ... Willerslev, E. (2014). The genome of a Late Pleistocene human from a Clovis burial site in western Montana. *Nature*, 506(7487), 225–9. <https://doi:10.1038/nature13025>

Rasmussen, M., Guo, X., Wang, Y., Lohmueller, K. E., Rasmussen, S., Albrechtsen, A., ... Willerslev, E. (2011). An aboriginal Australian genome reveals separate human dispersals into Asia. *Science*, 334(6052), 94–98. <https://doi:10.1126/science.1211177>

Rasmussen, M., Li, Y., Lindgreen, S., Pedersen, J. S., Albrechtsen, A., Moltke, I., ... Willerslev, E. (2010). Ancient human genome sequence of an extinct Palaeo-Eskimo. *Nature*, 463(7282), 757–762. <https://doi:10.1038/nature08835>

Rasmussen, M., Sikora, M., Albrechtsen, A., Korneliussen, T. S., Moreno-Mayar, J. V., Poznik, G. D., ... Willerslev, E. (2015). The ancestry and affiliations of Kennewick Man. *Nature*, 523(7561), 455–458. <https://doi:10.1038/nature14625>

Rawlence, N. J., Till, C. E., Scofield, R. P., Tennyson, A. J. D., Collins, C. J., Lallas, C., ... Kennedy, M. (2014). Strong phylogeographic structure in a sedentary seabird, the Stewart Island shag (*Leucocarbo chalconotus*). *PLoS ONE*, 9(3), e90769. <https://doi:10.1371/journal.pone.0090769>

Reich, D., Green, R. E., Kircher, M., Krause, J., Patterson, N., Durand, E. Y., Pääbo, S. (2010). Genetic history of an archaic hominin group from Denisova cave in Siberia. *Nature*, 468(7327), 1053–60. <https://doi:10.1038/nature09710>

Ridush, B., Stefaniak, K., Socha, P., Proskurnyak, Y., Marciszak, A., Vremir, M., Nadachowski, A. (2013). Emine-Bair-Khosar Cave in the Crimea, a huge bone accumulation of Late Pleistocene fauna. *Quaternary International*, 284(3), 151–160. <https://doi:10.1016/j.quaint.2012.03.050>

Rogaev, E. I., Moliaka, Y. K., Malyarchuk, B. A., Kondrashov, F. A., Derenko, M. V., Chumakov, I., Grigorenko, A. P. (2006). Complete mitochondrial genome and phylogeny of pleistocene mammoth *Mammuthus primigenius*. *PLoS Biology*, 4(3), e73. <https://doi:10.1371/journal.pbio.0040073>

- Roques, S., Berrebi, P., Chèvre, P., Rochard, E., Acolas, M. L. (2016). Parentage assignment in the critically endangered European sturgeon (*Acipenser sturio*) based on a novel microsatellite multiplex assay: a valuable resource for restocking, monitoring and conservation programs. *Conservation Genetics Resources*, 8(3), 313–322. <https://doi:10.1007/s12686-016-0538-7>
- Sankararaman, S., Mallick, S., Dannemann, M., Prüfer, K., Kelso, J., Pääbo, S., Reich, D. (2014). The genomic landscape of Neanderthal ancestry in present-day humans. *Nature*, 507(7492), 354–357. <https://doi:10.1038/nature12961>
- Sawyer, S., Renaud, G., Viola, B., Hublin, J. J., Gansauge, M. T., Shunkov, M. V., Pääbo, S. (2015). Nuclear and mitochondrial DNA sequences from two Denisovan individuals. *Proceedings of the National Academy of Sciences of the United States of America*, 112(51), 15696–15700. <https://doi:10.1073/pnas.1519905112>
- Scherf, B. D. (2000). *World watch list for domestic animal diversity*. Rome, Italy: FAO. <https://doi:10.1108/eb045462>
- Scheu, A., Powell, A., Bollongino, R., Vigne, J. D., Tresset, A., Çakırlar, C., Burger, J. (2015). The genetic prehistory of domesticated cattle from their origin to the spread across Europe. *BMC Genetics*, 16(54). <https://doi:10.1186/s12863-015-0203-2>
- Schlebusch, C. M., Malmström, H., Günther, T., Sjödin, P., Coutinho, A., Edlund, H., Jakobsson, M. (2017). Southern African ancient genomes estimate modern human divergence to 350,000 to 260,000 years ago. *Science*, 358(6363), 652–655. <https://doi:10.1126/science.aao6266>
- Schubert, M., Jónsson, H., Chang, D., Der Sarkissian, C., Ermini, L., Ginolhac, A., Orlando, L. (2014). Prehistoric genomes reveal the genetic foundation and cost of horse domestication. *Proceedings of the National Academy of Sciences of the United States of America*, 111(52), E5661–E5669. <https://doi:10.1073/pnas.1416991111>
- Seguin-Orlando, A., Korneliussen, T. S., Sikora, M., Malaspinas, A. S., Manica, A., Moltke, I., ... Willerslev, E. (2014). Genomic structure in Europeans dating back at least 36,200 years. *Science*, 46(6213), 1113–1118. <https://doi:10.1126/science.aaa0114>
- Shapiro, B., Ho, S. Y. W., Drummond, A. J., Suchard, M. A., Pybus, O. G., Rambaut, A. (2011). A Bayesian phylogenetic method to estimate unknown sequence ages. *Molecular Biology and Evolution*, 28(2), 879–887. <https://doi:10.1093/molbev/msq262>
- Signoli, M., Séguy, I., Biraben, J. N., Dutour, O. (2002). Paleodemography and historical demography in the context of an epidemic: Plague in Provence in the eighteenth century. *Population*, 57(6), 829–854. <https://doi:10.2307/3246618>
- Skog, A., Zachos, F. E., Rueness, E. K., Feulner, P. G. D., Myrsterud, A., Langvatn, R., ... Jakobsen, K. S. (2009). Phylogeography of red deer (*Cervus elaphus*) in Europe. *Journal of Biogeography*, 36(1), 66–77. <https://doi:10.1111/j.1365-2699.2008.01986.x>
- Skoglund, P., Malmström, H., Raghavan, M., Storå, J., Hall, P., Willerslev, E., Jakobsson, M. (2012). Origins and genetic legacy of neolithic farmers and hunter-gatherers in Europe. *Science*, 336(6080), 466–469. <https://doi:10.1126/science.1216304>
- Skoglund, P., Thompson, J. C., Prendergast, M. E., Mittnik, A., Sirak, K., Hajdinjak, M., ... Reich, D. (2017). Reconstructing prehistoric African population structure. *Cell*, 171(1), 59–71.e21. <https://doi:10.1016/j.cell.2017.08.049>

Slatkin, M., Racimo, F. (2016). Ancient DNA and human history. *Proceedings of the National Academy of Sciences of the United States of America*, 113(23), 6380–6387.

<https://doi:10.1073/pnas.1524306113>

Smith, B. D. (1999). *The Emergence of Agriculture*. Scientific American Library. New York: WH Freeman & Co.

Smith, T. I. J., Clugston, J. P. (1997). Status and management of Atlantic sturgeons, *Acipenser oxyrinchus*, in North America. W: V. J. Birstein, J. R. Waldman, W. E. Bemis (Red.), *Sturgeon Biodiversity and Conservation*. *Developments in Environmental Biology of Fishes* (s. 335–346). Dordrecht: Springer. https://doi:10.1007/0-306-46854-9_22

Stabile, J., Waldman, J. R., Parauka, F., Wirgin, I. (1996). Stock structure and homing fidelity in Gulf of Mexico sturgeon (*Acipenser oxyrinchus desotoi*) based on restriction fragment length polymorphism and sequence analyses of mitochondrial DNA. *Genetics*, 144(2), 767–775.

Stankovic, A., Doan, K., Mackiewicz, P., Ridush, B., Baca, M., Gromadka, R., ... Stefaniak, K. (2011). First ancient DNA sequences of the Late Pleistocene red deer (*Cervus elaphus*) from the Crimea, Ukraine. *Quaternary International*, 245(2), 262–267 <https://doi:10.1016/j.quaint.2011.05.023>

Starkel, L., Michczyńska, D. J., Krąpiec, M., Margielewski, W., Nalepka, D., Pazdur, A. (2013). Progress in the holocene chrono-climatostratigraphy of Polish territory. *Geochronometria*, 40(1), 1–21. <https://doi:10.2478/s13386-012-0024-2>

Stefani, F. O. P., Hamelin, R. C. (2010). Current state of genetically modified plant impact on target and non-target fungi. *Environmental Reviews*, 18 (NA), 441–475. <https://doi:10.1139/A10-022>

Stewart, J. R., Lister, A. M. (2001). Cryptic northern refugia and the origins of the modern biota. *Trends in Ecology and Evolution*, 16(11), 608–613. [https://doi:10.1016/S0169-5347\(01\)02338-2](https://doi:10.1016/S0169-5347(01)02338-2)

Stringer, C. (2002). Modern human origins: Progress and prospects. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 357(1420), 563–579. <https://doi:10.1098/rstb.2001.1057>

Sulak, K. J., Randall, M. T., Clugston, J. P. (2014). Survival of hatchery Gulf sturgeon (*Acipenser oxyrinchus desotoi* Mitchill, 1815) in the Suwannee River, Florida: A 19-year evaluation. *Journal of Applied Ichthyology*, 30(6), 1428–1440.

Suyama, Y., Kawamuro, K., Kinoshita, I., Yoshimura, K., Tsumura, Y., Takahara, H. (1996). DNA sequence from a fossil pollen of *Abies* spp. from Pleistocene peat. *Genes and Genetic Systems*, 71(3), 145–149. <https://doi:10.1266/ggs.71.145>

Szécsényi-Nagy, A., Brandt, G., Haak, W., Keerl, V., Jakucs, J., Möller-Rieker, S., ... Kurt, W. (2015). Tracing the genetic origin of Europe's first farmers reveals insights into their social organization. *Proceedings of the Royal Society B: Biological Sciences*, 282(1805), 20150339, <https://royalsocietypublishing.org/doi/full/10.1098/rspb.2015.0339>.

Timpson, A., Colledge, S., Crema, E., Edinborough, K., Kerig, T., Manning, K., ... Shennan, S. (2014). Reconstructing regional population fluctuations in the European Neolithic using radiocarbon dates: a new case-study using an im-proved method. *Journal of Archaeological Science*, 52, 549–557. <https://doi:10.1016/j.jas.2014.08.011>

Tishkoff, S. A., Reed, F. A., Friedlaender, F. R., Ehret, C., Ranciaro, A., Froment, A., ... Williams, S. M. (2009). The genetic structure and history of Africans and African Americans. *Science*, 324(5930), 1035–1044. <https://doi:10.1126/science.1172257>

- Tran, T. N. N., Signoli, M., Fozzati, L., Aboudharam, G., Raoult, D., Drancourt, M. (2011). High throughput, multiplexed pathogen detection authenticates plague waves in medieval Venice, Italy. *PLoS ONE*, 6(3), e16735. <https://doi:10.1371/journal.pone.0016735>
- Upadhyay, M. R., Chen, W., Lenstra, J. A., Goderie, C. R. J., Machugh, D. E., Park, S. D. E., ... Kantanen, J. (2017). Genetic origin, admixture and population history of aurochs (*Bos primigenius*) and primitive European cattle. *Heredity*, 119(6), 469. <https://doi:10.1038/hdy.2016.79>
- Venter, C. J., Adams, M. D., Myers, E. W., Li, P. W., Mural, R. J., Sutton, G. G., ... Zhu, X. (2001). The sequence of the human genome. *Science*, 291(5507), 1304–1351. <https://doi:10.1126/science.1058040>
- Vigne, J. D., Guilaine, J., Debue, K., Haye, L., Gérard, P. (2004). Early taming of the cat in Cyprus. *Science*, 304(5668), 259. <https://doi:10.1126/science.1095335>
- Waldman, J. R., Grunwald, C., Stabile, J., Wirgin, I. (2002). Impacts of life history and biogeography on the genetic stock structure of Atlantic sturgeon *Acipenser oxyrinchus oxyrinchus*, Gulf sturgeon *A. oxyrinchus desotoi*, and shortnose sturgeon *A. brevirostrum*. *Journal of Applied Ichthyology*, 18, 509–518. <https://doi:10.1046/j.1439-0426.2002.00361.x>
- Waldman, J. R., King, T., Savoy, T., Maceda, L., Grunwald, C., Wirgin, I. (2013). Stock origins of subadult and adult Atlantic sturgeon, *Acipenser oxyrinchus*, in a non-natal estuary, Long Island Sound. *Estuaries and Coasts*, 36, 257–267. <https://doi:10.1007/s12237-012-9573-0>
- Wallner, B., Vogl, C., Shukla, P., Burgstaller, J. P., Druml, T., Brem, G. (2013). Identification of genetic variation on the horse Y chromosome and the tracing of male founder lineages in modern breeds. *PLoS ONE*, 8(4), e60015. <https://doi:10.1371/journal.pone.0060015>
- Warmuth, V., Eriksson, A., Bower, M. A., Cañon, J., Cothran, G., Distl, O., Manica, A. (2011). European domestic horses originated in two Holocene refugia. *PLoS ONE*, 6(5), 10.1371/annotation. <https://doi:10.1371/journal.pone.0018194>
- Watson, J. D., Crick, F. H. C. (1953). Molecular structure of nucleic acids: A structure for deoxyribose nucleic acid. *Nature*, 171(4356), 737–738. <https://doi:10.1038/171737a0>
- Willerslev, E., Cappellini, E., Boomsma, W., Nielsen, R., Hebsgaard, M. B., Brand, T. B., ... Collins, M. J. (2007). Ancient biomolecules from deep ice cores reveal a forested southern Greenland. *Science*, 317(5834), 111–114. <https://doi:10.1126/science.1141758>
- Willerslev, E., Gilbert, M. T. P., Binladen, J., Ho, S. Y. W., Campos, P. F., Ratan, A., ... Schuster, S. C. (2009). Analysis of complete mitochondrial genomes from extinct and extant rhinoceroses reveals lack of phylogenetic resolution. *BMC Evolutionary Biology*, 9, 95. <https://doi:10.1186/1471-2148-9-95>
- Williot, P., Brun, R., Rouault, T., Pelard, M., Mercier, D. (2005). Attempts at larval rearing of the endangered western European sturgeon, *Acipenser sturio* (*Acipenseridae*), in France. *Cybium*, 29(4), 381–387.
- Williot, P., Rochard, E., Castelnaud, G., Rouault, T., Brun, R., Lepage, M., Elie, P. (1997). Biological characteristics of European Atlantic sturgeon, *Acipenser sturio*, as the basis for a restoration program in France. W: V. J. Birstein, J. R. Waldman, W. E. Bemis (Red.), *Sturgeon Biodiversity and Conservation. Developments in Environmental Biology of Fishes* (s. 359-370). Dordrecht: Springer. https://doi:10.1007/0-306-46854-9_24

Williot, P., Rochard, E., Desse-Berset, N., Gessner, J., Kirschbaum, F. (2011). Brief introduction to sturgeon with a special focus on the European sturgeon, *Acipenser sturio* L. 1758. W: P. Williot, E. Rochard, N. Desse-Berset, F. Kirschbaum, J. Gessner (Red.), *Biology and Conservation of the European Sturgeon Acipenser sturio* L. 1758 (s. 3–11). Berlin, Heidelberg: Springer.

https://doi:10.1007/978-3-642-20611-5_1

Williot, P., Rouault, T., Pelard, M., Mercier, D., Davail, B., Kirschbaum, F., Ludwig, A. (2001). Setting up of a farmed broodstock of the critically endangered sturgeon, *Acipenser sturio* with special emphasis on large fish. 4th International Symposium on Sturgeon.

Wirgin, I., Grunwald, C., Stabile, J., Waldman, J. (2007). Genetic evidence for relict Atlantic sturgeon stocks along the mid-Atlantic coast of the USA. *North American Journal of Fisheries Management*, 27(4), 1214–1229.

Wirgin, I., Maceda, L., Grunwald, C., King, T. L. (2015). Population origin of Atlantic sturgeon *Acipenser oxyrinchus oxyrinchus* by-catch in US Atlantic coast fisheries. *Journal of Fish Biology*, 86(4), 1251–1270.

Wirgin, I., Maceda, L., Waldman, J. R., Wehrell, S., Dadswell, M., King, T. (2012). Stock origin of migratory Atlantic Sturgeon in Minas Basin, Inner Bay of Fundy, Canada, determined by microsatellite and mitochondrial DNA analyses. *Transactions of the American Fisheries Society*, 141(5), 1389–1398.

Wirgin, I., Waldman, J. R., Rosko, J., Gross, R., Collins, M. R., Rogers, S. G., Stabile, J. (2000). Genetic structure of Atlantic sturgeon populations based on mitochondrial DNA control region sequences. *Transactions of the American Fisheries Society*, 129(2), 476-486. [https://doi:10.1577/1548-8659\(2000\)129<0476:gsoasp>2.0.co;2](https://doi:10.1577/1548-8659(2000)129<0476:gsoasp>2.0.co;2)

Yang, M. A., Gao, X., Theunert, C., Tong, H., Aximu-Petri, A., Nickel, B., ... Kelso, J. (2017). 40,000-year-old individual from Asia provides insight into early population structure in Eurasia. *Current Biology*, 27(20), 3202–3208.

Zachos, F. E., Frantz, A. C., Kuehn, R., Bertouille, S., Colyn, M., Niedziałkowska, M., ... Flamand, M. C. (2016). Genetic structure and effective population sizes in European red deer (*Cervus elaphus*) at a continental scale: Insights from microsatellite DNA. *Journal of Heredity*, 107(4), 318–326. <https://doi:10.1093/jhered/esw011>.