

- Abdel-Rahman A.F.M., Kumarapeli P.S. 1999. Geochemistry and petrogenesis of the Tibbit Hill metavolcanic suite of the Appalachian fold belt, Quebec-Vermont: a plume-related and fractionated assemblage. *American Journal of Science*, 299, 210-237. <https://doi.org/10.2475/ajs.299.3.210>
- Abratis M., Wörner G. 2001. Ridge collision, slab-window formation, and the flux of Pacific asthenosphere into the Caribbean realm. *Geology*, 29, 127-130. [https://doi.org/10.1130/0091-7613\(2001\)029<0127:RCSWFA>2.0.CO;2](https://doi.org/10.1130/0091-7613(2001)029<0127:RCSWFA>2.0.CO;2)
- Aldanmaz E., Köprübaşı N., Gürer Ö.F., Kaymakçı N., Gourgaud A. 2006. Geochemical constraints of the Cenozoic, OIB-type alkaline volcanic rocks of NW Turkey: implications for mantle sources and melting processes. *Lithos*, 86, 50-76. <https://doi.org/10.1016/j.lithos.2005.04.003>
- Allegre C.J. 1982. Chemical geodynamics. *Tectonophysics*, 81, 109-132. [https://doi.org/10.1016/0040-1951\(82\)90125-1](https://doi.org/10.1016/0040-1951(82)90125-1)
- Allègre C.J., Turcotte D. L. 1986. Implications of a two-component marble-cake mantle. *Nature*, 323, 123-127. <https://doi.org/10.1038/323123a0>
- Anczkiewicz R., Szczepański J., Mazur S., Story C., Crowley Q., Villa I.M., Thirlwall M.F., Jeffries T.E. 2007. Lu-Hf geochronology and trace element distribution in garnet: implications for uplift and exhumation of ultra-high pressure granulites in the Sudetes, SW Poland. *Lithos*, 95, 363-380. <https://doi.org/10.1016/j.lithos.2006.09.001>
- Anderson D.L. 1982. Isotopic evolution of the mantle: The role of magma mixing: Earth and Planetary Science Letters, 57, 1-12. [https://doi.org/10.1016/0012-821X\(82\)90168-6](https://doi.org/10.1016/0012-821X(82)90168-6)
- Anderson D.L. 1995. Lithosphere, asthenosphere, and perisphere. *Reviews in Geophysics*, 33, 125-149. <https://doi.org/10.1029/94RG02785>
- Anderson D.L. 2000. The thermal state of the upper mantle: no role for mantle plumes, *Geophysical Research Letters*, 27, 3623-3626. <https://doi.org/10.1029/2000GL011533>
- Anderson D.L. 2005. Large igneous provinces, delamination and fertile mantle. *Elements*, 1, 271-275. <https://doi.org/10.2113/gselements.1.5.271>
- Apted M.J., Liou J.G. 1983. Phase relations among greenschist, epidote-amphibolite, and amphibolite in a basaltic system. *American Journal of Science*, 283-A, 328-354.
- Aulinas M., Gimeno D., Fernandez-Turiel J.L., Font L., Perez-Torrado F. J., Rodriguez-Gonzalez A., Nowell G.M. 2010. Small-scale mantle heterogeneity on the source of the Gran Canaria (Canary Islands) Pliocene-Quaternary magmas. *Lithos*, 119, 377-392. <https://doi.org/10.1016/j.lithos.2010.07.016>
- Ayers, J.C., Dittmer S.K., Layne G.D. 1997. Partitioning of elements between peridotite and H₂O at 2.0-3.0 GPa and 900-1100°C, and application to models of subduction zone processes. *Earth and Planetary Science Letters*, 150, 381-398. [https://doi.org/10.1016/S0012-821X\(97\)00096-4](https://doi.org/10.1016/S0012-821X(97)00096-4)
- Bachliński R. 2000. Warsaw ING PAN Isotope Laboratory Research Reports, 4. Rb-Sr Dating of Kudowa Zdrój Granitoids (Central Sudetes, SW Poland). *Bulletin of Polish Academy of Science, Earth Sciences*, 48, 175-183.
- Bachman O., Dungan M.A. 2002. Temperature-induced Al-zoning in hornblendes of the fish Canyon magma, Colorado. *American Mineralogist*, 87, 1062-1076. <https://doi.org/10.2138/am-2002-8-903>

- Bakun-Czubarow N. 1992. Quartz pseudomorphs after coesite and quartz exsolutions in eclogitic omphacites of the Złote Mountains in the Sudetes (SW Poland). *Archiwum Mineralogiczne*, 48, 3-25.
- Beccaluva L., Serri G. 1988. Boninitic to low-Ti subduction-related lavas from intraoceanic arc backarc systems and low-Ti ophiolites - a reappraisal of their petrogenesis and original tectonic setting. *Tectonophysics*, 146, 291-315. [https://doi.org/10.1016/0040-1951\(88\)90097-2](https://doi.org/10.1016/0040-1951(88)90097-2)
- Bédard J.H. 1999. Petrogenesis of boninites from the Betts Cove Ophiolite, Newfoundland, Canada: identification of subducted source components. *Journal of Petrology*, 40, 1853-1889. <https://doi.org/10.1093/petrology/40.12.1853>
- Bedini R.M., Bodinier J.L., Dautria J.M., Morten L. 1997. Evolution of LILE-enriched small melt fractions in the lithospheric mantle: a case study from the East African Rift. *Earth and Planetary Science Letters*, 153, 67-83. [https://doi.org/10.1016/S0012-821X\(97\)00167-2](https://doi.org/10.1016/S0012-821X(97)00167-2)
- Bellot J.P., Triboulet C., Laverne C., Bronner G. 2003. Evidence for two burial/exhumation stages during the evolution of the Variscan belt, as exemplified by P-T-t-d paths of metabasites in distinct allochthonous units of the Maures, massif (SE France). *International Journal of Earth Sciences*, 92, 7-26.
- Berman R.G. 1988. Internally consistent thermodynamic data for minerals in the system $\text{N}_2\text{O}-\text{K}_2\text{O}-\text{CaO}-\text{MgO}-\text{FeO}-\text{Fe}_2\text{O}_3-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{TiO}_2-\text{H}_2\text{O}-\text{CO}_2$. *Journal of Petrology*, 29, 445-522. <https://doi.org/10.1093/petrology/29.2.445>
- Berman R.G. 1991. Thermobarometry using multi-equilibrium calculations: a new technique, with petrological applications. *Canadian Mineralogist*, 29, 833-855.
- Berman R.G. 2007. winTWQ (version 2.3): a software package for performing internally-consistent thermobarometric calculations. Geological Survey of Canada Open File 5462 (revised). <https://doi.org/10.4095/223228>
- Berman R.G., Aranovich L.Y. 1996. Optimized standard state and solution properties of minerals: I. Model calibration for olivine, orthopyroxene, cordierite, garnet, and ilmenite in the system $\text{FeO}-\text{MgO}-\text{CaO}-\text{Al}_2\text{O}_3-\text{TiO}_2-\text{SiO}_2$. *Contributions to Mineralogy and Petrology*, 126, 1-24. <https://doi.org/10.1007/s004100050232>
- Brenan J.M., Shaw H.F., Ryerson F.J., Phinney D.L. 1995. Mineral-aqueous fluid partitioning of trace elements at 900°C and 2.0 GPa: constraints on the trace element chemistry of mantle and deep crustal fluids. *Geochimica et Cosmochimica Acta*, 59, 3331-3350. [https://doi.org/10.1016/0016-7037\(95\)00215-L](https://doi.org/10.1016/0016-7037(95)00215-L)
- Brown E.H. 1977. The crossite content of Ca-amphibole as a guide to pressure of metamorphism. *Journal of Petrology*, 18, 53-72. <https://doi.org/10.1093/petrology/18.1.53>
- Brown A.V., Jenner G. A. 1989. Geological setting, petrology and chemistry of Cambrian boninite and low-Ti tholeiite lavas in western Tasmania. In: *Boninites and Related Rocks*, ed. A.J. Crawford. Unwin Hyman, London, 232-263.
- Bröcker M., Klemd R. 1996. Ultrahigh-pressure metamorphism in the Śnieżnik Mountains (Sudetes, Poland): P-T constraints and geological implications, *Journal of Geology*, 104, 417-433. <https://doi.org/10.1086/629837>
- Bucher K., Frey M. 2002. *Petrogenesis of metamorphic rocks*. Berlin-Heidelberg. Springer. <https://doi.org/10.1007/978-3-662-04914-3>

Cabanis B., Lecolle M. 1989. Le diagramme La/10-Y/15-Nb: un outil pour la discrimination des series volcaniques et la mise en evidence des processus de mélange et/ou de contamination crustale. *Comptes Rendus de l'Academie de Science, Science Serie II*, 309, 2023-2029.

Cháb J., Vrana S. 1979. Crossite-actinolite amphiboles of the Krkonoše-Jizera crystalline Complex and their geological significance. *Ústřední ústav geologický Praha*, 54, 143-150.

Cháb J., Suchý V., Vejnar Z. 1995. Moldanubian Region: Teplá-Barrandian zone (Bohemium): metamorphic evolution (VII.B.4). In: *Pre-Permian Geology of Central and Eastern Europe*, eds. R. D. Dallmeyer, W. Franke, K. Weber. Springer-Verlag, Berlin Heidelberg, 403- 410.
https://doi.org/10.1007/978-3-642-77518-5_40

Chaloupský J., Chlupáč I., Mašek J., Waldhausrová J., Cháb, J. 1995. Moldanubian region: Teplá-Barrandian zone (Bohemium): stratigraphy (VII.B.1). In: *Pre-Permian Geology of Central and Eastern Europe*, eds. R.D. Dallmeyer, W. Franke, K. Weber. Springer-Verlag, Berlin Heidelberg, 379-391.
https://doi.org/10.1007/978-3-642-77518-5_37

Chauvel C., Hofmann A.W., Vidal P. 1992. HIMU-EM: the French Polynesian connection. *Earth and Planetary Science Letters*, 110, 99-119. [https://doi.org/10.1016/0012-821X\(92\)90042-T](https://doi.org/10.1016/0012-821X(92)90042-T)

Cho M., Ernst W. 1991. An experimental determination of calcic amphibole solid solution along the join tremolite-tschermakite. *American Mineralogist*, 76, 985-1001.

Chopin F., Schulmann K., Skrzypek E., Lehmann J., Dujardin J.R., Martelat J.E., Lexa O., Corsini M., Edel J.B., Štípská P., Pitra P. 2012. Crustal influx, indentation, ductile thinning and gravity redistribution in a continental wedge: Building a Moldanubian mantled gneiss dome with underthrust Saxothuringian material (European Variscan belt). *Tectonics*, 31. <https://doi.org/10.1029/2011TC002951>

Class C., Goldstein S.L., Altherr R., Bachelery P. 1998. The process of plume-lithosphere interactions in the ocean basins - the case of Grande Comore. *Journal of Petrology*, 39, 881-903.
<https://doi.org/10.1093/petroj/39.5.881>

Colakoglu A.R., Sayit K., Günay K., Göncüoğlu M.C. 2012. Geochemistry of mafic dykes from the Southeast Anatolian ophiolites, Turkey: implications for an intra-oceanic arc-basin system. *Lithos*, 132-133, 113-126. <https://doi.org/10.1016/j.lithos.2011.11.023>

Connolly J.A.D. 2005. Computation of phase equilibria by linear programming: a tool for geodynamic modeling and its application to subduction zone decarbonation. *Earth and Planetary Science Letters*, 236, 524-541. <https://doi.org/10.1016/j.epsl.2005.04.033>

Courtillot V., Davaille A., Besse J., Stock J. 2003. Three distinct types of hotspots in the Earth's mantle. *Earth and Planetary Science Letters*, 205, 295-308. [https://doi.org/10.1016/S0012-821X\(02\)01048-8](https://doi.org/10.1016/S0012-821X(02)01048-8)

Crawford A.J., Falloon T.R. and Green D.H. 1989. Classification, petrogenesis and tectonic setting of boninites. In: *Boninites and Related Rocks*, ed. A.J. Crawford. Unwin Hyman, London, 2-49.

Crowley Q.G., Floyd P.A., Winchester J.A., Franke W., Holland J.G. 2000. Early Palaeozoic rift-related magmatism in Variscan Europe: fragmentation of the Armorican Terrane Assemblage. *Terra Nova*, 12, 171-180. <https://doi.org/10.1046/j.1365-3121.2000.00290.x>

Cymerman Z. 1995. Szczegółowa Mapa Geologiczna Sudetów w skali 1:25 000. Arkusz Lewin Kłodzki. Państwowy Instytut Geologiczny, Warszawa.

- Cymerman Z., Piasecki M.A.J., Seston R. 1997. Terranes and terrane boundaries in the Sudetes, northeast Bohemian Massif. *Geological Magazine*, 134, 717-725. <https://doi.org/10.1017/S0016756897007255>
- Dale J., Powell R., White R.W., Elmer F.L., Holland T.J.B. 2005. A thermodynamic model for Ca-Na clin amphiboles in Na₂O-CaO-FeO-MgO-Al₂O₃-SiO₂-H₂O-O for petrological calculations. *Journal of Metamorphic Geology*, 23, 771-91. <https://doi.org/10.1111/j.1525-1314.2005.00609.x>
- Danyushevsky L.V., Sobolev A.V., Falloon T.J. 1995. North Tonga high-Ca boninite petrogenesis: the role of Samoan plume and subduction zone-transform fault transition. *Journal of Geodynamics*, 20, 219-241. [https://doi.org/10.1016/0264-3707\(95\)00013-Y](https://doi.org/10.1016/0264-3707(95)00013-Y)
- Davies J.H., von Blanckenburg F. 1995. Slab breakoff: a model of lithospheric detachment and its test in the magmatism and deformation of collisional orogens. *Earth and Planetary Science Letters*, 129, 85-102. [https://doi.org/10.1016/0012-821X\(94\)00237-S](https://doi.org/10.1016/0012-821X(94)00237-S)
- Delura K. 2012. Chromites from the Sudetic ophiolite: origin and alteration. *Archivum Mineralogiae Monograph*, 4, 1-91. <https://doi.org/10.31338/uw.9788323521952>
- De Paolo D.J. 1981. Trace element and isotopic effects of combined wallrock assimilation and fractional crystallization. *Earth and Planetary Science Letters*, 53, 189-202. [https://doi.org/10.1016/0012-821X\(81\)90153-9](https://doi.org/10.1016/0012-821X(81)90153-9)
- De Paolo D.J., Wasserburg G.J. 1979. Petrogenetic mixing models and Nd-Sr isotopic patterns. *Geochimica et Cosmochimica Acta*, 43, 615-627. [https://doi.org/10.1016/0016-7037\(79\)90169-8](https://doi.org/10.1016/0016-7037(79)90169-8)
- Dickinson W.R., Snyder W.S. 1979. Geometry of subducted slabs related to San Andreas transform. *Journal of Geology*, 87, 609-627. <https://doi.org/10.1086/628456>
- Diener J.F.A., Powell R., White R.W., Holland T.J.B. 2007. A new thermodynamic model for clino- and orthoamphiboles in the system Na₂O-CaO-FeO-MgO-Al₂O₃-SiO₂-H₂O-O. *Journal of Metamorphic Geology*, 25, 631-656. <https://doi.org/10.1111/j.1525-1314.2007.00720.x>
- Dilek Y., Thy P. 2009. Island arc tholeiite to boninite melt evolution of the Cretaceous Kizildag (Turkey) ophiolite: model for multi-stage early arc-forearc magmatism in Tethyan subduction factories. *Lithos*, 113, 68-87. <https://doi.org/10.1016/j.lithos.2009.05.044>
- Domečka K., Opletal M. 1976. Stratigrafie, stavba a metamorfóza severní části novoměstské série. *Sborník geologických věd*, 28, 157-187.
- Don J., Dumicz M., Wojciechowska I., Żelaźniewicz A. 1990. Lithology and tectonics of the Orlica-Snieżnik dome, Sudetes; recent state of knowledge. *Neues Jahrbuch für Geologie und Palaeontologie - Abhandlungen*, 179, 159-188.
- Don J., Skácel J., Gotowała R. 2003. The boundary zone of the East and West Sudetes on the 1:50 000 scale geological map of the Velké Vrbno, Staré Město and Śnieżnik Metamorphic Units. *Geologia Sudetica*, 35, 25-59.
- Droop G. 1987. A general equation for estimating Fe³⁺ concentrations in ferromagnesian silicates and oxides from microprobe analyses, using stoichiometric criteria. *Mineralogical Magazine*, 51, 431-435. <https://doi.org/10.1180/minmag.1987.051.361.10>
- Drost K., Linnemann U., McNaughton N., Fatka O., Kraft P., Gehmlich M., Tonk C., Marek J. 2004. New data on the Neoproterozoic-Cambrian geotectonic setting of the Teplá-Barrandian

volcanosedimentary successions: geochemistry, U-Pb zircon ages, and provenance (Bohemian Massif, Czech Republic). *International Journal of Earth Sciences*, 93, 742-757.

<https://doi.org/10.1007/s00531-004-0416-5>

Dubińska E. 1997. Rodingites and amphibolites from the serpentinites surrounding Sowie Góry Block (Lower Silesia, Poland): record of supra-subduction zone magmatism and serpentinitisation. *Neues Jahrbuch für Mineralogie - Abhandlungen*, 171, 239-279.

Dumicz M. 1964. Budowa geologiczna krystaliniku Gór Bystrzyckich. *Geologia Sudetica*, 1, 169-208.

Dörr W., Zulauf G., Fiala J., Franke W., Vejnar Z. 2002. Neoproterozoic to Early Cambrian history of an active plate margin in the Teplá-Barrandian unit - a correlation of U-Pb isotopic dilution TIMS ages (Bohemia, Czech Republic). *Tectonophysics*, 352, 65-85. [https://doi.org/10.1016/S0040-1951\(02\)00189-0](https://doi.org/10.1016/S0040-1951(02)00189-0)

Elliot T., Plank T., Zindler A., White W., Bourdon B., 1997. Element transport from slab to volcanic front at the Mariana arc. *Journal of Geophysical Research*, 102, 14991-15019.

<https://doi.org/10.1029/97JB00788>

Ernst W. G., Liu J. 1998. Experimental phase-equilibrium study of Al- and Ti-contents of calcic amphibole in MORB: a semiquantitative thermobarometer. *American Mineralogist*, 83, 952-969.

<https://doi.org/10.2138/am-1998-9-1004>

Escuder-Viruete J., Pérez-Estaún A., Weis D. 2009. Geochemical constraints on the origin of the late Jurassic proto-Caribbean oceanic crust in Hispaniola. *International Journal of Earth Sciences*, 98, 407-425. <https://doi.org/10.1007/s00531-007-0253-4>

Escuder-Viruete, J., Díaz de Neira A., Hernáiz Huerta P.P., Monthel J., García Senz J., Joubert M., Lopera E., Ullrich T., Friedman R., Mortensen J., Pérez-Estaún, A. 2006. Magmatic relationships and ages of Caribbean island-arc tholeiites, boninites and related felsic rocks, Dominican Republic. *Lithos*, 90, 161-186. <https://doi.org/10.1016/j.lithos.2006.02.001>

Escuder-Viruete J., Friedman R., Castillo-Carrión M., Jabites J., Pérez-Estaún A. 2011. Origin and significance of the ophiolitic high-P mélanges in the northern Caribbean convergent margin: Insights from the geochemistry and large-scale structure of the Río San Juan metamorphic complex. *Lithos*, 127, 483-504. <https://doi.org/10.1016/j.lithos.2011.09.015>

Fajst M. 1976. Nová diskordance v prekambriu českého masivu. *Časopis pro Mineralogii a Geologii*, 21, 257-275.

Falloon T.J., Danyushevsky L.V. 2000. Melting of refractory mantle at 1.5, 2 and 2.5 GPa under anhydrous and H₂O-undersaturated conditions: implications for the petrogenesis of high-Ca boninites and the influence of subduction components on mantle melting. *Journal of Petrology*, 41, 257-283. <https://doi.org/10.1093/petrology/41.2.257>

Falloon T.J., Danyushevsky L.V., Crawford A.J., Maas R., Woodhead J.D., Eggins S.M., Bloomer S. H., Wright D. J., Zlobin S.K., Stacey A.R. 2007. Multiple mantle plume components involved in the petrogenesis of subduction related lavas from the northern termination of the Tonga Arc and northern Lau Basin: evidence from the geochemistry of arc and backarc submarine volcanics. *Geochemistry, Geophysics, Geosystems*, 8, Q09003. <https://doi.org/10.1029/2007GC001619>

- Falloon T.J., Malahoff A., Zonenshain L.P., Bogdanov Y. 1992. Petrology and geochemistry of back-arc basin basalts from the Lau Basin spreading ridges at 15°, 18° and 19° S. *Mineralogy and Petrology*, 47, 1-35. <https://doi.org/10.1007/BF01165295>
- Faryad S.W., Kachlík V. 2013. New evidence of blueschist facies rocks and their geotectonic implication for Variscan suture(s) in the Bohemian Massif. *Journal of Metamorphic Geology*, 31, 63-82. <https://doi.org/10.1111/jmg.12009>
- Fediuk F. 1992. Metaboninite in the Proterozoic Jílové Belt of Central Bohemia. *Věstník Českého Geologického Ústavu*, 67, 297-310.
- Ferrari L. 2004. Slab detachment control on mafic volcanic pulse and mantle heterogeneity in central Mexico. *Geology*, 32, 77-80. <https://doi.org/10.1130/G19887.1>
- Fitton J.G. 2007. The OIB paradox. In: *Plates, plumes and planetary processes*, eds. G.R. Foulger, D.M. Jurdy. Geological Society of America Special Paper, 430, 387-412. [https://doi.org/10.1130/2007.2430\(20\)](https://doi.org/10.1130/2007.2430(20))
- Fitton J.G., Saunders A.D., Norry M.J., Hardarson B.S., Taylor R.N. 1997. Thermal and chemical structure of the Iceland plume. *Earth and Planetary Science Letters*, 153, 197-208. [https://doi.org/10.1016/S0012-821X\(97\)00170-2](https://doi.org/10.1016/S0012-821X(97)00170-2)
- Flower M.F.J., Levine H. 1987. Petrogenesis of a tholeiite-boninite sequence from Ayio Mamas, Troodos ophiolite: evidence for splitting of a volcanic arc. *Contributions to Mineralogy and Petrology*, 97, 509-524. <https://doi.org/10.1007/BF00375328>
- Floyd P.A., Winchester J.A. 1975. Magma type and tectonic setting discrimination using immobile elements. *Earth and Planetary Science Letters*, 27, 211-218. [https://doi.org/10.1016/0012-821X\(75\)90031-X](https://doi.org/10.1016/0012-821X(75)90031-X)
- Floyd P.A., Winchester J.A. 1978. Identification and discrimination of altered and metamorphosed volcanic rocks using immobile elements. *Chemical Geology*, 21, 291-306. [https://doi.org/10.1016/0009-2541\(78\)90050-5](https://doi.org/10.1016/0009-2541(78)90050-5)
- Floyd P.A., Winchester J.A. 1983. Element mobility associated with meta-shear zones within the Ben Hope amphibolite suite, Scotland. *Chemical Geology*, 39, 1-15. [https://doi.org/10.1016/0009-2541\(83\)90069-4](https://doi.org/10.1016/0009-2541(83)90069-4)
- Floyd P.A., Kelling G., Gökçen S.L., Gökçen N. 1991. Geochemistry and tectonic environment of basaltic rocks from the Misis ophiolitic melange, south Turkey. *Chemical Geology*, 89, 263-80. [https://doi.org/10.1016/0009-2541\(91\)90020-R](https://doi.org/10.1016/0009-2541(91)90020-R)
- Floyd P.A., Winchester J.W., Ciesielczuk J., Lewandowska A., Szczepański J., Turniak K. 1996. Geochemistry of early Palaeozoic amphibolites from the Orlica-Śnieżnik dome, Bohemian massif: petrogenesis and paleotectonic aspects. *International Journal of Earth Sciences*, 85, 225-238. <https://doi.org/10.1007/s005310050070>
- Floyd P.A., Winchester J.A., Seston R., Kryza R., Crowley Q.G. 2000. Review of geochemical variation in Lower Palaeozoic metabasites from the NE Bohemian Massif: intracratonic rifting and plumeridge interaction. In: *Orogenic Processes: Quantification and Modelling in the Variscan Belt*, eds. W. Franke, V. Haack, O. Oncken, D. Tanner. Geological Society of London Special Publication, 179, 155-174. <https://doi.org/10.1144/GSL.SP.2000.179.01.11>

- Franke W., Żelaźniewicz A. 2000. The eastern termination of the Variscides: terranes correlation and kinematic evolution. In: *Orogenic Processes: Quantification and Modelling in the Variscan Belt*, eds. W. Franke, V. Haack, O. Oncken, D. Tanner. Geological Society of London Special Publication, 179, 63-86. <https://doi.org/10.1144/GSL.SP.2000.179.01.06>
- Franke W., Żelaźniewicz A. 2002. Structure and evolution of the Bohemian Arc. In: *Palaeozoic Amalgamation of Central Europe*, eds. J.A. Winchester, T.C. Pharaoh, J. Verniers. Geological Society of London Special Publication, 201, 279-293. <https://doi.org/10.1144/GSL.SP.2002.201.01.13>
- Franke W., Żelaźniewicz A., Porębski S.J., Wajsprych B. 1993. Saxothuringian zone in Germany and Poland: differences and common features. *Geologische Rundschau*, 82, 583-599. <https://doi.org/10.1007/BF00212418>
- Fretzdorff S., Livermore R.A., Devey C.W., Leat P.T., Stoffers P. 2002. Petrogenesis of the back-arc East Scotia Ridge, South Atlantic Ocean. *Journal of Petrology*, 43, 1435-1467. <https://doi.org/10.1093/petrology/43.8.1435>
- Fuhrman M.L., Lindsley D.H. 1988. Ternary-feldspar modeling and thermometry. *American Mineralogist*, 73, 201-216.
- Furman T., Bryce J., Rooney T., Hanan B., Yirgu G., Ayalew D. 2006. Heads and tails: 30 million years of the Afar plume. In: *The Afar Volcanic Province within the East African Rift System*, eds. G. Yirgu, C.J. Ebinger, P.K.H. Maguire. Geological Society London Special Publications, 259, 95-119. <https://doi.org/10.1144/GSL.SP.2006.259.01.09>
- Furnes H., Kryza R., Muszyński A., Pin C., Garmann L. 1994. Geochemical evidence for progressive, rift-related early Palaeozoic volcanism in the western Sudetes. *Journal of the Geological Society, London*, 151, 91-109. <https://doi.org/10.1144/gsjgs.151.1.0091>
- Gazley M.F., Vry J.K., Boorman J.C. 2011. P-T evolution in greenstone-belt mafic amphibolites: an example from Plutonic Gold Mine, Marymia Inlier, Western Australia. *Journal of Metamorphic Geology*, 29, 601-697. <https://doi.org/10.1111/j.1525-1314.2011.00936.x>
- Gerya T.V., Perchuk L.L., Triboulet C., Audren C., Ser'ko A.I. 1997. Petrology of Tumanshet Zonal Metamorphic Complex, Eastern Sayan. *Petrology*, 5, 563-595.
- Ghiorso M.S., Sack R.O. 1995. Chemical mass transfer in magmatic processes. IV. A revised and internally consistent thermodynamic model for the interpolation and extrapolation of liquid-solid equilibria in magmatic systems at elevated temperatures and pressures. *Contributions to Mineralogy and Petrology*, 119, 197-212. <https://doi.org/10.1007/s004100050036>
- Gierwielanec J. 1965. Budowa geologiczna okolic Kudowy Zdroju. *Biuletyn Instytutu Geologicznego* 185, 11, 24-108.
- Gierwielanec J., Radwański S. 1955. Szczegółowa Mapa Geologiczna Sudetów w skali 1:25 000. Arkusz Jeleniów. Państwowy Instytut Geologiczny, Warszawa.
- Gill J.B. 1981. *Orogenic Andesites and Plate Tectonics*. Springer-Verlag, New York. <https://doi.org/10.1007/978-3-642-68012-0>
- Goldsmith J. 1982a. Review of the behavior of plagioclase under metamorphic conditions. *American Mineralogist*, 67, 643-652.

Goldsmith J. 1982b. Plagioclase stability at elevated temperatures and water pressures. *American Mineralogist*, 67, 653-675.

Gorring M., Kay S. 2001. Mantle processes and sources of Neogene slab window magmas from southern Patagonia, Argentina. *Journal of Petrology*, 42, 1067- 1094.

<https://doi.org/10.1093/petrology/42.6.1067>

Graham C., Powell R. 1984. A garnet-hornblende geothermometer: calibration, testing, and application to the Pelona Schist, Southern California. *Journal of Metamorphic Geology*, 2, 13-31.

<https://doi.org/10.1111/j.1525-1314.1984.tb00282.x>

Grapes R.H., Hoskin P.W.O. 2004. Epidote group minerals in low-medium pressure metamorphic terranes. *Reviews in Mineralogy and Geochemistry*, 56, 301-345.

<https://doi.org/10.2138/gsrmg.56.1.301>

Gribble R.F., Stern R.J., Newman S., Bloomer S.H., O'Hearn T. 1998. Chemical and isotopic composition of lavas from the northern Mariana Trough: Implications for magma genesis in back-arc basins. *Journal of Petrology*, 39, 125-154. <https://doi.org/10.1093/petrology/39.1.125>

Gribble R.F., Stern R.J., Bloomer S.H., Stuben D., O'Hearn T., Newman S. 1996. MORB and subduction components interact to generate basalts in the southern Mariana Trough back-arc basin. *Geochimica et Cosmochimica Acta*, 60, 2153-2166. [https://doi.org/10.1016/0016-7037\(96\)00078-6](https://doi.org/10.1016/0016-7037(96)00078-6)

Guiraud M., Burg J. P. 1984. Mineralogical and petrological study of a blueschist metatuff from the Zelezny Brod Crystalline Complex, Czechoslovakia. *Neues Jahrbuch für Mineralogie - Abhandlungen*, 149, 1-12.

Gunia P. 2000. The petrology and geochemistry of mantle-derived basic and ultrabasic rocks from the Szklary massif in the Fore-Sudetic Block (SW Poland). *Geologia Sudetica*, 33, 71-83.

Hajná J., Žák J., Kachlík V. 2011. Structure and stratigraphy of the Teplá-Barrandian Neoproterozoic: a new plate-tectonic reinterpretation. *Gondwana Research*, 19, 495-508.

<https://doi.org/10.1016/j.gr.2010.08.003>

Hajná J., Žák J., Kachlík V., Dörr W., Gerdes A. 2013. Neoproterozoic to early Cambrian Franciscan-type melanges in the Teplá-Barrandian unit, Bohemian Massif: Evidence of modern-style accretionary processes along the Cadomian active margin of Gondwana? *Precambrian Research*, 224, 653- 670.

<https://doi.org/10.1016/j.precamres.2012.11.007>

Halliday A.N., Lee D.C., Tommasini S., Davies G.R., Paslick C. R., Fitton J. G., James D. E. 1995.

Incompatible trace elements in OIB and MORB and source enrichment in the sub-oceanic mantle.

Earth and Planetary Science Letters, 133, 379-395. [https://doi.org/10.1016/0012-821X\(95\)00097-V](https://doi.org/10.1016/0012-821X(95)00097-V)

Harlov D., Tropper P., Seifert W., Nijland T., Förster H.J. 2006. Formation of Al-rich titanite (CaTiSiO₄O-CaAlSiO₄OH) reaction rims on ilmenite in metamorphic rocks as a function of fH₂O and fO₂. *Lithos*, 88, 72-84. <https://doi.org/10.1016/j.lithos.2005.08.005>

Hart S.R., Dunn T. 1993. Experimental cpx/melt partitioning of 24 trace elements. *Contributions to Mineralogy and Petrology*, 113, 1-8. <https://doi.org/10.1007/BF00320827>

Hawkesworth C.J., Turner S., Peate D., McDermott F., van Calsteren P. 1997. Elemental U and Th variations in island arc rocks: implications for U-series isotopes. *Chemical Geology*, 139, 207-221.

[https://doi.org/10.1016/S0009-2541\(97\)00036-3](https://doi.org/10.1016/S0009-2541(97)00036-3)

Hawkesworth C.J., Gallagher K., Hergt J.M., McDermott F. 1993. Mantle and slab contributions in arc magmas. *Annual Review of Earth and Planetary Sciences*, 21, 175-204.

<https://doi.org/10.1146/annurev.ea.21.050193.001135>

Hekinian R., Stoffers P., Ackermann D., Revillon S., Maia M., Bohn M. 1999. Ridge-hotspot interaction: the Pacific-Antarctic Ridge and the foundation seamounts. *Marine Geology*, 160, 199-223. [https://doi.org/10.1016/S0025-3227\(99\)00027-4](https://doi.org/10.1016/S0025-3227(99)00027-4)

Herzberg C, Asimow P.D. 2008. Petrology of some oceanic island basalts: PRIMELT2.XLS software for primary magma calculation. *Geochemistry, Geophysics, Geosystems*, 9, Q09001,

<https://doi.org/10.1029/2008GC002057>

Hey M.H. 1954. A new review of chlorites. *Mineralogical Magazine*, 30, 277-292.

<https://doi.org/10.1180/minmag.1954.030.224.01>

Hickey R.L., Frey F.A. 1982. Geochemical characteristics of boninite series volcanics: implications for their source. *Geochimica et Cosmochimica Acta*, 46, 2099-2115. [https://doi.org/10.1016/0016-7037\(82\)90188-0](https://doi.org/10.1016/0016-7037(82)90188-0)

Hickey-Vargas R., Savov I.P., Bizimis M., Ishii T., Fujioka K. 2006. Origin of diverse geochemical signatures in igneous rocks from the West Philippine Basin: implications for tectonic models. In: *Back-Arc Spreading Systems: Geological, Biological, Chemical, and Physical Interactions*, eds. D.M. Christie, C.R. Fisher, S.-M. Lee, S. Givens. *AGU Geophysical Monographs*, 166, 287-303.

<https://doi.org/10.1029/166GM15>

Hietanen A. 1974. Amphibole pairs, epidote minerals, chlorite, and plagioclase in metamorphic rocks, Northern Sierra Nevada, California. *American Mineralogist*, 59, 22-40.

Hill E., Wood B.J., Blundy J.D. 2000. The effect of Ca-Tschermak component on trace element partitioning between clinopyroxene and silicate melt. *Lithos*, 53, 203-215.

[https://doi.org/10.1016/S0024-4937\(00\)00025-6](https://doi.org/10.1016/S0024-4937(00)00025-6)

Hofmann A.W. 1997. Mantle geochemistry: the message from oceanic volcanism. *Nature*, 385, 219-229. <https://doi.org/10.1038/385219a0>

Hofmann A.W. 2003. Sampling mantle heterogeneity through oceanic basalts: Isotopes and trace elements. In: *The mantle and core*, ed. R.W. Carlson. *Treatise on geochemistry vol. 2*, eds. H.D. Holland, K.K. Turekian. Oxford, Elsevier-Pergamon, 61-101.

Hole M.J., Rogers G., Saunders A.D., Storey M. 1991. Relation between alkalic volcanism and slab window formation. *Geology*, 19, 657-660 [https://doi.org/10.1130/0091-7613\(1991\)019<0657:RBAVAS>2.3.CO;2](https://doi.org/10.1130/0091-7613(1991)019<0657:RBAVAS>2.3.CO;2)

Hole M.J., Saunders A.D., Rogers G., Sykes M.A. 1994. The relationship between alkaline magmatism, lithospheric extension and slab window formation along continental destructive plate margins. In: *Volcanism Associated with Extension at Consuming Plate Margins*, ed. J.L. Smellie. Geological Society, London, Special Publications, 81, 265-285. <https://doi.org/10.1144/GSL.SP.1994.081.01.15>

Holland T., Baker J., Powell R. 1998. Mixing properties and activity-composition relationships of chlorites in the system MgO-FeO-Al₂O₃-SiO₂-H₂O. *European Journal of Mineralogy*, 10, 395-406.

<https://doi.org/10.1127/ejm/10/3/0395>

- Holland T., Blundy J. 1994. Non-ideal interactions in calcic amphiboles and their bearing on amphibole-plagioclase thermometry. *Contributions to Mineralogy and Petrology*, 116, 433-447. <https://doi.org/10.1007/BF00310910>
- Holland T.J., Richardson S.W. 1979. Amphibole zonation in metabasites as a guide to the evolution of metamorphic conditions. *Contributions to Mineralogy and Petrology*, 70, 143-148. <https://doi.org/10.1007/BF00374442>
- Holland T.J.B., Powell R. 1998. An internally consistent thermodynamic data set for phases of petrological interest. *Journal of Metamorphic Geology*, 16, 309-43. <https://doi.org/10.1111/j.1525-1314.1998.00140.x>
- Houseman G.A., McKenzie D.P., Molnar P.J. 1981. Convective instability of a thickened boundary layer and its relevance for the thermal evolution of continental convergent belts. *Journal of Geophysical Research*, 86, 6115-6132. <https://doi.org/10.1029/JB086iB07p06115>
- Ilnicki S. 2002. Composition of amphibole and plagioclase in amphibolites from northern contact zone of the Karkonosze granite: a preliminary report. *Polskie Towarzystwo Mineralogiczne, Prace Specjalne*, 20, 103-105.
- Ilnicki S. 2010. Petrogenesis of continental mafic dykes from the Iżera Complex, Iżera-Karkonosze Block (West Sudetes, SW Poland). *International Journal of Earth Sciences*, 99, 745-773. <https://doi.org/10.1007/s00531-009-0433-5>
- Ilnicki S. 2011. Variscan prograde P-T evolution and contact metamorphism in metabasites from the Sowie Dolina, Karkonosze-Iżera massif (SW Poland). *Mineralogical Magazine*, 75, 185-212. <https://doi.org/10.1180/minmag.2011.075.1.185>
- Ilnicki S. 2012. Magma genesis of amphibolites from the Szklarska Poręba hornfels belt, West Sudetes, SW Poland: implications for the break-up of Gondwana. *International Journal of Earth Sciences*, 101, 1253-1272. <https://doi.org/10.1007/s00531-011-0727-2>
- Ilnicki S. 2013. Variscan metamorphism in the crystalline basement of the Saxothuringian domain: an example from metabasites in the eastern part of the Iżera Complex, West Sudetes, SW Poland. *Lithos, złożone do druku*.
- Ilnicki S., Szczepański J. 2009. Geneza i ewolucja metamorficzna metabazytów w jednostce Nového Města i zachodniej części kopuły orlicko-śniežnickiej. *Sprawozdanie merytoryczne z wykonania projektu badawczego MNiSW nr 2 P04D 022 27*, Warszawa, 1-180.
- Ilnicki S., Szczepański J., Pin C. 2013. From back-arc to rifted margin: Geochemical and Nd isotopic records in Neoproterozoic-Cambrian metabasites of the Bystrzyckie and Orlickie Mountains (Sudetes, SW Poland). *Gondwana Research*, 23, 1104-1121. <https://doi.org/10.1016/j.gr.2012.06.017>
- Ilnicki S., Nejbart K., Pieczka A., Szełęg E., Turniak K., Szuskiewicz A., Łodziński M. 2012. Geochemical and petrological features of eclogites from Piława Górna (Sowie Góry block, SW Poland). *Mineralogia*, 40, 78-79.
- Irving T.N., Baragar W.R.A. 1971. A guide to the chemical classification of the common volcanic rocks. *Canadian Journal of Earth Sciences*, 8, 523-548. <https://doi.org/10.1139/e71-055>
- Ishizuka O., Kimura J.-I., Li Y.B., Stern R.J., Reagan M.K., Taylor R.N., Ohara Y., Bloomer S.H., Ishii T., Hargrove III U.S., Haraguchi S. 2006. Early stage in evolution of Izu-Bonin arc volcanism: new age,

chemical, and isotopic constraints. *Earth and Planetary Science Letters*, 250, 385-401.
<https://doi.org/10.1016/j.epsl.2006.08.007>

Jacobsen S.B., Wasserburg G.J. 1980. Sm-Nd isotopic evolution of chondrites. *Earth and Planetary Science Letters*, 50, 139-155. [https://doi.org/10.1016/0012-821X\(80\)90125-9](https://doi.org/10.1016/0012-821X(80)90125-9)

Jacobson C.E. 1995. Qualitative thermobarometry of inverted metamorphism in the Pelona and Rand Schists, southern California, using calciferous amphibole in mafic schist. *Journal of Metamorphic Geology*, 13, 79-92. <https://doi.org/10.1111/j.1525-1314.1995.tb00206.x>

Jastrzębski M., Żelaźniewicz A., Majka J., Murtezi M., Bazarnik J., Kapitonov I. 2013. Constraints on the Devonian-Carboniferous closure of the Rheic Ocean from a multi-method geochronology study of the Staré Město Belt in the Sudetes (Poland and the Czech Republic). *Lithos*, 170-171, 54-72.
<https://doi.org/10.1016/j.lithos.2013.02.021>

Jastrzębski M., Żelaźniewicz A., Nowak I., Murtezi M., Larionov A.N. 2010. Protolith age and provenance of metasedimentary rocks in Variscan allochthon units: U/Pb SHRIMP zircon data from the Orlica-Śnieżnik Dome, West Sudetes. *Geological Magazine*, 147, 416-433.
<https://doi.org/10.1017/S0016756809990501>

Jenner G.A. 1981. Geochemistry of high-Mg andesites from Cape Vogel, Papua New Guinea. *Chemical Geology*, 33, 307-332. [https://doi.org/10.1016/0009-2541\(81\)90106-6](https://doi.org/10.1016/0009-2541(81)90106-6)

Jochum K.P., Hofmann A.W. 1997. Constraints on earth evolution from antimony in mantle-derived rocks. *Chemical Geology*, 139(1-4), 39-49. [https://doi.org/10.1016/S0009-2541\(97\)00032-6](https://doi.org/10.1016/S0009-2541(97)00032-6)

John T., Klemd R., Hirdes W., Loh G. 1999. The metamorphic evolution of the Paleoproterozoic (Birimian) volcanic Ashanti belt (Ghana, West Africa). *Precambrian Research*, 98, 11-30.
[https://doi.org/10.1016/S0301-9268\(99\)00024-8](https://doi.org/10.1016/S0301-9268(99)00024-8)

Johnson M.C., Plank T. 1999. Dehydration and melting experiments constrain the fate of subducted sediments. *Geochemistry, Geophysics, Geosystems*, 1, 1999GC000014.
<https://doi.org/10.1029/1999GC000014>

Kachlík V., Janoušek V., Heřmánek R., Vítková R. 2001. Whole-rock geochemistry and Nd isotopic composition of metavolcanics from the Netvořice-Neveklov and Sedlčany-Krásná Hora islets: their petrogenesis and implications for geodynamic processes at the Teplá-Barrandian-Moldanubian boundary. *Geolines*, 13, 72-73.

Kamenetsky V.S., Sobolev A.V., Eggins S.M., Crawford A.J., Arculus R.J. 2002. Olivine-enriched melt inclusions in chromites from low-Ca boninites, Cape Vogel, Papua-New Guinea: evidence for ultramafic primary magma, refractory mantle source and enriched components. *Chemical Geology*, 183, 287-303. [https://doi.org/10.1016/S0009-2541\(01\)00380-1](https://doi.org/10.1016/S0009-2541(01)00380-1)

Kelemen P.B., Yogodzinski G.M., Scholl D.W. 2003. Alongstrike variation in the Aleutian island arc: genesis of high-Mg# andesite and implications for continental crust. In: *Inside the Subduction Factory*, ed. J. Eiler. *Geophysics Monographs AGU*, 138, 223-276. <https://doi.org/10.1029/138GM11>

Kellogg L.H., Bradford H., Hager B.H., van der Hilst R.D. 1999. Compositional stratification in the Deep Mantle. *Science*, 283, 1881-1884. <https://doi.org/10.1126/science.283.5409.1881>

Keskin M., Pearce J.A., Mitchell J.G. 1998. Volcano-stratigraphy and geochemistry of collision-related volcanism of the Erzurum-Kars Plateau, North Eastern Turkey. *Journal of Volcanology and Geothermal Research*, 85, 355-404. [https://doi.org/10.1016/S0377-0273\(98\)00063-8](https://doi.org/10.1016/S0377-0273(98)00063-8)

Kessel R., Schmidt M.W., Ulmer P., Pettke T. 2005. Trace element signature of subduction-zone fluids, melts and supercritical liquids at 120-180 km depth. *Nature*, 437, 724-727.

<https://doi.org/10.1038/nature03971>

Kinzler R.J., Grove T.L. 1992. Primary magmas of mid-ocean ridge basalts 2. Applications. *Journal of Geophysical Research*, 97, 6907-6926. <https://doi.org/10.1029/91JB02841>

Knoper M.W., Condie K.C. 1988. Geochemistry and petrogenesis of Early Proterozoic amphibolites, West-Central Colorado, USA. *Chemical Geology*, 67, 209-225. [https://doi.org/10.1016/0009-2541\(88\)90129-5](https://doi.org/10.1016/0009-2541(88)90129-5)

Kodym O., Svoboda J. 1948. Kaledonská přikrovová stavba Krkonoš a Jizerských Hor. *Sborník statného geologického ústavu*, 15, 109-180.

Kodym O., Svoboda J. 1949. Zpráva o geologických výzkumech v Orlických horách (list gener. Mapy Vysoké Myto). *Věstník Ústředního ústavu geologického*, 24, 106-109.

Kohn M., Spear F. 1990. Two new geobarometers for garnet amphibolites, with applications to southeastern Vermont. *American Mineralogist*, 75, 89-96.

Krienitz M.-S., Haase K.M., Mezger K., Eckardt V., Shaikh-Mashail M..A. 2006. Magma genesis and crustal contamination of continental intraplate lavas in northwestern Syria. *Contributions to Mineralogy and Petrology*, 151, 698-716. <https://doi.org/10.1007/s00410-006-0088-1>

Kryza R., Fanning C.M. 2007. Devonian deep-crustal processes and uplift in the Variscan Orogen: evidence from SHRIMP zircon ages from the HT-HP granulites and migmatites of the Góry Sowie (Polish Sudetes). *Geodynamica Acta*, 20, 159-175. <https://doi.org/10.3166/ga.20.159-175>

Kryza R., Mazur S. 1995. Contrasting metamorphic paths in the SE part of the Karkonosze-Izera Block (Western Sudetes, SW Poland). *Neues Jahrbuch für Mineralogie - Abhandlungen*, 169, 157-192.

Kryza R., Mazur S., Pin C. 2003. Subduction- and non-subductionrelated igneous rocks in the Central-European Variscides: geochemical and Nd isotope evidence for a composite origin of the Kłodzko Metamorphic Complex, Polish Sudetes. *Geodynamica Acta*, 16, 39-57. [https://doi.org/10.1016/S0985-3111\(02\)00004-9](https://doi.org/10.1016/S0985-3111(02)00004-9)

Kryza R., Pin C. 2010. The Central-Sudetic ophiolites (SW Poland): petrogenetic issues, geochronology and palaeotectonic implications. *Gondwana Research*, 17, 292-305.

<https://doi.org/10.1016/j.jgr.2009.11.001>

Kryza R., Pin C., Vielzeuf D. 1996. High pressure granulites from the Sudetes (SW Poland): evidence of crustal subduction and collisional thickening in the Variscan Belt. *Journal of Metamorphic Geology*, 14, 531-546. <https://doi.org/10.1046/j.1525-1314.1996.03710.x>

Kröner A., Hegner E., Hammer J., Haase G., Bielicki K.H., Krauss M., Eidam J. 1994. Geochronology and Nd-Sr systematics of Lusatian granitoids: significance for the evolution of the Variscan orogen in east-central Europe. *Geologische Rundschau*, 83, 375-376. https://doi.org/10.1007/978-3-662-38521-0_12

Kröner A., Jaeckel P., Hegner E., Opletal M. 2001. Single zircon ages and whole-rock Nd isotopic systematics of early Palaeozoic granitoid gneisses from the Czech and Polish Sudetes (Jizerské hory, Krkonoše and Orlice-Sniežnik Complex). *International Journal of Earth Sciences*, 90, 304-324.

<https://doi.org/10.1007/s005310000139>

Kröner A., Štípská P., Schulmann K., Jaeckel P. 2000. Chronological constraints on the pre-Variscan evolution of the northeastern margin of the Bohemian Massif, Czech Republic. In: *Orogenic Processes: Quantification and Modelling in the Variscan Belt*, eds. W. Franke, V. Haack, O. Oncken, D. Tanner. Geological Society of London Special Publication, 179, 175-197.

<https://doi.org/10.1144/GSL.SP.2000.179.01.12>

Kumar K.V., Rathna K. 2008. Geochemistry of the mafic dykes in the Prakasam Alkaline Province of Eastern Ghats Belt, India: implications for the genesis of continental rift-zone magmatism. *Lithos*, 104, 306-326. <https://doi.org/10.1016/j.lithos.2007.12.012>

König S., Münker C., Schuth S., Luguet A., Hoffmann J.E., Kuduon J. 2010. Boninites as windows into trace element mobility in subduction zones. *Geochimica et Cosmochimica Acta*, 74, 684-704.

<https://doi.org/10.1016/j.gca.2009.10.011>

König S., Schuth S. 2011. Deep melting of old subducted oceanic crust recorded by superchondritic Nb/Ta in modern island arc lavas. *Earth and Planetary Science Letters*, 301, 265-274.

<https://doi.org/10.1016/j.epsl.2010.11.007>

La Flèche M.R., Camire G., Jenner G.A. 1998. Geochemistry of post-Acadian, Carboniferous Continental intraplate basalts from the Maritimes Basin, Magdalen Islands, Quebec, Canada. *Chemical Geology*, 148, 115-136. [https://doi.org/10.1016/S0009-2541\(98\)00002-3](https://doi.org/10.1016/S0009-2541(98)00002-3)

Laird J. 1980. Phase equilibria in mafic schist from Vermont. *Journal of Petrology*. 21, 1, 1-37.

<https://doi.org/10.1093/petrology/21.1.1-a>

Laird J. 1988. Chlorites: metamorphic petrology. *Reviews in Mineralogy and Geochemistry*, 19, 405-453. <https://doi.org/10.1515/9781501508998-016>

Laird J., Albee A.L. 1981. Pressure, temperature, and time indicators in mafic schist: their application to reconstructing the polymetamorphic history of Vermont. *American Journal of Science*, 281, 127-175. <https://doi.org/10.2475/ajs.281.2.127>

Lange U., Bröcker M., Armstrong R., Żelaźniewicz A., Trapp E., Mezger K. 2005. The orthogneisses of the Orlica-Śnieżnik complex (West Sudetes, Poland): geochemical characteristics, the importance of pre-Variscan migmatization and constraints on the cooling history. *Journal of the Geological Society, London*, 162, 973-984. <https://doi.org/10.1144/0016-764904-095>

Lange U., Bröcker M., Mezger K., Don J. 2002. Geochemistry and Rb-Sr geochronology of a ductile shear zone in the Orlica-Śnieżnik dome (West Sudetes, Poland). *International Journal of Earth Sciences*, 91, 1005-1016. <https://doi.org/10.1007/s00531-002-0281-z>

Le Bas M. J., Le Maitre T.W., Woolley A.R., 1992. The construction of the total alkali-silica chemical classification of volcanic rocks. *Mineralogy and Petrology*, 48, 1-22.

<https://doi.org/10.1007/BF01160698>

Leake B.E., Woolley A.R., Birch W.D., Burke E.A.J., Ferraris G., Grice J.D., Hawthorne F.C., Kisch H.J., Krivovichev V.G., Schumacher J.C., Stephenson N.C.N., Whittaker E.J. W. 2004. Nomenclature of amphiboles: additions and revisions to the International Mineralogical Association's amphibole nomenclature. *European Journal of Mineralogy*, 16 191-196. <https://doi.org/10.1127/0935-1221/2004/0016-0191>

Leat P.T., Thompson R.N., Morrison M.A., Hendry G.L., Dickin A.P. 1988. Compositionally-diverse Miocene-Recent rift related magmatism in northwest Colorado: partial melting, and mixing of mafic

magma from 3 different asthenospheric and lithospheric mantle sources. In: Oceanic and continental lithosphere: similarities and differences, eds. K.G. Cox, M.A. Menzies. *Journal of Petrology*, Special Volume, 1, 351-377. https://doi.org/10.1093/petrology/Special_Volume.1.351

Leeman W.P., Tonarini S., Chan L.H., Borg L.E. 2004. Boron and lithium isotopic variations in a hot subduction zone - the southern Washington Cascades. *Chemical Geology*, 212, 101-124. <https://doi.org/10.1016/j.chemgeo.2004.08.010>

LeFèvre B., Pin C. 2005. A straightforward separation scheme for concomitant Lu-Hf and Sm-Nd isotope ratio and isotope dilution analysis. *Analytica Chimica Acta*, 543, 209-221. <https://doi.org/10.1016/j.aca.2005.04.044>

Linnemann U., Gerdes A., Drost K., Buschmann B. 2007. The continuum between Cadomian orogenesis and opening of the Rheic Ocean: Constraints from LA-ICP-MS U-Pb zircon dating and analysis of plate-tectonic setting (Saxo-Thuringian zone, northeastern Bohemian Massif, Germany). In: *The Evolution of the Rheic Ocean: From Avalonian-Cadomian Active Margin to Alleghenian-Variscan Collision*, eds. R.D. Kraft, G. Zulauf. *Geological Society of America Special Paper*, 423, 61-96. [https://doi.org/10.1130/2007.2423\(03\)](https://doi.org/10.1130/2007.2423(03))

Linnemann U., Pereira F., Jeffries T.E., Drost K., Gerdes A. 2008a. The Cadomian Orogeny and the opening of the Rheic Ocean; the diachrony of geotectonic processes constrained by LA-ICP-MS U/Pb zircon dating (Ossa-Morena and Saxo-Thuringian zones, Iberian and Bohemian massifs). *Tectonophysics*, 461, 21-43. <https://doi.org/10.1016/j.tecto.2008.05.002>

Linnemann U., Romer R.L., Pin C., Aleksandrowski P., Buřa Z., Geisler T., Kachlik V., Krzemińska E., Mazur S., Motuza G., Murphy J.B., Nance R.D., Pisarevsky S.A., Schulz B., Ulrich J., Wiszniewska J., Źaba J., Zeh A. 2008b. Precambrian. In: *The Geology of Central Europe, Volume 1: Precambrian and Palaeozoic*, ed. T. McCann. The Geological Society London, 21-102.

Liogys V.A., Jenkins D.M. 2000. Hornblende geothermometry of amphibolite layers of the Popple Hill gneiss, north-west Adirondack Lowlands, New York, USA. *Journal of Metamorphic Geology*, 2000, 513-530. <https://doi.org/10.1046/j.1525-1314.2000.00271.x>

Lucks H., Schulz B., Audren C., Triboulet C. 2002. Variscan pressure-temperature evolution of garnet pyroxenites and amphibolites in the Baie d'Audierne metamorphic series, Brittany (France). *Geological Society of America Special Paper*, 364, 89-103. <https://doi.org/10.1130/0-8137-2364-7.89>

Macera P.M., Gasperini D., Ranalli G., Mahatsent R. 2008. Slab detachment and mantle plume upwelling in subduction zones: an example from the Italian South-Eastern Alps. *Journal of Geodynamics*, 45, 32-48. <https://doi.org/10.1016/j.jog.2007.03.004>

Mašek J. 2000. Stratigraphy of the Proterozoic of the Barrandian area: *Věstník Českého Geologického Ústavu*, 75, 197-200.

Matte Ph., Maluski H., Rajlich P., Franke W. 1990. Terrane boundaries in the Bohemian Massif: results of large-scale Variscan shearing. *Tectonophysics*, 177, 151-170. [https://doi.org/10.1016/0040-1951\(90\)90279-H](https://doi.org/10.1016/0040-1951(90)90279-H)

Mazur S., Aleksandrowski P., Szczepański J. 2005. The presumed Teplá-Barrandian/Moldanubian terrane boundary in the Orlica Mountains (Sudetes, Bohemian Massif): structural and petrological characteristics. *Lithos*, 82, 85 - 112. <https://doi.org/10.1016/j.lithos.2004.12.008>

- Mazur S., Szczepański J., Turniak K., McNaughton N.J. 2012. Location of the Rheic suture in the eastern Bohemian Massif: evidence from detrital zircon data. *Terra Nova*, 24, 199-206. <https://doi.org/10.1111/j.1365-3121.2011.01053.x>
- Mazur S., Turniak K., Bröcker M. 2004. Neoproterozoic and Cambro-Ordovician magmatism in the Variscan Kłodzko Metamorphic Complex (West Sudetes, Poland): new insights from U/Pb zircon dating. *International Journal of Earth Sciences*, 93, 758-772. <https://doi.org/10.1007/s00531-004-0417-4>
- Mäder U.K., Percival J.A., Berman R.G. 1994. Thermobarometry of garnet-clinopyroxene-hornblende granulite from the Kapuskasing structural zone. *Canadian Journal of Earth Sciences*, 31, 1134-1145. <https://doi.org/10.1139/e94-101>
- McCulloch M.T., Gamble J.A. 1991. Geochemical and geodynamical constraints on subduction zone magmatism. *Earth and Planetary Science Letters*, 102, 358-374. [https://doi.org/10.1016/0012-821X\(91\)90029-H](https://doi.org/10.1016/0012-821X(91)90029-H)
- McDade P., Blundy J., Wood B.J. 2003. Trace element partitioning on the Tinaquillo lherzolite solidus at 1.5 GPa. *Physics of Earth and Planetary Interiors*, 139, 129-147. [https://doi.org/10.1016/S0031-9201\(03\)00149-3](https://doi.org/10.1016/S0031-9201(03)00149-3)
- McKenzie D., Bickle M.J. 1988. The volume and composition of melt generated by extension of the lithosphere. *Journal of Petrology*, 29, 625-679. <https://doi.org/10.1093/petrology/29.3.625>
- McKenzie D.P., Jackson J., Priestley K. 2005. Thermal structure of oceanic and continental lithosphere, *Earth and Planetary Science Letters*, 233, 337-349. <https://doi.org/10.1016/j.epsl.2005.02.005>
- McKenzie D.P., O'Nions R.K. 1991. Partial melt distributions from inversion of rare earth element concentrations. *Journal of Petrology*, 32, 1021-1091. <https://doi.org/10.1093/petrology/32.5.1021>
- McKenzie D.P., O'Nions R.K. 1995. The source regions of ocean island basalts. *Journal of Petrology*, 36, 133-159. <https://doi.org/10.1093/petrology/36.1.133>
- Meibom A., Anderson D. L. 2004. The statistical upper mantle assemblage. *Earth and Planetary Science Letters*, 217, 123-139. [https://doi.org/10.1016/S0012-821X\(03\)00573-9](https://doi.org/10.1016/S0012-821X(03)00573-9)
- Menzies M.A., Kempton P.D., Dungan M.A. 1985. Interaction of continental lithosphere and asthenospheric melts below the Geronimo volcanic field, Arizona, USA. *Journal of Petrology*, 26, 663-693. <https://doi.org/10.1093/petrology/26.3.663>
- Meschede M. 1986. A method of discriminating between different types of mid-ocean ridge basalts and continental tholeiites with the Nb-Zr-Y diagram. *Chemical Geology*, 56, 207-218. [https://doi.org/10.1016/0009-2541\(86\)90004-5](https://doi.org/10.1016/0009-2541(86)90004-5)
- Miller D.M., Goldstein S.L., Langmuir C.H. 1994. Cerium/lead and lead isotope ratios in arc magmas and the enrichment of lead in the continents. *Nature*, 368, 514-520. <https://doi.org/10.1038/368514a0>
- Misař Z. 1958. K rozšíření o charekteristice metamorfovaného proterozoika na severovýchodním okraji Českého masivu. *Acta Universitatis Carolinae Geologia*, 3, 215-220.
- Misař Z., Dudek A., Havlena V., Weiss J. 1983. *Geologie ČSSR. I. Český masiv. Státní Pedagogické Nakladatelství, Praha*, 1 -333.

- Miyashiro A. 1994. *Metamorphic petrology*. London, University College London Press, 1-404.
- Morgan J.P., Morgan W.J. 1999. Two-stage melting and the geochemical evolution of the mantle: a recipe for mantle plum pudding. *Earth and Planetary Science Letters*, 170, 215-239. [https://doi.org/10.1016/S0012-821X\(99\)00114-4](https://doi.org/10.1016/S0012-821X(99)00114-4)
- Morgan W.J. 1971. Convection plumes in lower mantle. *Nature*, 230, 42-43. <https://doi.org/10.1038/230042a0>
- Morris J.D., Hart S.R. 1983. Isotopic and incompatible element constraints on the genesis of island arc volcanics from Cold Bay and Amak Island, Aleutians, and implications for mantle structure: *Geochimica et Cosmochimica Acta*, 47, 2015-2030. [https://doi.org/10.1016/0016-7037\(83\)90217-X](https://doi.org/10.1016/0016-7037(83)90217-X)
- Murphy J.B., Gutierrez-Alonso G., Nance R.D., Fernandez-Suarez J., Keppie J.D., Quesada C., Dostal J., Braid J.A. 2009. Rhenish Ocean mafic complexes: overview and synthesis. Geological Society, London Special Publications, 327, 343-369. <https://doi.org/10.1144/SP327.15>
- Murphy J.B., Gutierrez-Alonso G., Nance R.D., Fernandez-Suarez J., Keppie J.D., Quesada C., Strachan R.A., Dostal J. 2006. Origin of the Rhenish Ocean: Rifting along a Neoproterozoic suture? *Geology*, 34, 325. <https://doi.org/10.1130/G22068.1>
- Murtezi M., 2006. The acid metavolcanic rocks of the Orlica-Śnieżnik Dome (Sudetes): their origin and tectonometamorphic evolution. *Geologia Sudetica*, 38, 1-38.
- Murtezi M., Fanning M. 2005. Petrogenesis, age and tectono-metamorphic evolution of the acid metavolcanites of the Stronie Formation (Orlica-Śnieżnik Dome, Sudetes, SW Poland). *Geolines*, 19, 85.
- Mysen B.O., Kushiro I. 1977. Compositional variations of coexisting phases with degree of melting of peridotite in the upper mantle. *American Mineralogist*, 62, 843-865.
- Nakajima T., Banno S., Suzuki T. 1977. Reactions leading to the disappearance of pumpellyite in low-grade metamorphic basic rocks of the Sanbagawa Metamorphic Belt in Central Shikoku, Japan. *Journal of Petrology*, 18, 263-284. <https://doi.org/10.1093/petrology/18.2.263>
- Nance R.D., Gutiérrez-Alonso G., Keppie J.D., Linnemann U., Murphy J.B., Quesada C., Strachan R.A., Woodcock N.H. 2010. Evolution of the Rhenish Ocean. *Gondwana Research*, 17, 194-222. <https://doi.org/10.1016/j.gr.2009.08.001>
- Nance R.D., Murphy J.B., Keppie J.D. 2002. A Cordilleran model for the evolution of Avalonia. *Tectonophysics*, 352, 1-21. [https://doi.org/10.1016/S0040-1951\(02\)00187-7](https://doi.org/10.1016/S0040-1951(02)00187-7)
- Newton R.C., Charlu T.V., Kleppa O.J. 1980. Thermochemistry of the high structural state plagioclases. *Geochimica Cosmochimica Acta*, 44, 933-941. [https://doi.org/10.1016/0016-7037\(80\)90283-5](https://doi.org/10.1016/0016-7037(80)90283-5)
- Niu Y.L., O'Hara M.J., Pearce J.A. 2003. Initiation of subduction zones as a consequence of lateral compositional buoyancy contrast within the lithosphere: A petrologic perspective. *Journal of Petrology*, 44, 851-866. <https://doi.org/10.1093/petrology/44.5.851>
- Nowak I., Żelaźniewicz A. 2005. Metabasites of the Nové Město group, West Sudetes: a rift-related bimodal sequence incorporated in a Variscan nappe structure. *Geolines*, 19, 91-92.
- Nowak I., Żelaźniewicz A. 2006. Geochemistry of metabasites in the Stronie group and Nové Město group, the Orlica-Śnieżnik dome, West Sudetes. *Geolines*, 20, 102-201.

- Oberc-Dziedzic T., Klimas K., Kryza R., Fanning C.M. 2003. SHRIMP U-Pb zircon geochronology of the Strzelin gneiss, SW Poland: evidence for a Neoproterozoic thermal event in the Fore-Sudetic Block, Central European Variscides. *International Journal of Earth Sciences*, 92, 701-711. <https://doi.org/10.1007/s00531-003-0345-8>
- Okamoto A., Toriumi M. 2004. Optimal mixing properties of calcic and subcalcic amphiboles: application of Gibbs' method to the Sanbagawa schists, SW Japan. *Contributions to Mineralogy and Petrology*, 146, 529-545. <https://doi.org/10.1007/s00410-003-0526-2>
- Opletal M., Domečka K. 1983. *Prehledná geologická mapa Orlických Hor 1 : 100 000. Ústřední ústav geologický, Praha.*
- Opletal M., Domečka K., Čech S., Cuta M., Fajst M., Holub V., Kacura G., Libalova J., Posmourny K., Sekyra J., Strida M., Salansky K., Sulcek Z., Tasler R., Valecka J. 1980. *Geologie Orlických Hor. Ústřední ústav geologický, Praha. 1-202.*
- Opletal M., Jelinek E., Pecina V., Posmurny K., Poubova E. 1990. Metavolcanites of the SE part of the lugićum, their geochemistry and geotectonic interpretation. *Sbornik geologických věd*, 45, 37-64.
- Orozco-Esquivel T., Petrone C. M., Ferrari L., Tagami T., Manetti P. 2007. Geochemical and isotopic variability in lavas from the eastern Trans-Mexican Volcanic Belt: Slab detachment in a subduction zone with varying dip. *Lithos*, 93, 149-174. <https://doi.org/10.1016/j.lithos.2006.06.006>
- Pagé P., Bédard J.H., Tremblay A. 2009. Geochemical variations in a depleted fore-arc mantle: The Ordovician Thetford Mines Ophiolite. *Lithos*, 113, 21-47. <https://doi.org/10.1016/j.lithos.2009.03.030>
- Palmeri R., Sandroni S., Godard G., Ricci C.A. 2012. Boninite-derived amphibolites from the Lanterman-Mariner suture (northern Victoria Land, Antarctica): New geochemical and petrological data. *Lithos*, 140-141, 200-223. <https://doi.org/10.1016/j.lithos.2012.02.001>
- Pan Y., Fleet M.E. 1996. Rare earth element mobility during prograde granulite facies metamorphism: significance of fluorine. *Contributions to Mineralogy and Petrology*, 123, 251-262. <https://doi.org/10.1007/s004100050154>
- Parry M., Stipska P., Schulmann K., Hroudá F., Jezek J., Kröner A. 1997. Tonalite sill emplacement at an oblique plate boundary: northeastern margin of the Bohemian Massif. *Tectonophysics*, 280, 61-81. [https://doi.org/10.1016/S0040-1951\(97\)00146-7](https://doi.org/10.1016/S0040-1951(97)00146-7)
- Patočka F., Dostal J., Pin C. 1997. Early Palaeozoic intracontinental rifting in the central west Sudetes, Bohemian Massif: geochemical and Sr-Nd isotopic study on felsic-mafic meta-volcanics of the Rychory Mts Complex. *Terra Nova Abstracts Supplement 1*, 144-145.
- Pauk F. 1953. Poznámky ke geologii Orlických Hor a Králického Sněžníku. *Věstník Ústředního ústavu geologického*, 28, 193-212.
- Pearce J.A. 1982. Trace element characteristics of lavas from destructive plate boundaries. In: *Andesites, orogenic andesites and related rocks*, ed. R. Thorpe, Chichester, Wiley, 525-548.
- Pearce J.A. 1983. The role of sub-continental lithosphere in magma genesis at destructive plate margins. In: *Continental basalts and mantle xenoliths*, Nantwich. Shiva, eds. Hawkesworth C.J., Norry M.J., 230-249.
- Pearce J.A. 2005. Mantle preconditioning by melt extraction during flow: theory and petrogenetic implications. *Journal of Petrology*, 46, 973-997. <https://doi.org/10.1093/petrology/egi007>

- Pearce J.A. 2008. Geochemical fingerprinting of oceanic basalts with applications to ophiolite classification and the search for Archean oceanic crust. *Lithos*, 100, 14-48. <https://doi.org/10.1016/j.lithos.2007.06.016>
- Pearce J.A., Ernewein M., Bloomer S.H., Parson L.M., Murton B.J., Johnson L.E. 1995, Geochemistry of Lau Basin volcanic rocks: Influence of ridge segmentation and arc proximity. In: *Volcanism associated with extension at consuming plate margins*, ed. Smellie J.L, London, Geological Society of London Special Publication 81, p. 53-75. <https://doi.org/10.1144/GSL.SP.1994.081.01.04>
- Pearce J.A., Norry M.J. 1979. Petrogenetic implications of Ti, Zr, Y, and Nb variations in volcanic rocks. *Contributions to Mineralogy and Petrology*, 69, 33-47. <https://doi.org/10.1007/BF00375192>
- Pearce J.A., Parkinson I.J. 1993. Trace element models for mantle melting: application to volcanic arc petrogenesis. In: *Magmatic Processes and Plate Tectonics*, eds. H.M. Pritchard, T. Alabaster, N.B.W. Harris, C.R. Nearly. Geological Society of London Special Publication, 76, 373-403. <https://doi.org/10.1144/GSL.SP.1993.076.01.19>
- Pearce J.A., Peate D.W. 1995. Tectonic implications of the composition of volcanic arc magmas. *Earth and Planetary Science Annual Review*, 23, 251-285. <https://doi.org/10.1146/annurev.earth.23.1.251>
- Pearce J.A., Robinson P.T. 2010. The Troodos ophiolitic complex probably formed in a subduction initiation, slab edge setting. *Gondwana Research*, 18, 60-81. <https://doi.org/10.1016/j.gr.2009.12.003>
- Pearce J.A., Stern R.J. 2006. Origin of back-arc basin magmas: trace element and isotope perspectives. *AGU Geophysical Monograph Series* 166, 63-66. <https://doi.org/10.1029/166GM06>
- Pearce J.A., Van der Laan S.R., Arculus R.J., Murton B.J., Ishii T., Peate D.W., Parkinson I.J. 1992. Boninite and harzburgite from Leg125 (Bonin-Mariana Forearc): a case study of magma genesis during the initial stages of subduction. *Proceedings of the Ocean Drilling Program - Scientific Results* 125, 623-659. <https://doi.org/10.2973/odp.proc.sr.125.172.1992>
- Peccerillo A., Taylor S.R. 1976. Geochemistry of Eocene calc-alkaline volcanic rocks from the Kastamonu area, northern Turkey. *Contributions to Mineralogy and Petrology*, 58, 63-81. <https://doi.org/10.1007/BF00384745>
- Pe-Piper G. 1988. Calcic amphiboles of mafic rocks of the Jeffers Brook plutonic complex, Nova Scotia, Canada. *American Mineralogist*, 73, 993-1006.
- Petrascheck W. 1909. Die krystallinen Schiefer der nordlichen Adlergebirges. *Jahrbuch der kaiserlich-königlichen Geologischen Reichsanstalt*, 60, 427-524.
- Pfänder J.A, Münker C., Stracke A., Mezger K. 2007. Nb/Ta and Zr/Hf in ocean island basalts: implications for crust-mantle differentiation and the fate of niobium. *Earth and Planetary Science Letters*, 254, 158-172. <https://doi.org/10.1016/j.epsl.2006.11.027>
- Pin C. 1990. Variscan oceans: ages, origins and geodynamic implications inferred from geochemical and radiometric data, *Tectonophysics*, 177, 215-227. [https://doi.org/10.1016/0040-1951\(90\)90282-D](https://doi.org/10.1016/0040-1951(90)90282-D)
- Pin C., Marini F. 1993. Early Ordovician continental break-up in Variscan Europe: Nd-Sr isotope and trace element evidence from bimodal igneous associations of the Southern Massif Central, France. *Lithos*, 29, 177-196. [https://doi.org/10.1016/0024-4937\(93\)90016-6](https://doi.org/10.1016/0024-4937(93)90016-6)

- Pin C., Paquette J. L. 1997. A mantle-derived bimodal suite in the Hercynian Belt: Nd isotope and trace element evidence for a subduction-related rift origin of the Late Devonian Brévenne metavolcanics, Massif Central (France). *Contributions to Mineralogy and Petrology*, 129, 222-238. <https://doi.org/10.1007/s004100050334>
- Pin C., Santos Zalduegui J. F. 1997. Sequential separation of light rare-earth elements, thorium and uranium by miniaturized extraction chromatography: application to isotopic analyses of silicate rocks. *Analytica Chimica Acta*, 339, 79-89. [https://doi.org/10.1016/S0003-2670\(96\)00499-0](https://doi.org/10.1016/S0003-2670(96)00499-0)
- Pin C., Waldhausrová J. 2007. Sm-Nd isotope and trace element study of Late Proterozoic metabasalts ("spilites") from the Central Barrandian domain (Bohemian Massif, Czech Republic). In: *The evolution of the Rheic Ocean: From Avalonian-Cadomian active margin to Alleghenian-Variscan collision*, eds. Linnemann U., Nance R.D., Kraft P., Zulauf G. Geological Society of America Special Paper, 423, 231-247. [https://doi.org/10.1130/2007.2423\(10\)](https://doi.org/10.1130/2007.2423(10))
- Plyusnina L.P. 1982. Geothermometry and geobarometry of plagioclase-hornblende bearing assemblages. *Contributions to Mineralogy and Petrology*, 80, 140-146. <https://doi.org/10.1007/BF00374891>
- Polvé M., Allègre C.J. 1980. Orogenic Iherzolite complexes studies by ^{87}Rb - ^{87}Sr : a clue to understand the mantle convection processes? *Earth and Planetary Science Letters*, 51, 71-93. [https://doi.org/10.1016/0012-821X\(80\)90258-7](https://doi.org/10.1016/0012-821X(80)90258-7)
- Powell R., Holland T.J.B. 2008. On thermobarometry. *Journal of Metamorphic Geology*, 26, 155-179. <https://doi.org/10.1111/j.1525-1314.2007.00756.x>
- Presnall D.C., Gudfinnsson G.H. 2011. Oceanic volcanism from the low-velocity zone without mantle plumes. *Journal of Petrology*, 52, 1533-1546. <https://doi.org/10.1093/petrology/egq093>
- Putirka K.D., Perfit M., Ryerson F.J., Jackson M.G. 2007. Ambient and excess mantle temperatures, olivine thermometry, and active vs. passive upwelling. *Chemical Geology*, 241, 177-206. <https://doi.org/10.1016/j.chemgeo.2007.01.014>
- Raase P. 1974. Al and Ti contents of hornblende, indicators of pressure and temperature of regional metamorphism. *Contributions to Mineralogy and Petrology*, 45, 231-236. <https://doi.org/10.1007/BF00383440>
- Raith M. 1976 The Al-Fe(III) epidote miscibility gap in a metamorphic profile through the Penninic Series of the Tauern Window, Austria. *Contributions to Mineralogy and Petrology*, 57, 99-117. <https://doi.org/10.1007/BF00392855>
- Robinson P., Spear F.S., Schumacher J.C., Laird J., Klein C., Evans B., Doolan B.L. 1982 Phase relations of metamorphic amphiboles: natural occurrence and theory. *Reviews in Mineralogy*, 9b, 1-211. <https://doi.org/10.1515/9781501508196-005>
- Rollinson H. 1993. *Using geochemical data: evaluation, presentation, interpretation*. London-New York. Longman Scientific & Technical.
- Rudnick R.L., Gao S. 2003. Composition of the continental crust. *Treatise on Geochemistry*, 3, 1-64. <https://doi.org/10.1016/B0-08-043751-6/03016-4>
- Ruiz Cruz M.D., Sanz de Galdeano D. 2012. Amphibole-derived evidence of medium P/T metamorphic ratio in Alpuja'rride and Federico "HP" units (Western Betic-Northern Rif, Spain and Morocco):

possible interpretations. *International Journal of Earth Sciences*, 101, 221-238.

<https://doi.org/10.1007/s00531-011-0672-0>

Sánchez Martínez S., Arenas R., Andonaegui P., Martínez Catalán J.R., Pearce J.A. 2007. Geochemistry of two associated ophiolites from the Cabo Ortegal Complex (Variscan belt of NW Spain). *GSA Memoirs*, 200, 445-467. [https://doi.org/10.1130/2007.1200\(23\)](https://doi.org/10.1130/2007.1200(23))

Saunders A.D., Tarney J. 1984. Geochemical characteristics of basaltic volcanism within back-arc basins, In: *Marginal basin geology*, eds. B.P. Kokelaar, M.F. Howell. Oxford, Blackwell Scientific Publications for the Geological Society of London, 59-76.

Publications for the Geological Society of London, 59-76.

Schellart W.P. 2004. Kinematics of subduction and subduction-induced flow in the upper mantle: *Journal of Geophysical Research*, 109, B07401, <https://doi.org/10.1029/2004JB002970>

Schulmann K., Gayer R. 2000. A model for a continental accretionary wedge developed by oblique collision: the NE Bohemian Massif. *Journal of the Geological Society, London*, 157, 401-416.

<https://doi.org/10.1144/jgs.157.2.401>

Schulmann K., Konopásek J., Janoušek V., Lexa O., Lardeaux J.-M., Edel J.-B., Štípská P., Ulrich S. 2009. An Andean type Palaeozoic convergence in the Bohemian Massif. *Comptes Rendus Geoscience*, 341, 266-86. <https://doi.org/10.1016/j.crte.2008.12.006>

Schulz B., Triboulet C., Audren C. 1995. Microstructures and mineral chemistry in amphibolites from the Western Tauern Window (Eastern Alps), and P-T deformation paths of the Alpine greenschist amphibolite facies metamorphism. *Mineralogical Magazine*, 59, 641-659.

<https://doi.org/10.1180/minmag.1995.059.397.08>

Schulz B., Triboulet C., Audren C., Preifer H.R., Gilg A. 2001. Two-stage prograde and retrograde Variscan metamorphism of glaucophane-eclogites, blueschists and greenschists from Ile de Groix (Brittany, France). *International Journal of Earth Sciences*, 90, 871-889.

<https://doi.org/10.1007/s005310000156>

Schumacher J.C. 1997. The estimation of ferric iron in electron microprobe analysis of amphiboles. *Mineralogical Magazine*, 61, 312-321.

Schumacher J.C. 2007. Metamorphic amphiboles: composition and coexistence. *Reviews in Mineralogy and Geochemistry*, 67, 359-416. <https://doi.org/10.2138/rmg.2007.67.10>

Sears J.W., George G.M.S., Winne J.C. 2005. Continental rift systems and anorogenic magmatism. *Lithos*, 80, 147-154. <https://doi.org/10.1016/j.lithos.2004.05.009>

Shane P., Lorna J., Strachan L.J., Smith I. 2010. Redefining the Waitemata Basin, New Zealand: A new tectonic, magmatic, and basin evolution model at a subduction terminus in the SW Pacific.

Geochemistry, Geophysics, Geosystems, 11, Q04008, <https://doi.org/10.1029/2009GC002705>

Shaw D.M. 1970. Trace element fractionation during anatexis. *Geochimica et Cosmochimica Acta*, 34, 237-243. [https://doi.org/10.1016/0016-7037\(70\)90009-8](https://doi.org/10.1016/0016-7037(70)90009-8)

Sheraton J.W., Oliver R.L., Stüwe K. 1989. Geochemistry of Proterozoic amphibolite dykes of Commonwealth Bay, Antarctica, and possible correlations with mafic dyke swarms elsewhere in Gondwanaland. *Precambrian Research*, 44, 353-361. [https://doi.org/10.1016/0301-9268\(89\)90052-1](https://doi.org/10.1016/0301-9268(89)90052-1)

- Shervais J.W. 1982. Ti-V plots and petrogenesis of modern and ophiolitic lavas. *Earth and Planetary Science Letters*, 59, 101-118. [https://doi.org/10.1016/0012-821X\(82\)90120-0](https://doi.org/10.1016/0012-821X(82)90120-0)
- Sinton J.M., Ford L.L., Chappell B., McCulloch M.T. 2003. Magma genesis and mantle heterogeneity in the Manus Back-Arc Basin, Papua-New Guinea. *Journal of Petrology*, 44, 159-195. <https://doi.org/10.1093/petrology/44.1.159>
- Skrzypek E., Schulmann K., Štípská P., Chopin C., Lehmann J., Lexa O., Haloda J. 2011. Tectonometamorphic history recorded in garnet porphyroblasts: insights from thermodynamic modeling and electron backscatter diffraction analysis of inclusion trails. *Journal of Metamorphic Geology*, 29, 473-496. <https://doi.org/10.1111/j.1525-1314.2010.00925.x>
- Skrzypek E., Stipska P., Schulmann K., Lexa O., Lexova M. 2011. Prograde and retrograde metamorphic fabrics - a key for understanding burial and exhumation in orogens (Bohemian Massif). *Journal of Metamorphic Geology*, 29, 451-472. <https://doi.org/10.1111/j.1525-1314.2010.00924.x>
- Sláma J., Dunkley D.J., Kachlík V., Kusiak M.A. 2008. Transition from island-arc to passive setting on the continental margin of Gondwana: U-Pb zircon dating of Neoproterozoic metaconglomerates from the SE margin of the Teplá-Barrandian Unit. Bohemian Massif. *Tectonophysics*, 461, 44-59. <https://doi.org/10.1016/j.tecto.2008.03.005>
- Smith A.D. 2009. The fate of subducted oceanic crust and the origin of intraplate volcanism. In: *The Lithosphere: Geochemical Geology, Geophysics*, eds. J.E. Anderson, R.W. Coates, 123-140.
- Smulikowski W. 1999. Metabasic rocks of the Rudawy Janowickie and Lasocki Range - their significance in the study of metamorphic evolution of the east Karkonosze Complex (West Sudetes, NE Bohemian Massif). *Archiwum Mineralogiczne*, 52, 211-274.
- Sobolev A.V., Danyushevsky L.V. 1994. Petrology and geochemistry of boninites from the north termination of the Tonga Trench: constraints on the generation conditions of primary high-Ca boninite magmas. *Journal of Petrology*, 35, 1183-1213. <https://doi.org/10.1093/petrology/35.5.1183>
- Sobolev A.V., Hofmann A.W., Kuzmin D.V., Yaxley G.M., Arndt N.T., Chung S.-L., Danyushevsky L.V., Elliott T., Frey F.A., Garcia M.O., Gurenko A.A., Kamenetsky V.S., Kerr A.C., Krivolutsкая N.A., Matvienkov V.V., Nikogosian I.K., Rocholl A., Sigurdsson I.A., Sushchevskaya N.M., Teklay M. 2007. The amount of recycled crust in sources of mantle-derived melts. *Science* 316, 412-417.
- Sobolev A.V., Portnyagin M.V., Dmitriev L.V., Tsamerian O.P., Danyushevsky L.V., Kononkova N.N., Shimizu N., Robinson P.T. 1993. Petrology of ultramafic lavas and associated rocks of the Troodos Massif, Cyprus. *Petrology*, 1, 331-361.
- Spear F.S. 1980. NaSi-CaAl exchange equilibrium between plagioclase and amphibole. *Contributions to Mineralogy and Petrology*, 72, 33-41. <https://doi.org/10.1007/BF00375566>
- Spear F.S. 1981. An experimental study of hornblende stability and compositional variability in amphibolite. *American Journal of Science*, 281, 697-734. <https://doi.org/10.2475/ajs.281.6.697>
- Spear F.S. 1982. Phase equilibria of amphibolites from the Post Pond Volcanics, Mt. Cube Quadrangle, Vermont. *Journal of Petrology*, 23, 383-426. <https://doi.org/10.1093/petrology/23.3.383>
- Spear F.S. 1993. Metamorphic phase equilibria and pressure-temperature-time paths. *Mineralogical Society of America Monograph*, 1-799.

Spear F.S., Kohn M.J., Florence F.P., Menard T. 1990. A model for garnet and plagioclase growth in pelitic schists: implication for thermobarometry and P-T path determination. *Journal of Metamorphic Geology*, 8, 683-696. <https://doi.org/10.1111/j.1525-1314.1990.tb00495.x>

Staudigel H., Plank T., White B., Schmincke H.C. 1996. Geochemical fluxes during seafloor alteration of the basaltic upper oceanic crust: DSDP sites 417 and 418. *Geophysical Monograph*, 96, 19-38. <https://doi.org/10.1029/GM096p0019>

Stern R.J., Bloomer S.H. 1992. Subduction zone infancy: examples from the Eocene Izu-Bonin-Mariana and Jurassic California arcs. *Geological Society of America Bulletin*, 104, 1621-1636. [https://doi.org/10.1130/0016-7606\(1992\)104<1621:SZIEFT>2.3.CO;2](https://doi.org/10.1130/0016-7606(1992)104<1621:SZIEFT>2.3.CO;2)

Stern R.J., Morris J., Bloomer S.H., Hawkins J.W. 1991. The source of the subduction component in convergent margin magmas: trace element and radiogenic isotope evidence from Eocene boninites, Mariana forearc. *Geochimica et Cosmochimica Acta*, 55, 1467-1481. [https://doi.org/10.1016/0016-7037\(91\)90321-U](https://doi.org/10.1016/0016-7037(91)90321-U)

Štípska P., Schulmann K., Thompson A., Jezek J., Kröner A. 2001. Thermo-mechanical role of a cambroordovician paleorift during the Variscan collision: the ne margin of the Bohemian Massif. *Tectonophysics*, 332, 239-253. [https://doi.org/10.1016/S0040-1951\(00\)00259-6](https://doi.org/10.1016/S0040-1951(00)00259-6)

Sun S.S., Nesbitt R. W. 1978a. Petrogenesis of Archean ultrabasic and basic volcanics: evidence from rare earth elements. *Contributions to Mineralogy and Petrology*, 65, 301-325. <https://doi.org/10.1007/BF00375516>

Sun S.S., Nesbitt R. W. 1978b. Geochemical regularities and genetic significance of ophiolitic Basalts. *Geology*, 6, 689-693. [https://doi.org/10.1130/0091-7613\(1978\)6<689:GRAGSO>2.0.CO;2](https://doi.org/10.1130/0091-7613(1978)6<689:GRAGSO>2.0.CO;2)

Sun S.S., McDonough W.F. 1989. Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes. In: *Magmatism in ocean basins*, eds. A.D. Saunders, M.J. Norry. Geological Society of London Special Publication, 42, 313-345. <https://doi.org/10.1144/GSL.SP.1989.042.01.19>

Svoboda J., Chaloupsky J. et al. 1961. *Vysvetlivky k prehledne geologicke mape CSR 1:200 000*, Nachod. Nakladatelství Československé akademie věd, Praha.,

Szczepański J, 2010. Proweniencja i ewolucja tektonometamorficzna serii suprakrustalnej w krystaliniku Gór Bystrzyckich. *Wrocławska Drukarnia Naukowa PAN, Wrocław*, 1-166.

Szczepański J., Ilnicki S., 2013. From Cadomian arc to Ordovician passive margin: geochemical records preserved in metasedimentary successions of the Orlica-Śnieżnik dome in SW Poland. *Journal of the Geological Society, London*, złożone do druku. <https://doi.org/10.1007/s00531-013-0993-2>

Tait J., Bachtadse V., Franke W., Soffel H. 1997. Geodynamic evolution of the European Variscan fold belt: palaeomagnetic and geological constraints. *Geologische Rundschau*, 86, 585-598. <https://doi.org/10.1007/s005310050165>

Tatsumi Y. 1983. High-magnesian andesites in the Setouchi volcanic belt, southwest Japan and their possible relation to the evolutionary history of the Shikoku inter-arc basin. *AGU Geodynamics Series*, 11, 331-341. <https://doi.org/10.1029/GD011p0331>

Tatsumi Y., Eggins S.M. 1995. *Subduction Zone Magmatism*. Blackwell Science, Oxford, 1-211.

- Tatsumi Y., Hanyu T. 2003. Geochemical modeling of dehydration and partial melting of subducting lithosphere: toward a comprehensive understanding of high-Mg andesite formation in the Setouchi volcanic belt, SW Japan. *Geochemistry, Geophysics, Geosystems*, 4, <https://doi.org/10.1029/2003GC000530>
- Tatsumi Y., Maruyama S. 1989. Boninites and high-Mg andesites: tectonics and petrogenesis. In: *Boninites and Related Rocks*, ed. A. J. Crawford. Unwin Hyman, London, 50-71.
- Taylor R.N., Nesbitt R.W., Vidal P., Harmon R. S., Auvray B., Croudace I. W. 1994. Mineralogy, chemistry, and genesis of the boninite series volcanics, Chichijima, Bonin Islands, Japan. *Journal of Petrology*, 35, 577-617. <https://doi.org/10.1093/petrology/35.3.577>
- Taylor S.R., McLennan S.M. 1995. The geochemical evolution of continental crust. *Reviews of Geophysics*, 33, 241-265 <https://doi.org/10.1029/95RG00262>
- Thiéblemont D., Triboulet C., Godard G. 1988. Mineralogy, petrology and P-T-t path of Ca-Na amphibole assemblages, Saint-Martin des Noyers formation, Vendée, France. *Journal of Metamorphic Geology*, 6, 697-715. <https://doi.org/10.1111/j.1525-1314.1988.tb00449.x>
- Thompson A., England P. 1984. Pressure-temperature-time paths of regional metamorphism. II. Their inference and interpretation using mineral assemblages in metamorphic rocks. *Journal of Petrology*, 25, 4, 929-955. <https://doi.org/10.1093/petrology/25.4.929>
- Thompson G. 1991. Metamorphic and hydrothermal processes: basalt-seawater interactions. In: *Oceanic basalts*, ed. P.A. Floyd. Blackie, Glasgow, 148-173. https://doi.org/10.1007/978-94-011-3042-4_8
- Thompson J., Laird J., Thompson A. 1982. Reactions in amphibolite, greenschist and blueschist. *Journal of Petrology*, 23, 1-27. <https://doi.org/10.1093/petrology/23.1.1>
- Thorkelson D.J. 1994. Ridge subduction: kinematics and implications for the nature of mantle upwelling: discussion. *Canadian Journal of Earth Sciences*, 31, 1486-1489. <https://doi.org/10.1139/e94-131>
- Thorkelson D.J. 1996. Subduction of diverging plates and the principles of slab window formation. *Tectonophysics*, 255, 47- 63. [https://doi.org/10.1016/0040-1951\(95\)00106-9](https://doi.org/10.1016/0040-1951(95)00106-9)
- Timm C., Hoernle K., Werner R., Hauff F., van den Bogaard P., Michael P., Coffin M. F., Koppers A. 2011. Age and geochemistry of the oceanic Manihiki Plateau, SW Pacific: New evidence for a plume origin. *Earth and Planetary Science Letters*, 304, 135-146. <https://doi.org/10.1016/j.epsl.2011.01.025>
- Timmermann H., Krenn E., Dörr W., Finger F. 2003. U-Pb geochronology revealing different monazite generations in the polyphase paragneisses of the Teplá-Barrandian Unit, Northwestern Bohemian Massif: implications for the processes involving monazite formation. *Journal of the Czech Geological Society*, 48, 125-126.
- Triboulet C. 1992. The (Na-Ca)amphibole-albite-chlorite-epidote-quartz geothermobarometer in the system S-A-F-M-C-N-H₂O. 1. An empirical calibration. *Journal of Metamorphic Geology*, 10, 545-556. <https://doi.org/10.1111/j.1525-1314.1992.tb00104.x>
- Triboulet C., Audren C. 1988. Controls on P-T-t deformation path from amphibole zonations during progressive metamorphism of basic rocks (estuary of the River Vilaine, South Brittany, France). *Journal of Metamorphic Geology*, 6, 117-133. <https://doi.org/10.1111/j.1525-1314.1988.tb00412.x>

Triboulet C., Thiéblemont D., Audren C. 1992. The (Na-Ca)amphibole-albite-chlorite-epidote-quartz geothermobarometer in the system S-A-F-M-C-N-H₂O. 2. Applications to metabasic rocks in different metamorphic settings. *Journal of Metamorphic Geology*, 10, 557-566.

<https://doi.org/10.1111/j.1525-1314.1992.tb00105.x>

Turner S., Hawkesworth Ch., Rogers N., Bartletti J., Worthington T., Hergt J., Pearce J., Smith I. 1997. 238U-230Th disequilibria, magma petrogenesis, and flux rates beneath the depleted Tonga-Kermadec island arc. *Geochimica et Cosmochimica Acta*, 61, 4855-4884.

[https://doi.org/10.1016/S0016-7037\(97\)00281-0](https://doi.org/10.1016/S0016-7037(97)00281-0)

Turniak K., Mazur S., Wysoczański R. 2000. SHRIMP zircon geochronology and geochemistry of the Orlica-Śnieżnik gneisses (Variscan belt of Central Europe) and their tectonic implications.

Geodynamica Acta, 13, 1-20. <https://doi.org/10.1080/09853111.2000.11105376>

Umino S., Kushiro I. 1989. Experimental studies on boninite petrogenesis. In: *Boninites and Related Rocks*, ed. A.J. Crawford. Unwin Hyman, London, 89-111.

Van der Laan S.R., Flower M.F.J., Koster van Groos A.F. 1989. Experimental evidence for the origin of boninites: near liquidus phase relations to 7.5 kbar. In: *Boninites and related rocks*, ed. A.J. Crawford. Unwin Hyman, 112-147.

Van Westrenen W., Blundy J.D., Wood B.J. 2001. High field strength element/rare earth element fractionation during partial melting in the presence of garnet: implications for identification of mantle heterogeneities. *Geochemistry, Geophysics, Geosystems*, 2, Paper No. 2000GC000133.

<https://doi.org/10.1029/2000GC000133>

Verma S.P., Guevara M., Agrawal S. 2006. Discriminating four tectonic settings: five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data. *J. Earth Sys. Sci.* 115, 485-528. <https://doi.org/10.1007/BF02702907>

Vítková P., Kachlík V. 2001. Petrology and geochemistry of high-Mg mafic metavolcanics sequence of the Sedlčany-Krásná Hory metamorphic "Islet", Central Bohemian Pluton, Czech Republic.

Krystalinikum, 27, 7-25.

Vogl J.J. 2003. Thermal-baric structure and P-T history of the Brooks Range metamorphic core, Alaska.

Journal of Metamorphic Geology, 21, 269-284 <https://doi.org/10.1046/j.1525-1314.2003.00440.x>

Waldhausrová J. 1984. Proterozoic volcanics and intrusive rocks of the Jílové Zone in Central Bohemia. *Krystalinikum*, 17, 77-97.

Weaver B.L., Tarney J., Windley B.F., Leake B.E. 1982. Geochemistry and petrogenesis of Archean metavolcanic amphibolites from Fiskenaesset, SW Grenland. *Geochimica et Cosmochimica Acta*, 46, 79-95.

[https://doi.org/10.1016/0016-7037\(82\)90195-8](https://doi.org/10.1016/0016-7037(82)90195-8)

Wharton M.R., Hathway B., Colley H. 1995. Volcanism associated with extension in an Oligocene-Miocene arc, southwestern Viti Levu, Fiji. In: *Volcanism associated with extension at consuming plate margins*, ed. J.L. Smellie. Geological Society of London Special Publication, 81, 95-114.

<https://doi.org/10.1144/GSL.SP.1994.081.01.06>

White R., McKenzie D. 1989. Magmatism at rift zones: the generation of volcanic continental margins and flood basalts. *Journal of Geophysical Research*, 94, 7685-7729.

<https://doi.org/10.1029/JB094iB06p07685>

- Will T.M., Schmädicke E. 2001. A first find of retrogressed eclogites in the Odenwald Crystalline Complex, Mid-German Crystalline Rise, Germany: evidence for a so far unrecognised high-pressure metamorphism in the Central Variscides. *Lithos*, 59, 109-125. [https://doi.org/10.1016/S0024-4937\(01\)00059-7](https://doi.org/10.1016/S0024-4937(01)00059-7)
- Willbold M., Stracke A. 2006. Trace element composition of mantle end-members: implications for recycling of oceanic and upper and lower continental crust, *Geochemistry, Geophysics, Geosystems*, 7, Paper No. Q04004, <https://doi.org/10.1029/2005GC001005>
- Willbold M., Stracke A. 2010. Formation of enriched mantle components by recycling of upper and lower continental crust. *Chemical Geology*, 276, 188-197. <https://doi.org/10.1016/j.chemgeo.2010.06.005>
- Wilson M. 1993. *Igneous petrogenesis: a global tectonic approach*. Chapman and Hall, London, 1-466.
- Winchester J.A. 1984. Element mobility associated with synmetamorphic shear zones near Scotchport, NW Mayo, Ireland. *Journal of Metamorphic Geology*, 2, 1-11. <https://doi.org/10.1111/j.1525-1314.1984.tb00281.x>
- Winchester J.A., Floyd P.A. 1976. Geochemical magma type discrimination: application to altered and metamorphosed basic igneous rocks. *Earth and Planetary Science Letters*, 28, 459-469. [https://doi.org/10.1016/0012-821X\(76\)90207-7](https://doi.org/10.1016/0012-821X(76)90207-7)
- Winchester J.A., Floyd P.A. 1977. Geochemical discrimination of different magma series and their differentiation products using immobile elements. *Chemical Geology*, 20, 325-343. [https://doi.org/10.1016/0009-2541\(77\)90057-2](https://doi.org/10.1016/0009-2541(77)90057-2)
- Winchester J. and PACE. 2002. Palaeozoic amalgamation of Central Europe: new result from recent geological and geophysical investigations. *Tectonophysics*, 360, 5-21. [https://doi.org/10.1016/S0040-1951\(02\)00344-X](https://doi.org/10.1016/S0040-1951(02)00344-X)
- Wood D. A. 1980. The application of a Th-Hf-Ta diagram to problems of tectonomagmatic classification and to establishing the nature of crust contamination of basaltic lavas of the British Tertiary volcanic province. *Earth and Planetary Science Letters*, 50, 11-30. [https://doi.org/10.1016/0012-821X\(80\)90116-8](https://doi.org/10.1016/0012-821X(80)90116-8)
- Woodhead J., Eggins S., Gamble J. 1993. High field strength and transition element systematics in Island arc and back-arc basin basalts: evidence for multi-phase melt extraction and a depleted mantle wedge. *Earth and Planetary Science Letters*, 114, 491-504. [https://doi.org/10.1016/0012-821X\(93\)90078-N](https://doi.org/10.1016/0012-821X(93)90078-N)
- Workman R.K., Hart S.R. 2005. Major and trace element composition of the depleted MORB mantle (DMM). *Earth and Planetary Science Letters*, 231, 53-72. <https://doi.org/10.1016/j.epsl.2004.12.005>
- Xia X., Song S., Niu Y. 2012. Tholeiite-boninite terrane in the North Qilian suture zone: implications for subduction initiation and back-arc basin development. *Chemical Geology*, 328, 259-277. <https://doi.org/10.1016/j.chemgeo.2011.12.001>
- Yardley B.W.D. 1989. *An introduction to metamorphic petrology*. London--New York, Longman Scientific & Technical, 1-248.
- Yoder H.S., Tilley C.E. 1962. The origin of basalt magmas: an experimental study of natural and synthetic rocks system. *Journal of Petrology*, 3, 342-532. <https://doi.org/10.1093/petrology/3.3.342>

- Zenk M. 2001. Microstructures, mineral chemistry and geothermobarometry of metabasites from Barrow's mineral zones in the Dalradian of Scotland [in German with English abstract]. *Erlanger geologische Abhandlungen*, 133, 1-199.
- Zenk M., Schulz B. 2004. Zoned Ca-amphiboles and related P-T evolution in metabasites from the classical Barrovian metamorphic zones in Scotland. *Mineralogical Magazine*, 68, 769-786. <https://doi.org/10.1180/0026461046850218>
- Zindler A. 1993. Nd and Sr isotopic studies of komatiites and related rocks. In: *Komatiites*, eds. N.T. Arndt, E.G. Niesbet, George Allen & Unwin Ltd, London, 1983, 399-420.
- Zindler A., Hart S.R. 1986. Chemical geodynamics. *Annual Reviews Earth and Planetary Sciences*, 14, 493-571. <https://doi.org/10.1146/annurev.earth.14.050186.002425>
- Zulauf G., Schritter F., Riegler G., Finger F., Fiala J., Vejnar Z. 1999. Age constraints on the Cadomian evolution of the Teplá-Barrandian unit (Bohemian Massif) through electron microprobe dating of metamorphic monazite. *Zeitschrift der Deutschen Geologischen Gesellschaft*, 180, 627-639.
- Žák J., Kraft P., Hajná J. 2013. Timing, styles, and kinematics of Cambro-Ordovician extension in the Teplá-Barrandian Unit, Bohemian Massif, and its bearing on the opening of the Rheic Ocean. *International Journal of Earth Sciences*, 102, 415-433. <https://doi.org/10.1007/s00531-012-0811-2>
- Želaźniewicz A. 1977. Tectonic and metamorphic events in the Polish part of the Orlickie Mts. *Geologia Sudetica*, 11, 102-169.
- Želaźniewicz A. 1978. Makroskopowe struktury tektoniczne w metamorfiku polskiej części Gór Orlickich. *Geologia Sudetica*, 13, 67-83.
- Želaźniewicz A., Aleksandrowski P., Buła Z., Karnkowski P.H., Konon A., Oszczytko N., Ślącza A.,
- Žaba J., Żytko K. 2011. Regionalizacja Tektoniczna Polski. Komitet Nauk Geologicznych PAN, Wrocław. 1-60.
- Želaźniewicz A., Dörr W., Bylina P., Franke W., Haack H., Schastok J., Grandmontagne K., Kulicki C. 2004. The eastern continuation of the Cadomian orogen: U-Pb zircon evidence from Saxo-Thuringian granitoids in south-western Poland and northern Czech Republic. *International Journal of Earth Sciences*, 93, 773-781. <https://doi.org/10.1007/s00531-004-0418-3>
- Želaźniewicz A., Nowak I., Larionov A.N., Presnyakov S. 2006. Syntectonic lower ordovician migmatite and post-tectonic upper viséan syenite in the western limb of the Orlica-Śnieżnik dome, west Sudetes: U-Pb SHRIMP data from zircons. *Geologia Sudetica*, 38, 63-80.