

Agarwal, D. P. (2002). Cardioprotective effects of light-moderate consumption of alcohol: A review of putative mechanisms. *Alcohol & Alcoholism*, 37, 409-415. <https://doi.org/10.1093/alcalc/37.5.409>

Alcohol Research & Health. (2002). Concepts and terms in genetic research-A Primer. 26, 165-171.

Allen, J. P. & Wilson, V. B. (Eds.). (2005). Assessing alcohol problems: A guide for clinicians and researchers. Bethesda, Maryland: National Institute on Alcohol Abuse and Alcoholism, National Institute of Health Publication 03-3745.

American Psychiatric Association. (1987). Diagnostic and Statistical Manual of Mental Disorders (3rd rev. ed.). Washington, DC: Author.

American Psychiatric Association. (2000). Diagnostic and Statistical Manual of Mental Disorders, (4th rev. ed.). Washington, DC: Author.

Amodio, D. M., & Frith, C. D. (2006). Meeting of minds: The medial frontal cortex and social cognition. *Nature*, 7, 268-277. <https://doi.org/10.1038/nrn1884>

Anton, R. F., O'Malley, S. S., Ciraulo, D. A., Cisler, R. A., Couper, D., Donovan, D. M., et al., for the COMBINE Group. (2006). Combined pharmacotherapies and behavioral interventions for alcohol dependence. The COMBINE study: A randomized controlled trial. *Journal of the American Medical Association*, 295, 2003-2017. <https://doi.org/10.1001/jama.295.17.2003>

Anthony, J. C., Warner, L. A., & Kessler, R. C. (1994). Comparative epidemiology of dependence on tobacco, alcohol, controlled substances, and inhalants: Basic findings from the national comorbidity survey. *Experimental & Clinical Psychopharmacology*, 2, 244-268. <https://doi.org/10.1037/1064-1297.2.3.244>

Arnst, C. (2005, April 11). Can alcoholism be treated? *Business Week*, 96-97.

Asbridge, M., Paulin, C., & Donato, A. (2005). Motor vehicle collision risk and driving under the influence of cannabis: Evidence from adolescents in Atlantic Canada. *Accident Analysis & Prevention*, 37, 1025-1034. <https://doi.org/10.1016/j.aap.2005.05.006>

Berrettini, W. H., Ferraro, T. M., Alexander, R. C., Buchberg, A. M. & Vogel, W. H. (1994). Quantitative trait loci mapping of three loci controlling morphine preference using inbred mouse strains. *Natural Genetics*, 7, 54-58. <https://doi.org/10.1038/ng0594-54>

Bice, R. J., Foroud, T., Carr, L. G., Zhang, L., Liu, L., Grahame, N. J., et al. (2006). Identification of QTLs influencing alcohol preference in the high alcohol preferring (HAP) and low alcohol preferring (LAP) mouse lines. *Behavior Genetics*, 36, 248-260. <https://doi.org/10.1007/s10519-005-9019-6>

Biederman, J., Wilens, T., Mick, E., Spencer, T., & Faraone, S. V. (1999). Pharmacotherapy of attention-deficit/hyperactivity disorder reduces risk for substance use disorder. *Pediatrics*, 104, 1-5. <https://doi.org/10.1542/peds.104.2.e20>

Bierut, L. J., Saccone, N. L., Rice, J. P., Goate, A., Foroud, T., Edenberg, H., et al. (2002). Defining alcohol-related phenotypes in humans. *Alcohol Research & Health*, 26, 208-214. <https://doi.org/10.1097/00000374-200205000-00003>

Blomqvist, O., Gelernter, J., & Kranzler, H. R. (2000). Family-based study of DRD2 alleles in alcohol and drug dependence. *American Journal of Medical Genetics*, 96, 659-664. [https://doi.org/10.1002/1096-8628\(20001009\)96:5<659::AID-AJMG12>3.0.CO;2-G](https://doi.org/10.1002/1096-8628(20001009)96:5<659::AID-AJMG12>3.0.CO;2-G)

- Bonese, K. R., Wainer, B. H., Fitch, F. W., Rothberg, R. M., & Schuster, C. R. (1974). Changes in heroin self-administration by a rhesus monkey after morphine immunization. *Nature*, 252, 708-710.
<https://doi.org/10.1038/252708a0>
- Bowirrat, A., & Oscar-Berman, M. (2005). Relationship between dopaminergic neurotransmission, alcoholism, and Reward Deficiency syndrome. *American Journal of Medical Genetics Part B*, 132B, 29-37. <https://doi.org/10.1002/ajmg.b.30080>
- Breslau, N., David, G. C., & Schultz, L. R. (2003). Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma. *Archives of General Psychiatry*, 60, 289-294. <https://doi.org/10.1001/archpsyc.60.3.289>
- Bressan, R. A., & Pilowsky, L. S. (2000). Imaging the glutamatergic system in vivo: Relevance to schizophrenia. *European Journal of Nuclear Medicine*, 27, 1723-1731.
<https://doi.org/10.1007/s002590000372>
- Brick, J., (Ed.). (2004). *Handbook of the Medical Consequences of Alcohol and Drug Abuse*. New York: Haworth.
- Brick, J., & Erickson, C. K. (1999). *Drugs, the Brain, and Behavior: The Pharmacology of Abuse and Dependence*. Binghamton, NY: Haworth.
- Brunton, L. L., Lazo, J. S., Parker, K. L., Buxton, I. L. O., & Blumenthal, D. (Eds.). (2006). *Goodman & Gilman's The Pharmacological Basis of Therapeutics* (11th Ed.) New York: McGraw-Hill.
- Buchert, R., Thomasius, R., Wilke, E., Petersen, K., Nebeling, B., Obrocki, J., et al. (2004). A voxel-based PET investigation of the long-term effects of "ecstasy" consumption on brain serotonin transporters. *American Journal of Psychiatry*, 161, 1181-1189.
<https://doi.org/10.1176/appi.ajp.161.7.1181>
- Budney, A. J., & Higgins, S. T. (1998). *National Institute on Drug Abuse Therapy Manuals for Drug Addiction, Manual 2. A Community Reinforcement Plus Vouchers Approach: Treating Cocaine Addiction*. Rockville, Maryland. National Institute on Drug Abuse, National Institute of Health Publication 98-4309.
- Budney, A. J., Hughes, J. R., Moore, B. A., & Vandrey, R. (2004). Review of the validity and significance of cannabis withdrawal syndrome. *American Journal of Psychiatry*, 161, 1967-1977.
<https://doi.org/10.1176/appi.ajp.161.11.1967>
- Busch, A. B., Weiss, R. D., & Najavits, L. M. (2005). Co-occurring substance use disorders and other psychiatric disorders. In R. J. Frances, S. I. Miller, & A. H. Mack, (Eds.), *Clinical Textbook of Addictive Disorders* (3rd ed., pp. 271-302), New York: Guilford.
- Cami, J., & Farre, M. (2003). Drug addiction. *New England Journal of Medicine*, 349, 975-86.
<https://doi.org/10.1056/NEJMra023160>
- Campbell, W. G. (2003). Addiction: A disease of volition caused by a cognitive impairment. *The Canadian Journal of Psychiatry*, 48, 669-674. <https://doi.org/10.1177/070674370304801005>
- Carlson, K. R., Saulnier-Dyer, C. M., & Moolten, M. J. (1996). Selective breeding for oral opioid acceptance or rejection in rats. *Pharmacology Biochemistry & Behavior*, 53, 871-876.
[https://doi.org/10.1016/0091-3057\(95\)02099-3](https://doi.org/10.1016/0091-3057(95)02099-3)

- Carr, L. G., Habetter K., Spence, J., Ritochotte, A., Liu, L., Lumeng, L., et al. (2003). Analyses of quantitative trait loci contributing to alcohol preference in HAD1/LAD1 and HAD2/LAD2 rats. *Alcoholism: Clinical & Experimental Research*, 27, 1710-1717. <https://doi.org/10.1097/01.ALC.0000097161.51093.71>
- Carroll, C. B., Bain, P. G., Teare, L., Liu, X., Joint, C., Wroath, C., et al. (2004). Cannabis for dyskinesia in Parkinson disease. *Neurology*, 63, 1245-1250. <https://doi.org/10.1212/01.WNL.0000140288.48796.8E>
- Chambers, R. A., Taylor, J. R., & Potenza, M. N. (2003). Developmental neurocircuitry of motivation in adolescence: A critical period of addiction vulnerability. *American Journal of Psychiatry*, 160, 1041-1052. <https://doi.org/10.1176/appi.ajp.160.6.1041>
- Childress, A. R., Mozley, P. D., McElgin, W., Fitzgerald, J., Reivich, M., & O'Brien, C. P. (1999). Limbic activation during cue-induced cocaine craving. *American Journal of Psychiatry*, 156, 11-18. <https://doi.org/10.1176/ajp.156.1.11>
- Chklovskii, D. B., Mel, B. W., & Svoboda, K. (2004). Cortical rewiring and information storage. *Nature*, 431, 782-788. <https://doi.org/10.1038/nature03012>
- Cloninger, C. R., Bohman, M., & Sigvardsson, S. (1981). Inheritance of alcohol abuse. Crossfostering analysis of adopted men. *Archives of General Psychiatry*, 38, 861-868. <https://doi.org/10.1001/archpsyc.1981.01780330019001>
- Cloninger, C. R., Sigvardsson, S., Gilligan, S. B., von Knorring, A. L., Reich, T., & Bohman, M. (1988). Genetic heterogeneity and the classification of alcoholism. *Advances in Alcohol & Substance Abuse*, 7, 3-16. https://doi.org/10.1300/J251v07n03_02
- Collins, E. D., Kleber, H. D., Whittington, R. A., & Heitler, N. E. (2005). Anesthesia-assisted vs. buprenorphine- or clonidine-assisted heroin detoxification and naltrexone induction. *Journal of the American Medical Association*, 294, 903-913. <https://doi.org/10.1001/jama.294.8.903>
- Compton, P., & Athanasos, P. (2003). Chronic pain, substance abuse and addiction. *Nursing Clinics of North America*, 38, 525-537. [https://doi.org/10.1016/S0029-6465\(02\)00100-7](https://doi.org/10.1016/S0029-6465(02)00100-7)
- Dackis, C. A., Kampman, K. M., Lynch, K. G., Pettinati, H. M., & O'Brien, C. P. (2005). A double-blind, placebo-controlled trial of modafinil for cocaine dependence. *Neuropsychopharmacology*, 30, 205-211. <https://doi.org/10.1038/sj.npp.1300600>
- Dackis, C., & O'Brien, C. (2005). Neurobiology of addiction: Treatment and public policy ramifications. *Nature Neuroscience*, 8, 1431-1436. <https://doi.org/10.1038/nn1105-1431>
- Daglish, M. R. C., & Nutt, D. J. (2003). Brain imaging studies in human addicts. *European Neuropsychopharmacology*, 13, 453-458. <https://doi.org/10.1016/j.euroneuro.2003.08.006>
- D'Aquila, P. S., Peana, A. T., Tanda, O., & Serra, G. (2002). Different sensitivity to the motorstimulating effect of amphetamine in Sardinian alcohol-preferring and non-preferring rats. *European Journal of Pharmacology*, 435, 67-71. [https://doi.org/10.1016/S0014-2999\(01\)01531-X](https://doi.org/10.1016/S0014-2999(01)01531-X)
- Dani, J. A., & Harris, R. A. (2005). Nicotine addiction and comorbidity with alcohol abuse and mental illness. *Nature Neuroscience*, 8, 1465-1470. <https://doi.org/10.1038/nn1580>

- Dasgupta, N., Kramer, E. D., Zalman, M., Carino, S., Smith, M. Y., Haddox, J. D., et al. (2006). Association between non-medical and prescriptive usage of opioids. *Drug & Alcohol Dependence*, 82, 135-142. <https://doi.org/10.1016/j.drugalcdep.2005.08.019>
- Davis, V. E., & Walsh, J. J. (1970). Alcohol, amines, and alkaloids: A possible biochemical basis for alcohol addiction. *Science*, 167, 1005-1007. <https://doi.org/10.1126/science.167.3920.1005>
- Deroche-Gamonet, V., Belin, D., & Piazza, P. V. (2004). Evidence for addiction-like behavior in the rat. *Science*, 305, 1014-1017. <https://doi.org/10.1126/science.1099020>
- Dick, D. M., Edenberg, H. J., Xuei, X., Goate, A., Hesselbrock, V., Schuckit, M., et al. (2005). No association of the GABAA receptor genes on chromosome 5 with alcoholism in the collaborative study on the genetics of alcoholism sample. *American Journal of Medical Genetics Part B*, 132B, 24-28. <https://doi.org/10.1002/ajmg.b.30058>
- Dick, D. M., & Foroud, T. (2002). Genetic strategies to detect genes involved in alcoholism and alcohol-related traits. *Alcohol Research & Health*, 26, 172-174.
- Domino, E. F. (2003). The Pharmacology of NMDA antagonists: Psychotomimetics and dissociative anesthetics. In A. W. Graham, T. K. Schultz, M. E., Mayo-Smith, R. K. Ries, & B. B. Wilford, (Eds.), *Principles of Addiction Medicine* (pp. 287-294).
- Chevy Chase, Maryland: American Society of Addiction Medicine, Inc. Donaldson, D. I. (2004). Parsing brain activity with fMRI and mixed designs: What kind of a state is neuroimaging in? *Trends in Neurosciences*, 27, 442-444. <https://doi.org/10.1016/j.tins.2004.06.001>
- Doyon, W. M., York, J. W., Diaz, L. M., Samson, H. H., Czachowski, C. L. & Gonzales, R. A. (2003). Dopamine activity in the nucleus accumbens during consummatory phases of oral ethanol self-administration. *Alcoholism: Clinical & Experimental Research*, 27, 1573-1582. <https://doi.org/10.1097/01.ALC.0000089959.66222.B8>
- Edenberg, H. J., Dick, D. M., Xuei, X., Tian, H., Almasy, L., Bauer, L. O., et al. (2004). Variations in GABRA2, encoding the alpha 2 subunit of the GABAA receptor, are associated with alcohol dependence and with brain oscillations. *American Journal of Human Genetics*, 74, 705-714. <https://doi.org/10.1086/383283>
- Edenberg, H. J., & Kranzler, H. R. (2005). The contribution of genetics to addiction therapy approaches. *Pharmacology & Therapeutics*, 108, 86-93. <https://doi.org/10.1016/j.pharmthera.2005.06.011>
- Ehlers, C. L., Gilder, D. A., Wall, T. L., Phillips, E., Feiler, H., & Wilhelmsen, K. C. (2004). Genomic screen for loci associated with alcohol dependence in Mission Indians. *American Journal of Medical Genetics Part B*, 129B, 110-115. <https://doi.org/10.1002/ajmg.b.30057>
- Erickson, C. K., Javors, M. A., & Morgan, W. W. (1990). Drug dependence: Defining the issues. In C. K. Erickson, M. A. Javors, W. W. Morgan, & B. Stimmel (Eds.) *Addiction Potential of Abused Drugs & Drug Classes*. New York: The Haworth Press. https://doi.org/10.1300/J251v09n01_01
- Erickson, C. K. (1995). Voice of the victims: There is a difference between alcohol abuse and alcoholism. *Alcoholism: Clinical & Experimental Research*, 19, 533-534. <https://doi.org/10.1111/j.1530-0277.1995.tb01543.x>
- Erickson, C. K. (2003). Addiction is a disease. *Addiction Today*, Jan/Feb, 17-19.

- Erickson, C. K., & Wilcox, R. E. (2001). Neurobiological causes of addiction. *Journal of Social Work & Practice on Addictions*, 1, 7-22. https://doi.org/10.1300/J160v01n03_02
- Eriksson, K. (1968). Genetic selection for voluntary alcohol consumption in the albino rat. *Science*, 159, 739-741. <https://doi.org/10.1126/science.159.3816.739>
- Everitt, B. J., & Robbins, T. W. (2005). Neural systems of reinforcement for drug addiction: From actions to habits to compulsion. *Nature Neuroscience*, 8, 1481-1489. <https://doi.org/10.1038/nn1579>
- Farah, M. J. (2002). Emerging ethical issues in neuroscience. *Nature Neuroscience*, 5, 1123-1124. <https://doi.org/10.1038/nn1102-1123>
- Feeney, G. E., Connor, J. P., Young, R. M., Tucker, J., & McPherson, A. (2006). Combined acamprosate and naltrexone, with cognitive behavioural therapy is superior to either medication alone for alcohol abstinence: A single centres' experience with pharmacotherapy. *Alcohol & Alcoholism*, 41, 321-327. <https://doi.org/10.1093/alcalc/agl007>
- Feighner, J. P., Robins, E., Guze, S. B., Woodruff, R. A., Winokur, G., & Munoz, R. (1972). Diagnostic criteria for use in psychiatric research. *Archives of General Psychiatry*, 26, 57-63. <https://doi.org/10.1001/archpsyc.1972.01750190059011>
- Feinn, R., Nellisery, M., & Kranzler, H. R. (2005). Meta-analysis of the association of a functional serotonin transporter promoter polymorphism with alcohol dependence. *American Journal of Medical Genetics Part B*, 133 B, 79-84. <https://doi.org/10.1002/ajmg.b.30132>
- Fingarette, H. (1970). The perils of Powell: In search of a factual foundation for the "disease concept of alcoholism." *Harvard Law Review*, 83, 793-812. <https://doi.org/10.2307/1339839>
- Friedrich, M. J. (2005). Neuroscience becomes image conscious as brain scans raise ethical issues. *Journal of the American Medical Association*, 294, 781-783. <https://doi.org/10.1001/jama.294.7.781>
- Fuller, R. K., & Hiller-Sturmhöfel, S. (1999). Alcoholism treatment in the United States. *Alcohol Research & Health*, 23, 69-77.
- Furmark, T., Tillfors, M., Marteinsdottir, I., Fischer, H., Pissiota, A., Langstrom, B., et al. (2002). Common changes in cerebral blood flow in patients with social phobia treated with citalopram or cognitive-behavioral therapy. *Archives of General Psychiatry*, 59, 425-433. <https://doi.org/10.1001/archpsyc.59.5.425>
- Garbutt, J. C., Kranzler, H. R., O'Malley, S. S., Gastfriend, D. R., Pettinati, H. M., Silverman, B. L., et al., for the Vivitrex Group. (2005). Efficacy and tolerability of long-acting injectable naltrexone for alcohol dependence. *Journal of the American Medical Association*, 293, 1617-1625. <https://doi.org/10.1001/jama.293.13.1617>
- Garrett, B. E., & Griffiths, R. R. (1997). The role of dopamine in the behavioral effects of caffeine in animals and humans. *Pharmacology Biochemistry & Behavior*, 57, 533-541. [https://doi.org/10.1016/S0091-3057\(96\)00435-2](https://doi.org/10.1016/S0091-3057(96)00435-2)
- Gendreau, P. L., & Vitaro, F., (2005). The unbearable lightness of "light" cigarettes: A comparison of smoke yields in sex varieties of Canadian "light" cigarettes. *Canadian Journal of Public Health*, 96, 167-172. <https://doi.org/10.1007/BF03403683>

- Gianoulakis, D., Krishnan, B., & Thavundayil, J. (1996). Enhanced sensitivity of pituitary beta-endorphin to ethanol in subjects at high risk of alcoholism. *Archives of General Psychiatry*, 53, 250-257. <https://doi.org/10.1001/archpsyc.1996.01830030072011>
- Goldapple, K., Segal, Z., Garson, C., Lau, M., Bieling, P., Kennedy, S., et al. (2004). Modulation of cortical-limbic pathways in major depression: Treatment-specific cognitive behavior therapy. *Archives of General Psychiatry*, 61, 34-41. <https://doi.org/10.1001/archpsyc.61.1.34>
- Goldman, D., Oroszi, G., & Ducci, F. (2005). The genetics of addictions: Uncovering the genes. *Nature Reviews Genetics*, 6, 521-532. <https://doi.org/10.1038/nrg1635>
- Goldstein, A., & Kalant, H. (1990). Drug policy: Striking the right balance. *Science*, 249, 1513-1521. <https://doi.org/10.1126/science.2218493>
- Goldstein, D. B. (1984). The effects of drugs on membrane fluidity. *Annual Review of Pharmacology and Toxicology*, 24, 43-64. <https://doi.org/10.1146/annurev.pa.24.040184.000355>
- Grant, B. E., & Dawson, D. A. (1997). Age at onset of alcohol use and its association with DSM-IV alcohol abuse and dependence: Results from the National Longitudinal Alcohol Epidemiologic Survey. *Journal of Substance Abuse*, 9, 103-110. [https://doi.org/10.1016/S0899-3289\(97\)90009-2](https://doi.org/10.1016/S0899-3289(97)90009-2)
- Grant, B. F., Hasin, D. S., Chou, F., Stinson, F. S., & Dawson, D. A. (2004). Nicotine dependence and psychiatric disorders in the United States. *Archives of General Psychiatry*, 61, 1107-1115. <https://doi.org/10.1001/archpsyc.61.11.1107>
- Grant, B. F., Harford, T. C., Muthen, B. O., Yi, H., Hasin, D.S., & Stinson, F. S. (2006) (In press). DSM-IV alcohol dependence and abuse: Further evidence of validity in the general population. *Drug & Alcohol Dependence*. <https://doi.org/10.1016/j.drugalcdep.2006.05.019>
- Grant, J. F., & Kim, S. W. (2002). Effectiveness of pharmacotherapy for pathological gambling: A chart review. *Annals of Clinical Psychiatry*, 14, 155-161. <https://doi.org/10.3109/10401230209147452>
- Grant, J. E., Potenza, M. N., Hollander, E., Cunningham-Williams, R., Nurminen, T., Smits, G., et al. (2006). Multicenter investigation of the opioid antagonist nalmefene in the treatment of pathological gambling. *American Journal of Psychiatry*, 163, 303-312. <https://doi.org/10.1176/appi.ajp.163.2.303>
- Gray, M. T. (2005). The shifting sands of self: A framework for the experience of self in addiction. *Nursing Philosophy*, 6, 119-130. <https://doi.org/10.1111/j.1466-769X.2005.00212.x>
- Griffiths, R. R., & Mumford, G. K. (1995). Caffeine - A drug of abuse. In F. E. Bloom, & D. J. Kupfer (Eds.) *Psychopharmacology: The Fourth Generation of Progress* (1669-1713). New York: Raven Press.
- Gruenewald, P. J., Freisthler, B., Remer, L., LaScala, E. A., & Treno, A. (2006). Ecological models of alcohol outlets and violent assaults: Crime potentials and geospatial analysis. *Addiction*, 101, 666-677. <https://doi.org/10.1111/j.1360-0443.2006.01405.x>
- Gutstein, H. B. & Akil, H. (2001). Opioid analgesics. In J. G. Hardman, L. E. Limbird, & A. G. Gilman (Eds.), *Goodman & Gilman's The Pharmacological Basis of Therapeutics*, Tenth Edition (pp. 569-579) New York: McGraw-Hill.
- Hanson, G. R., & Li, T. K. (2003). Public health implications of excessive alcohol consumption. *Journal of the American Medical Association*, 289, 1031-1032. <https://doi.org/10.1001/jama.289.8.1031>

- Hart, C. L. (2005). Increasing treatment options for cannabis dependence: A review of potential pharmacotherapies. *Drug & Alcohol Dependence*, 80, 147-149.
<https://doi.org/10.1016/j.drugalcdep.2005.03.027>
- Hasin, D. (2003). Classification of alcohol use disorders. *Alcohol Research & Health*, 27, 5-15.
- Hasin, D. S., Hatzenberger, M., Smith, S., & Grant, B. F. (2005). Co-occurring DSM-IV drug abuse in DSM-IV drug dependence: Results from the National Epidemiologic Survey on alcohol and related conditions. *Drug & Alcohol Dependence*, 80, 117-123.
<https://doi.org/10.1016/j.drugalcdep.2005.03.010>
- Hill, S. Y., Shen, S., Zezza, N., Hoffman, E. K., Perline, M., & Allan, W. (2004). A genome wide search for alcoholism susceptibility genes. *American Journal of Medical Genetics Part B*, 128B, 102-113.
<https://doi.org/10.1002/ajmg.b.30013>
- Hjelmstad, G. O. (2004). Dopamine excites nucleus accumbens neurons through the differential modulation of glutamate and GABA release. *Journal of Neuroscience*, 24, 8621-8628.
<https://doi.org/10.1523/JNEUROSCI.3280-04.2004>
- Hollander, E., Pallanti, S., Allen, A., Sood, E., & Rossi, N. B. (2005). Does sustained-release lithium reduce impulsive gambling and affective instability versus placebo in pathological gamblers with bipolar spectrum disorders? *American Journal of Psychiatry*, 162, 137-145
<https://doi.org/10.1176/appi.ajp.162.1.137>
- Hyman, S. E. (2005). Addiction: A disease of learning and memory. *American Journal of Psychiatry*, 162, 1414-22. <https://doi.org/10.1176/appi.ajp.162.8.1414>
- The ICD-10 Classification of Mental & Behavioural Disorders. (1992). Geneva, Switzerland: World Health Organization.
- Ioannidis, J. P. A. (2005). Contradicted and initially stronger effects in highly cited clinical research. *Journal of the American Medical Association*, 294, 218-228. <https://doi.org/10.1001/jama.294.2.218>
- Jackim, L. W. (2005, October). Entering the diagnostic debate. *Behavioral Healthcare Tomorrow*, 12-16.
- Johnson, B. A. (2005). Recent advances in the development of treatments for alcohol and cocaine dependence: Focus on topiramate and other modulators of GABA or glutamate function. *Central Nervous System Drugs*, 19, 873-896. <https://doi.org/10.2165/00023210-200519100-00005>
- Johnson, B. A. (2004). Progress in the development of topiramate for treating alcohol dependence: From a hypothesis to a proof-of-concept study. *Alcoholism: Clinical & Experimental Research*, 28, 1137-1144. <https://doi.org/10.1097/01.ALC.0000134533.96915.08>
- Johnson, B. A., Ait-Daoud, N., Akhtar, F. Z., & Ma, J. Z. (2004). Oral topiramate reduces the consequences of drinking and improves the quality of life of alcohol-dependent individuals. *Archives of General Psychiatry*, 61, 905-912. <https://doi.org/10.1001/archpsyc.61.9.905>
- Johnson, R. E., Chutuape, M. A., Strain, E. C., Walsh, S. L., Stitzer, M. L., & Bigelow, G. E. (2000). A comparison of levomethadyl acetate, buprenorphine, and methadone for opioid dependence. *New England Journal of Medicine*, 343, 1290-1297. <https://doi.org/10.1056/NEJM200011023431802>

Jones, D. C., Duvauchelle, C., Ikegami, A., Olsen, C. M., Lau, S. S., de la Torre, R., & Monks, T. J. (2005). Serotonergic neurotoxic metabolites of ecstasy identified in rat brain. *Journal of Pharmacology & Experimental Therapeutics*, 313, 422-431. <https://doi.org/10.1124/jpet.104.077628>

Jorenby, D. E., Hays, J. T., Rigotti, N. A., Azoulay, S., Watsky, E. J., Williams, K. E., et al. Varenicline Phase 3 Study Group. (2006). Efficacy of varenicline, an $\alpha 4 \beta 2$ nicotinic acetylcholine receptor partial agonist, vs. placebo or sustained-release bupropion for smoking cessation: a randomized controlled trial. *Journal of the American Medical Association*, 296, 94-95. <https://doi.org/10.1001/jama.296.1.56>

Juliano, L. M., & Griffiths, R. R. (2004). A critical review of caffeine withdrawal: Empirical validation of symptoms and signs, incidence, severity, and associated features. *Psychopharmacology*, 176, 1-29. <https://doi.org/10.1007/s00213-004-2000-x>

Kalivas, P. W., & Volkow, N. D. (2005). The neural basis of addiction: A pathology of motivation and choice. *American Journal of Psychiatry*, 162, 1403-1413. <https://doi.org/10.1176/appi.ajp.162.8.1403>

Kamens, H. M., Burkhart-Kasch, S., McKinnon, C. S., Li, N., Reed, C., & Phillips, T. J. (2005). Sensitivity to psychostimulants in mice bred for high and low stimulation to methamphetamine. *Genes, Brain & Behavior*, 4, 110-125. <https://doi.org/10.1111/j.1601-183X.2004.00101.x>

Kessler, R. C., Nelson, C. B., McGonagle, K. A., Edlund, M. J., Frank, R. G. & Leaf, P. J. (1996). The epidemiology of co-occurring addictive and mental disorders: Implications for prevention and service utilization. *American Journal of Orthopsychiatry*, 66, 17-31. <https://doi.org/10.1037/h0080151>

Kiefer, F. & Mann, K. (2005). New achievements and pharmacotherapeutic approaches in the treatment of alcohol dependence. *European Journal of Pharmacology*, 526, 163-171. <https://doi.org/10.1016/j.ejphar.2005.09.028>

Kiefer F. & Wiedemann, K. (2004). Combined therapy: What does acamprosate and naltrexone combination tell us? *Alcohol & Alcoholism*, 39, 542-547. <https://doi.org/10.1093/alcalc/agh093>

Kiianmaa, K., Nurmi, M., & Sinclair, J. D. (1994). Genetically determined influences on voluntary ethanol consumption: Extracellular levels of ethanol and monoamines in the nucleus accumbens of the alcohol preferring AA and alcohol avoiding ANA rate lines. *Alcohol & Alcoholism*, Supplement 2, 73-78.

Koch, A. L., Arfken, C. L., & Schuster, C. R. (2006). Characteristics of U.S. substance abuse treatment facilities adopting buprenorphine in its initial stage of availability. *Drug & Alcohol Dependence*, 83, 274-278. <https://doi.org/10.1016/j.drugalcdep.2005.12.005>

Koob G. F. (1992). Drugs of abuse: Anatomy, pharmacology, and function of reward pathways. *Trends in Pharmacological Science*, 13, 177-184. [https://doi.org/10.1016/0165-6147\(92\)90060-J](https://doi.org/10.1016/0165-6147(92)90060-J)

Koob, G. F. (2003). Alcoholism: Allostasis and beyond. *Alcoholism: Clinical and Experimental Research*, 27, 232-243. <https://doi.org/10.1097/01.ALC.0000057122.36127.C2>

Koob, G. F., & Le Moal, M. (1997). Drug abuse: Hedonic homeostatic dysregulation. *Science*, 278, 52-8. <https://doi.org/10.1126/science.278.5335.52>

Koob, G. E. & Le Moal, M. (2001). Drug addiction, dysregulation of reward, and allostasis. *Neuropsychopharmacology*, 24, 97-129. [https://doi.org/10.1016/S0893-133X\(00\)00195-0](https://doi.org/10.1016/S0893-133X(00)00195-0)

- Koob, G. F., Ahmed, S. H., Boutrel, B., Chen, S. A., Kenny, P. J., Markou, A., O'Dell, L., Parsons, L. H., & Sanna, P. P. (2004). Neurobiological mechanisms in the transition from drug use to drug dependence. *Neuroscience & Behavioral Reviews*, 27, 739-749. <https://doi.org/10.1016/j.neubiorev.2003.11.007>
- Krampke, H., Stawicki, S., Wagner, R., Bartels, C., Aust, C., Ruther, E., Poser, W., & Ehrenreich, H. (2006). Follow-up of 180 alcoholic patients for up to 7 years after outpatient treatment: Impact of alcohol deterrents on outcome. *Alcoholism: Clinical & Experimental Research*, 30, 86-95. <https://doi.org/10.1111/j.1530-0277.2006.00013.x>
- Kranzler, H. R., Koob, G., Gastfriend, D. R., Swift, R. M., & Willenbring, M. L. (2006). Advances in the pharmacotherapy of alcoholism: Challenging misconceptions. *Alcoholism: Clinical & Experimental Research*, 30, 272-281. <https://doi.org/10.1111/j.1530-0277.2006.00022.x>
- Kuhn, C., Swartzwelder, S., & Wilson, W. (2002). *Just Say Know*. New York: Norton.
- Kuhn, C., Swartzwelder, S., & Wilson, W. (2003). *Buzzed*. New York: Norton.
- Kuperman, S., Schlosser, S. S., Kramer, J. R., Bucholz, K., Hesselbrock, V., Reich, T., et al. (2001). Developmental sequence from disruptive behavior diagnosis to adolescent alcohol dependence. *American Journal of Psychiatry*, 158, 2022-2026. <https://doi.org/10.1176/appi.ajp.158.12.2022>
- Kurtz, E. (1979). *Not-God: A History of Alcoholics Anonymous*. San Francisco: Harper & Row.
- Lawson, K. A., Wilcox, R. E., Littlefield, J. H., Pituch, K. A., & Erickson, C. K. (2004). Educating professionals to promote addiction science research: Demographics of knowledge and belief changes. *Substance Use & Misuse*, 39, 1237-1260. <https://doi.org/10.1081/JA-120038685>
- Le Foll, B., & Goldberg, S. R. (2005). Cannabinoid CB1 receptor antagonists as promising new medications for drug dependence. *Journal of Pharmacology & Experimental Therapeutics*, 312, 875-883. <https://doi.org/10.1124/jpet.104.077974>
- Lerman, C., Patterson, E., & Berrettini, W. (2005). Treating tobacco dependence: State of the science and new directions. *Journal of Clinical Oncology*, 23, 311-323. <https://doi.org/10.1200/JCO.2005.04.058>
- Leshner, A. I. (1997). Addiction is a brain disease. *Science*, 278, 45-47. <https://doi.org/10.1126/science.278.5335.45>
- Lewis, D. C. (2005). Untitled letter on "crack" and "meth" babies, on behalf of 92 signees. www.csdp.org/news/news/Meth_Letter.pdf
- Lewis, D. C. (1991). Comparison of alcoholism and other medical diseases: An Internist's view. *Psychiatric Annals*, 21, 256-265. <https://doi.org/10.3928/0048-5713-19910501-04>
- Linden, D. E. J. (2006). How psychotherapy changes the brain - the contribution of functional neuroimaging. *Molecular Psychiatry*, 11, 528-538. <https://doi.org/10.1038/sj.mp.4001816>
- Litten, R. Z., Fertig, J., Mattson, M. E., & Egli, M. (2005). Development of medications for alcohol use disorders: Recent advances and ongoing challenges. *Expert Opinion on Emerging Drugs*, 10, 323-343. <https://doi.org/10.1517/14728214.10.2.323>
- Luik, J. C. (1996). "I can't help myself": Addiction as ideology. *Human Psychopharmacology* 11, S21-S32. [https://doi.org/10.1002/\(SICI\)1099-1077\(199602\)11:1<S21::AID-HUP749>3.0.CO;2-S](https://doi.org/10.1002/(SICI)1099-1077(199602)11:1<S21::AID-HUP749>3.0.CO;2-S)

- Maldonado, R., Valverde, O., & Berrendero, F. (2006). Involvement of the endocannabinoid system in drug addiction. *Trends in Neuroscience*, 29, 225-232. <https://doi.org/10.1016/j.tins.2006.01.008>
- Mann, K., Leher, P., & Morgan, M. Y. (2004). The efficacy of acamprosate in maintaining abstinence in alcohol-dependent individuals: Results of a meta-analysis. *Alcoholism: Clinical & Experimental Research*, 28, 51-63. <https://doi.org/10.1097/01.ALC.0000108656.81563.05>
- Martin, S. D., Martin, E., Rai, S. S., Richardson, M. A., & Royall, R. (2001). Brain blood flow changes in depressed patients treated with interpersonal psychotherapy or venlafaxine hydrochloride. *Archives of General Psychiatry*, 58, 641-648. <https://doi.org/10.1001/archpsyc.58.7.641>
- Mayer, P. & Höllt, V. (2005). Genetic disposition to addictive disorders: Current knowledge and future perspectives. *Current Opinion in Pharmacology*, 5, 4-8. <https://doi.org/10.1016/j.coph.2004.08.009>
- McAuliffe, P. F., Gold, M. S., Bajpai, L., Merves, M. L., Frost-Pineda, K., Pomm, R. M., et al. (2006). Second-hand exposure to aerosolized intravenous anesthetics propofol and fentanyl may cause sensitization and subsequent opiate addiction among anesthesiologists and surgeons. *Medical Hypotheses*, 66, 874-882. <https://doi.org/10.1016/j.mehy.2005.10.030>
- McLellan, A. T., Lewis, D. C., O'Brien, C. P., & Kleber, H. D. (2000). Drug dependence, a chronic medical illness. *Journal of the American Medical Association*, 284, 1689-1695. <https://doi.org/10.1001/jama.284.13.1689>
- McLellan, A. T., Luborsky, L., O'Brien, C. P., & Woody, G. E. (1980). An improved diagnostic instrument for substance abuse patients: The Addiction Severity Index. *Journal of Nervous & Mental Diseases*, 168, 26-33. <https://doi.org/10.1097/00005053-198001000-00006>
- McLellan, A. T., & Meyers, K. (2004). Contemporary addiction treatment: A review of systems problems for adults and adolescents. *Biological Psychiatry*, 56, 764-770. <https://doi.org/10.1016/j.biopsych.2004.06.018>
- McLellan, A. T., Weinstein, R. L., Shen, Q., Kendig, C., & Levine, M. (2005a). Improving continuity of care in a public addiction treatment system with clinical case management. *American Journal of Addiction*, 14, 426-440. <https://doi.org/10.1080/10550490500247099>
- McLellan, A. T., McKay, J. R., Forman, R., Cacciola, J., & Kempt, J. (2005b). Reconsidering the evaluation of addiction treatment: From retrospective follow-up to concurrent recovery monitoring. *Addiction*, 100, 227-458. <https://doi.org/10.1111/j.1360-0443.2005.01012.x>
- McNeece, C. A., & DiNitto, D. M. (2005). *Chemical dependency: A systems approach*. Boston: Pearson Education, Allyn & Bacon.
- Melamede, R. (2005). Cannabis and tobacco smoke are not equally carcinogenic. *Harm Reduction Journal*, 2, 21-26. <https://doi.org/10.1186/1477-7517-2-21>
- Melendez, R. I., Rodd-Henricks, Z. A., Engleman, E. A., Li, T. K., McBride, W. J., & Murphy, J. M. (2002). Microdialysis of dopamine in the nucleus accumbens of alcohol-preferring (P) rats during anticipation and operant self-administration of ethanol. *Alcoholism: Clinical & Experimental Research*, 26, 318-325. <https://doi.org/10.1111/j.1530-0277.2002.tb02540.x>
- Meyerhoff, D. J., Bode, C., Nixon, S. J., de Bruin, E. A., Bode, J. C., Seitz, H. K. (2005). Health risks of chronic moderate and heavy alcohol consumption. How much is too much? *Alcoholism: Clinical & Experimental Research*, 29, 1334-1340. <https://doi.org/10.1097/01.ALC.0000171488.63823.09>

- Miller, W. R. (2005). Motivational enhancement therapy. In M. Hersen, & J. Rosqvist (Eds.), *Encyclopedia of Behavior Modification and Cognitive Behavior Therapy*. Vol 1. Adult Clinical Applications (pp. 379-383). Thousand Oaks, California: Sage.
- Mooney, M. E. & Sofuoglu, M. (2006). Bupropion for the treatment of nicotine withdrawal and craving. *Expert Review of Neurotherapeutics*, 6, 965-981. <https://doi.org/10.1586/14737175.6.7.965>
- Moos, R. H., & Moos, B. S. (2005). Paths of entry into Alcoholics Anonymous: Consequences for participation and remission. *Alcoholism: Clinical & Experimental Research*, 29, 1858-1868. <https://doi.org/10.1097/01.alc.0000183006.76551.5a>
- Mukamal, K. J., Conigrave, K. M., Mittleman, M. A., Camargo, C. A. Jr., Stampfer, M. J. Willett, W. C., et al. (2003). Roles of drinking pattern and type of alcohol consumed in coronary heart disease in men. *New England Journal of Medicine*, 348, 109-118. <https://doi.org/10.1056/NEJMoa022095>
- National Institute on Alcohol Abuse and Alcoholism (NIAAA). (2006a). Frequently Asked Questions (FAQs), [www.niaaa.nih.gov/FAQs/General-English/FAQ 1.htm](http://www.niaaa.nih.gov/FAQs/General-English/FAQ%201.htm)
- National Institute on Alcohol Abuse and Alcoholism (NIAAA). (2006b). Trends in the prevalence of alcohol use among high school seniors. Monitoring the Future Study, 1975-2003, [www.niaaa.nih.gov/Resources/DatabaseResources/QuickFacts/AlcoholConsumption/dkpatl O.htm](http://www.niaaa.nih.gov/Resources/DatabaseResources/QuickFacts/AlcoholConsumption/dkpatl%20O.htm)
- National Institute on Drug Abuse (NIDA). (2006). Selected Prescription Drugs with Potential for Abuse, [www.nida.nih.gov/DrugPages/ PrescripDrugsChart.html](http://www.nida.nih.gov/DrugPages/PrescripDrugsChart.html)
- Nehlig, A. (1999). Are we dependent upon coffee and caffeine? A review on human and animal data. *Neuroscience & Behavioral Reviews*, 23, 563-576. [https://doi.org/10.1016/S0149-7634\(98\)00050-5](https://doi.org/10.1016/S0149-7634(98)00050-5)
- Nelson, T. F., Naimi, T. S., Brewer, R. D., & Wechsler, H. (2005). The state sets the rate: The relationship among state-specific college binge drinking, state binge drinking rates, and selected state alcohol control policies. *American Journal of Public Health*, 95, 441-446. <https://doi.org/10.2105/AJPH.2004.043810>
- No Health Gain from Mild, Light Cigarettes, Join Together Website, May 16, 2005. www.jointogether.org/new/research/summaries/2005
- Nutt, D., & Lingford-Hughes, A. (2004). Infecting the brain to stop addiction? Proceedings of the National Academy of Science, 101, 11193-11194. <https://doi.org/10.1073/pnas.0404338101>
- O'Brien, M. S., & Anthony, J. C. (2005). Risk of becoming cocaine dependent: Epidemiological estimates for the United States, 2000-2001. *Neuropsychopharmacology*, 30, 1006-1018. <https://doi.org/10.1038/sj.npp.1300681>
- O'Brien, C. P., & Gardner, E. L. (2005). Critical assessment of how to study addiction and its treatment: Human and non-human animals models. *Pharmacology & Therapeutics*, 108, 18-58. <https://doi.org/10.1016/j.pharmthera.2005.06.018>
- O'Brien, C. P., Volkow, N., & Li, T. K. (2006). What's in a word? Addiction versus dependence in DSM-V (Editorial). *American Journal of Psychiatry*, 163, 765-766. <https://doi.org/10.1176/ajp.2006.163.5.764>
- Odegaard, S., Peller, A., & Shaffer, H. J. (2005). Addiction as syndrome. *Paradigm*, 10, 12-13 & 22.

O'Malley, S. S., Rounsaville, B. J., Farren, C., Namkoong, K., Wu, R., Robinson, J., et al. (2003). Initial and maintenance naltrexone treatment for alcohol dependence using primary care vs. specialty care. *Archives of Internal Medicine*, 163, 1695-1704. <https://doi.org/10.1001/archinte.163.14.1695>

Oslin, D. W., Slaymaker, V. J., Blow, F. C., Owen, P. L., Collieran, C. (2005). Treatment outcomes for alcohol dependence among middle aged and older adults. *Addictive Behaviors*, 30, 1431-1436. <https://doi.org/10.1016/j.addbeh.2005.01.007>

Papageorgiou, C., Rabavilas, A., Liappas, I., & Stefanis, C. (2003). Do obsessive-compulsive patients and abstinent heroin addicts share a common psychophysiological mechanism? *Neuropsychobiology*, 47, 1-11. <https://doi.org/10.1159/000068868>

Paquette, V., Levesque, J., Mensour, B., Leroux, J. M., Beaudoin, G., Bourgouin, P., et al. (2003). Change the mind and you change the brain: Effects of cognitive-behavioral therapy on the neural correlates of spider phobia. *Neuroimage*, 18, 401-409. [https://doi.org/10.1016/S1053-8119\(02\)00030-7](https://doi.org/10.1016/S1053-8119(02)00030-7)

Parsey, R. V., Hastings, R. S., Oquendo, M. A., Huang, Y.-Y., Simpson, N., Arcement, J., et al. (2006). Lower serotonin transporter binding potential in the human brain during major depressive episodes. *American Journal of Psychiatry*, 163, 52-58. <https://doi.org/10.1176/appi.ajp.163.1.52>

Pelchat, M. L. (2002). Of human bondage: Food craving, obsession, compulsion, and addiction. *Physiology & Behavior*, 76, 347-352 [https://doi.org/10.1016/S0031-9384\(02\)00757-6](https://doi.org/10.1016/S0031-9384(02)00757-6)

Penades, R., Boget, T., Lomena, F., Mateos, J. J., Catalan, R., Gasto, C., et al. (2002). Could the hypofrontality pattern in schizophrenia be modified through neuropsychological rehabilitation? *Acta Psychiatrica Scandinavica*, 105, 202-208. <https://doi.org/10.1034/j.1600-0447.2002.1o421.x>

Pentel, P., & Malin, D. (2002). A vaccine for nicotine dependence: Targeting the drug rather than the brain. *Respiratory Research*, 69, 193-197. <https://doi.org/10.1159/000063617>

Pertwee, R. G. (2006). Cannabinoid pharmacology: The first 66 years. *British Journal of pharmacology*, 147, S163-S171. <https://doi.org/10.1038/sj.bjp.0706406>

Peters, K. D., & Wood, R. I. (2004). Androgen dependence in hamsters: Overdose, tolerance, and potential opioidergic mechanisms. *Neuroscience*, 130, 971-981. <https://doi.org/10.1016/j.neuroscience.2004.09.063>

Pfefferbaum, A., Lim, K. O., Desmond, J., & Sullivan, E. V. (1996). Thinning of the corpus callosum in older alcoholic men: A magnetic resonance imaging study. *Alcoholism: Clinical & Experimental Research*, 20, 752-757. <https://doi.org/10.1111/j.1530-0277.1996.tb01682.x>

Pfefferbaum, A., Sullivan, E. V., Mathalon, D. H., Shear, P. K., Rosenbloom, M. J., & Lim, K. O. (1995). Longitudinal changes in magnetic resonance imaging brain volumes in abstaining and relapsed alcoholics. *Alcoholism: Clinical & Experimental Research*, 19, 1177-1191. <https://doi.org/10.1111/j.1530-0277.1995.tb01598.x>

Phillips, T. (2002). Animal models for the genetic study of human alcohol phenotypes. *Alcohol Research & Health*, 26, 202-207.

Pietrini, P. (2003). Toward a biochemistry of mind? *American Journal of Psychiatry*, 160, 1907-1908. <https://doi.org/10.1176/appi.ajp.160.11.1907>

- Porjesz, B., Almasy, L., Edenberg, H.J., Wang, K., Chorlian, D. B., Foroud, T., et al. (2002). Linkage disequilibrium between the beta frequency of the human EEG and a GABAA receptor gene locus. *Proceedings of the National Academy of Sciences of the USA*, 99, 3729-3733. <https://doi.org/10.1073/pnas.052716399>
- Portenoy, R. K., Lussier, D., Kirsh, K. L., & Passik, S. D. (2005). Pain and addiction. In R. J. Frances, S. I. Miller, & A. H. Mack (Eds.), *Clinical Textbook of Addictive Disorders*, (3rd ed., pp. 367-395). New York: Guilford.
- Pryce, G., & Baker, D. (2005). Emerging properties of cannabinoid medicines in management of multiple sclerosis. *Trends in Neurosciences*, 28, 272-276. <https://doi.org/10.1016/j.tins.2005.03.006>
- Raine, A., Buchsbaum, M., & LaCasse, L. (1997). Brain abnormalities in murderers indicated by positron emission tomography. *Biological Psychiatry*, 42, 495-508. [https://doi.org/10.1016/S0006-3223\(96\)00362-9](https://doi.org/10.1016/S0006-3223(96)00362-9)
- Randall, C. L., & Lester, D. (1975). Social modification of alcohol consumption in inbred mice. *Science*, 189, 149-151. <https://doi.org/10.1126/science.1138373>
- Ray, O., & Ksir, C. (2004). *Drugs, Society, and Human Behavior*. New York: McGraw-Hill.
- Reich, T., Edenberg, H. J., Goate, A., Williams, J. T., Rice, J. P., Van Eerdewegh, P., et al. (1998). A genome-wide search for genes affecting the risk for alcohol dependence. *American Journal of Medical Genetics (Neuropsychiatric Genetics)*, 81, 207-215. [https://doi.org/10.1002/\(SICI\)1096-8628\(19980508\)81:3<207::AID-AJMG1>3.0.CO;2-T](https://doi.org/10.1002/(SICI)1096-8628(19980508)81:3<207::AID-AJMG1>3.0.CO;2-T)
- Reuter, J., Raedler, T., Rose, M., Hand, I., Glascher, J., & Buchel, C., (2005). Pathological gambling is linked to reduced activation of the mesolimbic reward system. *Nature Neuroscience*, 8, 147-148. <https://doi.org/10.1038/nn1378>
- Rhodes, J. S. & Crabbe, J. C. (2005). Gene expression induced by drugs of abuse. *Current Opinion in Pharmacology*, 5, 26-33. <https://doi.org/10.1016/j.coph.2004.12.001>
- Ridenour, T. A., Maldonado-Molina, M., Compton, W. M., Spitznagel, E. L., & Cottier, L. B. (2005). Factors associated with the transition from abuse to dependence among substance abusers: Implications for a measure of addictive liability. *Drug & Alcohol Dependence*, 80, 1-14. <https://doi.org/10.1016/j.drugalcdep.2005.02.005>
- Rigotti, N. A. (2002). Treatment of tobacco use and dependence. *New England Journal of Medicine*, 346, 506-512. <https://doi.org/10.1056/NEJMc012279>
- Ritsher, J. B., McKellar, J. D., Finney, J. W., Otlingam, P. G., & Moos, R. H. (2002). Psychiatric comorbidity, continuing care and mutual help as predictors of five-year remission from substance use disorders. *Journal of Studies on Alcohol*, 63, 709-715. <https://doi.org/10.15288/jsa.2002.63.709>
- Robbins, T. W. (2002). ADHD and addiction. *Nature Medicine*, 8, 24-25. <https://doi.org/10.1038/nm0102-24>
- Robinson, T. E. (2004). Addicted rats. *Science*, 305, 951-953. <https://doi.org/10.1126/science.1102496>
- Robinson, T. E., & Berridge K.C. (1993). The neural basis of drug craving: An incentivesensitization theory of addiction. *Brain Research Review*, 18, 247-291. [https://doi.org/10.1016/0165-0173\(93\)90013-P](https://doi.org/10.1016/0165-0173(93)90013-P)

Robinson, T. E., & Berridge, K. C. (2000). The psychology and neurobiology of addiction: An incentive-sensitization view. *Addiction*, 95, S91-S117. <https://doi.org/10.1046/j.1360-0443.95.8s2.19.x>

Robinson, T. E., & Berridge, K. C. (2003). Addiction. *Annual Reviews in Psychology*, 54, 25-53. <https://doi.org/10.1146/annurev.psych.54.101601.145237>

Robinson, T. E., & Kolb, B. (1997). Persistent structural modifications in nucleus accumbens and prefrontal cortex neurons produced by previous experience with amphetamine. *Journal of Neuroscience*, 17, 8491-8497. <https://doi.org/10.1523/JNEUROSCI.17-21-08491.1997>

Rounsaville, B. J., Kranzler, H. R., Ball, S., Tennen, H., Poling, J., & Triffleman, E. (1998). Personality disorders in substance abusers: Relation to substance use. *Journal of Nervous and Mental Disease*, 186, 87-95. <https://doi.org/10.1097/00005053-199802000-00004>

Saitz, R. (2005). Unhealthy alcohol use. *New England Journal of Medicine*, 352, 596-606. <https://doi.org/10.1056/NEJMc042262>

Salokangas, R. K., Honkonen, T., Stengard, E., Koivisto, A. M., & Hietala, J. (2006). Cigarette smoking in long-term schizophrenia. *European Psychiatry*, 21, 219-223. <https://doi.org/10.1016/j.eurpsy.2005.07.008>

Samaha, A.-N. & Robison, T. E. (2005). Why does the rapid delivery of drugs to the brain promote addiction? *Trends in Pharmacological Sciences*, 26, 82-87. <https://doi.org/10.1016/j.tips.2004.12.007>

Savage, S. R., Joranson, D. E., Covington, E. C., Schnoll, S. H., Heit, H. A., & Gilson, A. M. (2003). Definitions related to the medical use of opioids: Evolution towards universal agreement. *Journal of Pain Symptom Management*, 26, 655-667. [https://doi.org/10.1016/S0885-3924\(03\)00219-7](https://doi.org/10.1016/S0885-3924(03)00219-7)

Sawyer, S. M., & Fardy, H. J. (2003). Bridging the gap between doctors' and patients' expectations of asthma management. *Journal of Asthma*, 40, 131-138. <https://doi.org/10.1081/JAS-120017983>

Saxe, R. (2006). Why and how to study Theory of Mind with fMRI. *Brain Research*, 1079, 57-65. <https://doi.org/10.1016/j.brainres.2006.01.001>

Schiffer, W. K., Lee, D. E., Brodie, J. D., & Dewey, S. L. (2005). Imagining addiction with PET: Is insight in sight? *Drug Discovery Today*, 10, 547-62. [https://doi.org/10.1016/S1359-6446\(05\)03412-4](https://doi.org/10.1016/S1359-6446(05)03412-4)

Schlaepfer, T. E., Strain, E. C., Greenberg, B. D., Preston, K. L., Lancaster, E., Bigelow, G. E., et al. (1998). Site of opioid action in the human brain: Mu and kappa agonists' subjective and cerebral blood flow effects. *American Journal of Psychiatry*, 155, 470-473. <https://doi.org/10.1176/ajp.155.4.470>

Schuckit, M. A. (2000). Biological phenotypes associated with individuals at high risk for developing alcohol-related disorders. Part 2. *Addiction Biology*, 5, 23-36. <https://doi.org/10.1080/13556210071243>

Schuckit, M. A., Edenberg, H. J., Kalmijn, J., Flury, L., Smith, T. L., Reich, T., et al. (2001). A genome-wide search for genes that relate to a low level of response to alcohol. *Alcoholism: Clinical & Experimental Research*, 25, 323-329. <https://doi.org/10.1097/00000374-200103000-00002>

Schuckit, M. A., Smith, T. L., Danko, G. P., Bucholz, K. K., Reich, T., & Bierut, L. (2001). Five-year clinical course associated with DSM-IV alcohol abuse or dependence in a large group of men and women. *Archives of General Psychiatry*, 158, 1084-1090. <https://doi.org/10.1176/appi.ajp.158.7.1084>

- Schultz, W., Dayan, P., Montague, P. R. (1997). A neural substrate of prediction and reward. *Science*, 275, 1593-1599. <https://doi.org/10.1126/science.275.5306.1593>
- Schwartz, R. P., Jaffe, J. H., Highfield, D. A., Callaman, J. M., O'grady, K. E. (2007). A randomized controlled trial of interim methadone maintenance: 10-month follow-up. *Drug & Alcohol Dependence*, 58, 30-36. <https://doi.org/10.1016/j.drugalcdep.2006.04.017>
- Shaffer, H. J., LaPlante, D. A., LaBrie, R. A., Kidman, R. C., Donato, A., & Stanton, M. V. (2004). Toward a syndrome model of addiction: Multiple manifestations, common etiology. *Harvard Review of Psychiatry*, 12, 367-374. <https://doi.org/10.1080/10673220490905705>
- Slutske, W. S. (2006). Natural recovery and treatment-seeking in pathological gambling: Results of two U.S. national surveys. *American Journal of Psychiatry*, 163, 297-302. <https://doi.org/10.1176/appi.ajp.163.2.297>
- Small, D. M., Zatorre, R. J., Dagher, A., Evans, A. C., & Jones-Gotman, M. (2001). Changes in brain activity related to eating chocolate. *Brain*, 124, 1720-1733. <https://doi.org/10.1093/brain/124.9.1720>
- Smith, A. P. (1996). Caffeine dependence: An alternative view. *Nature Medicine* 2, 494. <https://doi.org/10.1038/nm0596-494>
- Smith, D. G., Learn, J. E., McBride, W. J., Lumeng, L., Li, T. K., & Murphy, J. M. (2001). Alcohol-naive alcohol-preferring (P) rats exhibit higher local cerebral glucose utilization than alcohol-nonpreferring (NP) and Wistar rats. *Alcoholism: Clinical & Experimental Research*, 25, 1309-1316. <https://doi.org/10.1097/00000374-200109000-00010>
- Sofuoglu, M., & Kosten, T. R. (2005). Novel approaches to the treatment of cocaine addiction. *Central Nervous System Drugs*, 19, 13-25. <https://doi.org/10.2165/00023210-200519010-00002>
- Sorensen, J. L., & Guydish, J. R. (1991). Adopting effective interventions. In J. L. Sorensen, L. A. Wermuth, D. R. Gibson, K. H. Choi, J. R. Guydish, & S. L. Batki (Eds.), *Preventing AIDS in Drug Users & Their Sexual Partners* (pp. 153-67). New York: Guilford.
- Spanagel, R., & Heilig, M. (2005). Addiction and its brain science. *Addiction*, 100, 1813-1822. <https://doi.org/10.1111/j.1360-0443.2005.01260.x>
- Stepney, R. (1996). The concept of addiction: Its use and abuse in the media and science. *Human Psychopharmacology*, 11, S15-S20. [https://doi.org/10.1002/\(SICI\)1099-1077\(199602\)11:1+<S15::AID-HUP748>3.0.CO;2-K](https://doi.org/10.1002/(SICI)1099-1077(199602)11:1+<S15::AID-HUP748>3.0.CO;2-K)
- Sterling, P., & Eyer, J. (1988). Allostasis: A new paradigm to explain arousal pathology. In S. Fisher, & J. Reason (Eds.), *Handbook of Life Stress, Cognition and Health* (pp. 629-649). Chichester, UK: Wiley.
- Strathdee, S. A., Ricketts, E. P., Huettner, S., Cornelius, L., Bishai, D., Havens, J. R., et al. (2006). Facilitating entry into drug treatment among injection drug users referred from a needle exchange program: Results from a community-based behavioral intervention trial. *Drug & Alcohol Dependence*, 83, 225-232. <https://doi.org/10.1016/j.drugalcdep.2005.11.015>
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). Data on Substance Abuse Treatment Facilities. DASIS Series: S-16. National Survey of Substance Abuse Treatment Services (N-SSATS). Rockville, Maryland: Substance Abuse and Mental Health Services Administration.

Sullivan, E. V. (2000). Human brain vulnerability to alcoholism: Evidence from neuroimaging studies. In A. Noronha, M. Eckardt, & K. Warren (Eds.), Review of NIAAA's Neuroscience and Behavioral Research Portfolio (NIAAA Research Monograph No. 34, pp. 473-508). Bethesda, Maryland: National Institutes of Health.

Supreme Court of the United States (1988). *Traynor v. Turnage*, Administrator, Veteran's Administration, et al.

Tamminga, C. A., & Nestler, E. J. (2006). Pathological gambling: Focusing on the addiction, not the activity. *American Journal of Psychiatry*, 163, 180-181. <https://doi.org/10.1176/appi.ajp.163.2.180>

Terry, P., & Wright, K. A., (2005). Self-reported driving behaviour and attitudes towards driving under the influence of cannabis among three different user groups in England. *Addictive Behavior*, 30, 619-626. <https://doi.org/10.1016/j.addbeh.2004.08.007>

Vanderschuren, L. J., & Everitt, B. J. (2004). Drug seeking becomes compulsive after prolonged cocaine self-administration. *Science*, 305, 1017-1019. <https://doi.org/10.1126/science.1098975>

Vanderschuren, L. J., & Kalivas, P. W. (2000). Alterations in dopaminergic and glutamatergic transmission in the induction and expression of behavioral sensitization: A critical review of preclinical studies. *Psychopharmacology*, 151, 99-120. <https://doi.org/10.1007/s002130000493>

Vandrey, R., Budney, A. J., Kamon, J. L., & Stanger, C. (2005). Cannabis withdrawal in adolescent treatment seekers. *Drug & Alcohol Dependence*, 78, 205-210. <https://doi.org/10.1016/j.drugalcdep.2004.11.001>

Vanyukov, M. M., Moss, H. B., Kaplan, B. B., Kirillova, G. P., & Tarter, R. E. (2000). Antisociality, substance dependence, and the DRD5 gene: A preliminary study. *American Journal of Medical Genetics*, 96, 654-658. [https://doi.org/10.1002/1096-8628\(20001009\)96:5<654::AID-AJMG11>3.0.CO;2-Y](https://doi.org/10.1002/1096-8628(20001009)96:5<654::AID-AJMG11>3.0.CO;2-Y)

Verdoux, H., & Tournier, M. (2004). Cannabis use and risk of psychosis: An etiological link? *Epidemiologia e Psichiatria Sociale*, 13, 113-119. <https://doi.org/10.1017/S1121189X0000333X>

Verhaak, P. F., Kerssens, J. J., Dekker, J., Sorbi, M. J., & Bensing, J. M. (1998). Prevalence of chronic benign pain disorder among adults: A review of the literature. *Pain*, 36, 363-366. [https://doi.org/10.1016/S0304-3959\(98\)00117-1](https://doi.org/10.1016/S0304-3959(98)00117-1)

Vocci, F., & Ling, W. (2005). Medications development: Successes and challenges. *Pharmacology & Therapeutics*, 108, 94-108. <https://doi.org/10.1016/j.pharmthera.2005.06.010>

Volkow, N.D. (2004a). The reality of comorbidity: Depression and drug abuse. *Biological Psychiatry*, 56, 714-717. <https://doi.org/10.1016/j.biopsych.2004.07.007>

Volkow, N. D. (2004b). Expectation and brain function in drug abuse. *American Journal of Psychiatry*, 161, 621. <https://doi.org/10.1176/appi.ajp.161.4.621>

Volkow, N. D., Fowler, J. S., & Wang, G. J. (2003). The addicted human brain: Insights from imaging studies. *Journal of Clinical Investigation*, 111, 1444-1451. <https://doi.org/10.1172/JCI18533>

Volkow, N. D., Fowler, J. S., Wang, G. -J., & Goldstein, R. Z. (2002). Role of dopamine, the frontal cortex and memory circuits in drug addiction: Insight from imaging studies. *Neurobiology of Learning & Memory*, 78, 610-624. <https://doi.org/10.1006/nlme.2002.4099>

Volkow, N. D., & Li, T. K. (2005a). The neuroscience of addiction. *Nature Neuroscience*, 8, 1429-1430. <https://doi.org/10.1038/nn1105-1429>

Volkow, N. D., & Li, T. K. (2005b). Drugs and alcohol: Treating and preventing abuse, addiction and their medical consequences. *Pharmacology & Therapeutics*, 108, 3-17. <https://doi.org/10.1016/j.pharmthera.2005.06.021>

Wagner, F. A., & Anthony, J.C. (2002). From first drug use to drug dependence: Developmental periods of risk for dependence upon marijuana, cocaine, and alcohol. *Neuropsychopharmacology*, 26, 479-88. [https://doi.org/10.1016/S0893-133X\(01\)00367-0](https://doi.org/10.1016/S0893-133X(01)00367-0)

Walitzer, K. S., & Connors, G. J. (1999). Treating problem drinking. *Alcohol Research & Health*, 23, 138-143. <https://doi.org/10.1177/0145445599231006>

Wallace, J. (1990). Controlled drinking, treatment effectiveness, and the disease model of addiction: A commentary on the ideological wishes of Stanton Peele. *Journal of Psychoactive Drugs*, 22, 261-284. <https://doi.org/10.1080/02791072.1990.10472550>

Wamboldt, M. Z., Weintraub, P., Krafchick, D., & Wamboldt, R. S. (1996). Psychiatric family history in adolescents with severe asthma. *Journal of the American Academy of Child & Adolescent Psychiatry*, 35, 1042-1049. <https://doi.org/10.1097/00004583-199608000-00015>

Wellman, P. J., Bellinger, L. L., Cepeda-Benito, A., Susabda, A., Ho, D. H., et al. (2005). Meal patterns and body weight after nicotine in male rats as a function of chow or high-fat diet. *Pharmacology Biochemistry & Behavior*, 82, 627-634. <https://doi.org/10.1016/j.pbb.2005.11.002>

White, W. L. (1998). *Slaying the dragon*. Bloomington, IL: Chestnut Health Systems/Lighthouse Institute.

White, W. L. (2005 September). Recovery management: What if we really believe that addiction was a chronic disorder? *Greater Lakes Addiction Technology Transfer Center Bulletin*, 1-7.

White, W. (2001). The rhetoric of recovery advocacy: An essay on the power of language. Posted at http://www.facesandvoicesofrecovery.org/pdf/rhetoric_of_advocacy.pdf

White, W., Kurtz, E., & Acker, C. (2001). Combined Addiction Disease Chronologies of William

White, MA, Ernest Kurtz, PhD, and Caroline Acker, PhD, 1966-1972. Behavioral Health Recovery Management website. Retrieved November 2006 from <http://www.bhrm.org/papers/add.papers.htm>

Wilcox, R. E., & Erickson, C. K. (2004). Prevention of relapse to addiction: Information for the practitioner. *Journal of Texas Medicine*, 100, 51-61.

Wilcox, R. E., Gonzales, R. A., & Erickson, C. K. In D. Toft (Ed.), (1995). *Understanding Addiction*. Addiction Science Research & Education Center, University of Texas, Austin, [three booklets].

Willens, T. E., Faraone, S. V., Biederman, J., & Gunawardene, S. (2003). Does stimulant therapy of attention-deficit/hyperactivity disorder beget later substance abuse? A metaanalytic review of the literature. *Journal of Pediatrics*, 111, 179-185. <https://doi.org/10.1542/peds.111.1.179>

Wilson, W. A., & Kuhn, C. M. (2005). How addiction hijacks our reward system. *Cerebrum*, 7, 53-66.

World Health Organization. (1992). *The ICD-10 Classification of Mental and Behavioural Disorders*. Geneva, Switzerland: World Health Organization.