

Adams, C., Smith, M., Nyquist, L., Perlmutter, M. (1997). Adult age-group differences in recall for the literal and interpretative meanings of narrative text. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*, 52B(4), 187-195.

<https://doi.org/10.1093/geronb/52B.4.P187>

Alexander, M. (2006). Impairments of procedures for implementing complex language are due to disruption of frontal attention processes. *Journal of the International Neuropsychological Society*, 12(2), 236-247. <https://doi.org/10.1017/S1355617706060309>

Alexander, M.P., Stuss, D.T., Fansabedian, N. (2003). California Verbal Learning Test: performance by patients with focal frontal and non-frontal lesions. *Brain*, 126(6), 1493-1503.

<https://doi.org/10.1093/brain/awg128>

Almor, A., Kempler, D., Mac Donald, M.C., Andersen, E.S., Tyler, L. (1999). Why do Alzheimer patients have difficulty with pronouns? Working memory, semantics, and reference in comprehension and production in Alzheimer's disease. *Brain and Language*, 67(3), 202-227.

<https://doi.org/10.1006/brln.1999.2055>

American Psychiatric Association (2010). *Kryteria diagnostyczne według DSM IV-TR*. Wrocław: Urban & Partner.

Anderson, E.J., Mannan, S.K., Rees, G., Sumner, P., Kennard, C. (2010). Overlapping functional anatomy for working memory and visual search. *Experimental Brain Research*, 200(1), 91-107.

<https://doi.org/10.1007/s00221-009-2000-5>

Ardila, A. (2007). Normal aging increases cognitive heterogeneity: analysis of dispersion in WAIS-III scores across age. *Archives of Clinical Neuropsychology*, 22(8), 1003-1011.

<https://doi.org/10.1016/j.acn.2007.08.004>

Ash, S., Moore, P., Vesely, L., Grossman, M. (2007). The decline of narrative discourse in Alzheimer's disease. *Brain and Language*, 103(1/2), 181-182. <https://doi.org/10.1016/j.bandl.2007.07.105>

Atchison, T.B., Bradshaw, M., Massman, P.J. (2004). Investigation of profile difference between Alzheimer's disease patients declining at different rates: examination of baseline neuropsychological data. *Archives of Clinical Neuropsychology*, 19(8), 1007-1015.

<https://doi.org/10.1016/j.acn.2003.12.011>

Bäckman, L., Lindenberger, U., Li S.-C., Nyberg, L. (2010). Linking cognitive aging to alterations in dopamine neurotransmitter functioning: recent data and future avenues. *Neuroscience and Biobehavioral Reviews*, 34(5), 670-677. <https://doi.org/10.1016/j.neubiorev.2009.12.008>

Baillon, S., Muhommad, S., Marudkar, M., Suribhatla, S., Dennis, M., Spreadbury, Ch., Munro, D., Lindsay, J. (2003). Neuropsychological performance in Alzheimer's disease and vascular dementia: comparisons in a memory clinic population. *International Journal of Geriatric Psychiatry*, 18(7), 602-608. <https://doi.org/10.1002/gps.887>

<https://doi.org/10.1002/gps.887>

Barker-Collo, S., Starkey, N., Lawes, C.M., Feigin, V., Senior, H., Parag, V. (2012). Neuropsychological patterns of 5-year ischemic stroke survivors by Oxfordshire Stroke Classification and hemisphere of lesion. *Stroke*, 43(1), 50-55. <https://doi.org/10.1161/STROKEAHA.111.627182>

<https://doi.org/10.1161/STROKEAHA.111.627182>

Barulli, D., Stern, Y. (2013). Efficiency, capacity, compensation, maintenance, plasticity: emerging concepts in cognitive reserve. *Trends in Cognitive Sciences*, 17(10), 502-509.

<https://doi.org/10.1016/j.tics.2013.08.012>

- Baudic, S., Dalla Barba, G., Thiabudet, M.C., Smagghe, A., Remy, P., Traykov, L. (2006). Executive function deficits in early Alzheimer's disease and their relations with episodic memory. *Archives of Clinical Neuropsychology*, 21(1), 15-21. <https://doi.org/10.1016/j.acn.2005.07.002>
- Baune, B.T., Roesler, A., Knecht, S., Berger, K. (2009). Single and combined effects of cerebral white matter lesions and lacunar infarctions on cognitive function in an elderly population. *Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 64A(1), 118-124. <https://doi.org/10.1093/gerona/gln004>
- Beck, A.T., Steer, R.A., Brown, G.K. (1996). *Manual for the Beck Depression Inventory- II*. San Antonio, TX: Psychological Corporation. <https://doi.org/10.1037/t00742-000>
- Berven, N., Hubert, L.J. (1977). Complete-link clustering as a complement to factor analysis: A comparison to factor analysis used alone. *Journal of Vocational Behavior*, 10, 69-81. [https://doi.org/10.1016/0001-8791\(77\)90043-4](https://doi.org/10.1016/0001-8791(77)90043-4)
- Bestgen, Y. (1998). Segmentation markers as trace and signal of discourse structure. *Journal of Pragmatics*, 29, 753-763. [https://doi.org/10.1016/S0378-2166\(97\)00082-9](https://doi.org/10.1016/S0378-2166(97)00082-9)
- Bond-Chapman, S., Zientz, J., Weiner, M., Rosenberg, R., Frawley, W., Burns, M.H. (2002). Discourse changes in early Alzheimer disease, mild cognitive impairment, and normal aging. *Alzheimer Disease & Associated Disorders*, 16(3), 177-188. <https://doi.org/10.1097/00002093-200207000-00008>
- Borgen, F.H., Barnett, D.C. (1987). Applying cluster analysis in counseling psychology research. *Journal of Counseling Psychology Research*, 34, 456-468. <https://doi.org/10.1037/0022-0167.34.4.456>
- Borgio, F., Giovannini, L., Moro, R., Semenza, C., Arcicasa, M., Zaramella, M. (2003). Updating and inhibition processes in working memory: a comparison between Alzheimer's type dementia and frontal lobe focal damage. *Brain and Cognition*, 53(2), 197-201. [https://doi.org/10.1016/S0278-2626\(03\)00109-X](https://doi.org/10.1016/S0278-2626(03)00109-X)
- Braak, H., Braak, E. (1991). Neuropathological staging of Alzheimer-related changes. *Acta Neuropathologica*, 82(4), 239-259. <https://doi.org/10.1007/BF00308809>
- Brehmer, Y., Westerberg, H., Bäckman, L. (2012). Working-memory training in younger and older adults: training gains, transfer, and maintenance. *Frontiers in Human Neuroscience*, 6:63. <https://doi.org/10.3389/fnhum.2012.00063>
- Brickman, A.M., Habeck, Ch., Zarahn, E., Flynn, J., Stern, Y. (2007). Structural MRI covariance patterns associated with normal aging and neuropsychological functioning. *Neurobiology of Aging*, 28(2), 284-295. <https://doi.org/10.1016/j.neurobiolaging.2005.12.016>
- Brickman, A.M., Zimmerman, M.E., Paul, R.H., Grieve, S.M., Tate, D.F., Cohen, R.A., Williams, L.M., Clark, C.R., Gordon, E. (2006). Regional white matter and neuropsychological functioning across the adult lifespan. *Biological Psychiatry*, 60(5), 444-453. <https://doi.org/10.1016/j.biopsych.2006.01.011>
- Bryan, K., Binder, J., Dann, C., Funnell, E., Ramsey, V., Stevens, S. (2001). Development of a screening instrument for language in older people (Barnes Language Assessment). *Aging & Mental Health*, 5(4), 371-378. <https://doi.org/10.1080/13607860120080332>
- Brzezińska, M. (2011). *Proaktywna starość*. Warszawa: Difin.

Brzeziński, J., Gaul, M., Machowski, A., Zakrzewska, M. (1996). Skala inteligencji Wechslera dla dorosłych. Wersja zrewidowana. Polska adaptacja (WAIS-R PL). Podręcznik. Warszawa: Pracownia Testów Psychologicznych Polskiego Towarzystwa Psychologicznego.

Buckner, R.L. (2004). Memory and executive function in aging and AD: multiple factors that cause decline and reserve factors that compensate. *Neuron*, 44(1), 195-208.
<https://doi.org/10.1016/j.neuron.2004.09.006>

Bunce, D., Anstey, K.J., Christensen, H., Dear, K., Wen, W., Sachdev, P. (2007). White matter hyperintensities and within-person variability in communitydwelling adults aged 60-64 years. *Neuropsychologia*, 45(9), 2009-2015. <https://doi.org/10.1016/j.neuropsychologia.2007.02.006>

Burke, D.M., Shafto, M.A. (2008). Language and aging. W: F.I.M. Craik, T.A. Salthouse (red.), *The handbook of aging and cognition* (s. 373-443). New Jersey: Lawrence Erlbaum Associates.

Cabeza, R. (2002). Hemispheric asymmetry reduction in old adults: the HAROLD model. *Psychology and Aging*, 17(1), 85-100. <https://doi.org/10.1037/0882-7974.17.1.85>

Cabeza, R., Ciaramelli, E., Olson, I.R., Moscovitch, M. (2008). The parietal cortex and episodic memory: an attentional account. *Nature Reviews*, 9(8), 613-625. <https://doi.org/10.1038/nrn2459>

Carey, C.L., Kramer, J.H., Josephson, A., Mungas, D., Reed, B.R., Schuff, N., Weiner, M.W., Chui, H.C. (2008). Subcortical lacunes are associated with executive dysfunction in cognitively normal elderly. *Stroke*, 39(2), 397-402. <https://doi.org/10.1161/STROKEAHA.107.491795>

Carmichael, O., Mungas, D., Beckett, L., Harvey, D., Tomaszewski Farias, S., Reed, B., Olichney, J., Miller, J., DeCarli, Ch. (2012). MRI predictors of cognitive change in a diverse and carefully characterized elderly population. *Neurobiology of Aging*, 33(1), 83-95.
<https://doi.org/10.1016/j.neurobiolaging.2010.01.021>

Champagne-Lavau, M., Joannette, Y. (2009). Pragmatics, theory of mind and executive functions after a right-hemisphere lesion: different patterns of deficits. *Journal of Neurolinguistics*, 22(5), 413-426.
<https://doi.org/10.1016/j.jneuroling.2009.02.002>

Chapman, S.B., Anand, R., Sparks, G. (2006). Gist distinctions in healthy cognitive aging versus mild Alzheimer's disease. *Brain Impairment*, 7(3), 223-233. <https://doi.org/10.1375/brim.7.3.223>

Charlton, R.A., Landau, S., Schiavone, F., Barrick, T.R., Clark, C.A., Markus, H.S., Morris, R.G. (2008). A structural equation modeling investigation of age-related variance in executive function and DTI measured white matter damage. *Neurobiology of Aging*, 29(10), 1547-1555.
<https://doi.org/10.1016/j.neurobiolaging.2007.03.017>

Cherry, B.J., Adamson, M., Duclos, A., Hellige, J.B. (2005). Aging and individual variation in interhemispheric collaboration and hemispheric asymmetry. *Aging, Neuropsychology, and Cognition*, 12(4), 316-339. <https://doi.org/10.1080/17444128.2005.10367004>

Clark, V.H., Resnick, S.M., Doshi, J., Beason-Held, L.L., Zhouc, Y., Ferrucci, L., Dean F. Wong, D.F., Kraut, M.A., Davatzikos, Ch. (2012). Longitudinal imaging pattern analysis (SPARE-CD index) detects early structural and functional changes before cognitive decline in healthy older adults. *Neurobiology of Aging*, 33(12), 2733-2745. <https://doi.org/10.1016/j.neurobiolaging.2012.01.010>

Christensen, H., Mackinnon, A. (1992). Wechsler Intelligence Scale profiles in Alzheimer type dementia and healthy aging. *International Journal of Geriatric Psychiatry*, 7(4), 241-246.
<https://doi.org/10.1002/gps.930070405>

- Cohen, G. (1988). Aging and memory for text. W: L. Light, D. Burke (red.), Language, memory and aging (s. 171-190). Cambridge: Cambridge University Press.
- Croisile, B., Ska, B., Brabant, M.-J., Duchene, A., Lepage, Y., Aimard, G., Trillet, M. (1996). Comparative study of oral and written picture description in patients with Alzheimer's disease. *Brain and Language*, 53(1), 1-19. <https://doi.org/10.1006/brln.1996.0033>
- Crosson, B., Zawacki, T., Brinson, G., Lu, L., Sadek, J.R. (1997). Models of subcortical functions in language: current status. *Journal of Neurolinguistics*, 10(4), 277-300. [https://doi.org/10.1016/S0911-6044\(97\)00018-3](https://doi.org/10.1016/S0911-6044(97)00018-3)
- Dannefer, D., Philipson, C. (2010). *The SAGE Handbook of Social Gerontology* (red.). London: SAGE.
- Daselaar, D., Cabeza, R. (2005). Age-related changes in hemispheric organization. W: R. Cabeza, L. Nyberg, D.C. Park (red.). *Cognitive neuroscience of aging: linking cognitive and cerebral aging* (s. 325-353). New York: Oxford University Press. <https://doi.org/10.1093/acprof:oso/9780195156744.003.0014>
- Davatzikos, Ch., Xu, F., An, Y., Fan, Y., Resnick, S. (2009). Longitudinal progression of Alzheimer's-like patterns of atrophy in normal older adults: the SPARE-AD index. *Brain*, 132, 2026-2035. <https://doi.org/10.1093/brain/awp091>
- Davidson, P.S.R., Troyer, A.K., Moscovitch, M. (2006). Frontal lobe contributions to recognition and recall: linking basic research with clinical evaluation and remediation. *Journal of the International Neuropsychological Society*, 12(2), 210-223. <https://doi.org/10.1017/S1355617706060334>
- Davis, A., O'Neil-Pirozzi, T.M., Coon, M. (1997). Referential cohesion and logical coherence of narration after right hemisphere stroke. *Brain and Language*, 56(2), 183-210. <https://doi.org/10.1006/brln.1997.1741>
- Davis, S.W., Kragel, J.E., Madden, D.J., Cabeza, R. (2012). The architecture of cross-hemispheric communication in the aging brain: linking behavior to functional and structural connectivity. *Cerebral Cortex*, 22(22), 232-242. <https://doi.org/10.1093/cercor/bhr123>
- De Frias, C.M., Strauss, E., Dixon, R.A. (2009). Characterizing executive functioning in older special populations: from cognitively elite to cognitively impaired. *Neuropsychology*, 23(6), 778-791. <https://doi.org/10.1037/a0016743>
- Dijkstra, K., Burgeois, M.S., Allen, R.S., Burgio, L.D. (2004). Conversational coherence: discourse analysis of older adults with and without dementia. *Journal of Neurolinguistics*, 17(4), 263-283. [https://doi.org/10.1016/S0911-6044\(03\)00048-4](https://doi.org/10.1016/S0911-6044(03)00048-4)
- Dolcos, F., Rice, H., Cabeza, R. (2002). Hemispheric asymmetry and aging: right hemisphere decline or asymmetry reduction. *Neuroscience and Behavioral Reviews*, 26(7), 819-825. [https://doi.org/10.1016/S0149-7634\(02\)00068-4](https://doi.org/10.1016/S0149-7634(02)00068-4)
- Domagała, A. (2007). *Zachowania językowe w demencji. Struktura wypowiedzi w chorobie Alzheimer'a*. Lublin: Wydawnictwo UMCS.
- Dudek, B., Kietliński, R. (1968). *Tymczasowy podręcznik do zestawu testów stosowanych w poradnictwie zawodowym*. Warszawa: Ministerstwo Oświaty i Szkolnictwa Wyższego.
- Dunaj, R. (red.) (1996). *Słownik współczesnego języka polskiego*. Warszawa: Wilga.

- Duong, A., Giroux, F., Tardif, A., Ska, B. (2005). The heterogeneity of picturesupported narratives in Alzheimer's disease. *Brain and Language*, 93(2), 173-184.
<https://doi.org/10.1016/j.bandl.2004.10.007>
- Ehrlich, J.S., Obler, L.K., Clark, L. (1997). Ideational and semantic contributions to narrative production in adults with dementia of the Alzheimer's type. *Journal of Communication Disorders*, 30(2), 79-99. [https://doi.org/10.1016/0021-9924\(95\)00053-4](https://doi.org/10.1016/0021-9924(95)00053-4)
- Emery, V.O., Gillie, E.X., Smith, J.A. (2005). Noninfarct vascular dementia and Alzheimer dementia spectrum. *Journal of Neurological Sciences*, 229-230, 27-36.
<https://doi.org/10.1016/j.jns.2004.11.016>
- Eyler, L.T., Sherzai, A., Jeste, D.V. (2011). A review of functional brain imaging correlates of successful cognitive aging. *Biological Psychiatry*, 70(2), 115-122.
<https://doi.org/10.1016/j.biopsych.2010.12.032>
- Fabrigoule, C., Rouch, I., Taberly, A., Letenneur, L., Commenges, D., Mazaux, J.-M., Orgogozo, J.-M., Dartigues, J.-F. (1998). Cognitive process in preclinical phase of dementia. *Brain*, 121(1), 135-141.
<https://doi.org/10.1093/brain/121.1.135>
- Failla, C.V., Sheppard, D., Bradshaw, J.L. (2003). Age and responding-hand related changes in performance of neurologically normal subjects on the line-bisection and chimeric-faces task. *Brain and Cognition*, 52(3), 353-363. [https://doi.org/10.1016/S0278-2626\(03\)00181-7](https://doi.org/10.1016/S0278-2626(03)00181-7)
- Ferstl, E.C. (2006). Text comprehension in middle aged adults: is there anything wrong? *Aging, Neuropsychology, and Cognition*, 13(1), 62-85. <https://doi.org/10.1080/13825580490904237>
- Fisk, J.E., Warr, P.B. (1998). Associative learning and short-term forgetting as a function of age, perceptual speed, and central executive functioning. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*, 53B(2), 112-121.
<https://doi.org/10.1093/geronb/53B.2.P112>
- Fjell, A.M., McEvoy, L., Holland, D., Dale, A.M., Walhovd, K.B., Alzheimer's Disease Neuroimaging Initiative (2013). Brain changes in older adults at very low risk for Alzheimer's Disease. *The Journal of Neuroscience*, 33(19), 8237- 8242. <https://doi.org/10.1523/JNEUROSCI.5506-12.2013>
- Fjell, A.M., Westlye, L.T., Amlien, I., Espeseth, T., Reinvang, I., Raz, N., Agartz, I., Salat, D.H., Greve, D.N., Fischl, B., Dale, A.M., Walhovd, K.B. (2009). High consistency of regional cortical thinning in aging across multiple samples. *Cerebral Cortex*, 19(9), 2001-2012.
<https://doi.org/10.1093/cercor/bhn232>
- Fleischman, D.A., Yu, L., Arfanakis, K., Han, S.D., Barnes, L.L., Arvanitakis, Z., Boyle, P.A., Bennett, D.A. (2013). Faster cognitive decline in the years prior to MR imaging is associated with smaller hippocampal volumes in cognitively healthy older persons. *Frontiers in Aging Neuroscience*, 5:21.
<https://doi.org/10.3389/fnagi.2013.00021>
- Folstein, M.F., Folstein, S.E., McHugh, P.R. (1975). "Mini-Mental State" a practical method for grading the cognitive state of the patients for the clinician. *Journal of Psychiatric Research*, 12(3), 189-198.
[https://doi.org/10.1016/0022-3956\(75\)90026-6](https://doi.org/10.1016/0022-3956(75)90026-6)
- Fraser, B. (1999). What are discourse markers? *Journal of Pragmatics*, 31, 931-952.
[https://doi.org/10.1016/S0378-2166\(98\)00101-5](https://doi.org/10.1016/S0378-2166(98)00101-5)

- Gabryelewicz, T. (2004). Łagodne zaburzenia poznawcze. W: A. Szczudlik, P.P. Liberski i M. Barcikowska (red.), *Otępienie* (s. 53-58). Kraków: Wydawnictwo UJ.
- Gainotti, G., Marra, C., Villa, G. (2001). A double dissociation between accuracy and time of execution on attentional tasks in Alzheimer's disease and multi-infarct dementia. *Brain*, 124(4), 731-738.
<https://doi.org/10.1093/brain/124.4.731>
- Galluzzi, S., Lanni, C., Pantoni, L., Filippi, M., Frisoni, G.B. (2008). White matter lesions in the elderly: pathophysiological hypothesis on the effect on brain plasticity and reserve. *Journal of the Neurological Sciences*, 273, 3-9. <https://doi.org/10.1016/j.jns.2008.06.023>
- Gawron, N. (2008). Rozumienie i odtwarzanie tekstów oraz rozumienie języka figuratywnego przez chorych z wczesnymi zespołami otępiennymi. W: L. Hess, T. Konik, A. Pohl, M. Siedlecka, J. Sitnicka (red.), *Rocznik Kognitywistyczny*, t. II (s. 23-30). Kraków: Wydawnictwo UJ.
- Gawron, N. (2006). Fluency and narrative discourse in the elderly. *Acta Neuropsychologica*, 4(4), 296-312.
- Gayraud, F., Lee, H.R., Barkat-Defradas, M. (2011). Syntactic and lexical context of pauses and hesitations in the discourse of Alzheimer patients and healthy elderly subjects. *Clinical Linguistics and Phonetics*, 25(3), 198-209. <https://doi.org/10.3109/02699206.2010.521612>
- Gerhardstein, P., Peterson, M.A., Rapcsak, S.Z. (1998). Age-related hemispheric asymmetry in object discrimination. *Journal of Clinical and Experimental Neuropsychology*, 20(2), 174-185.
<https://doi.org/10.1076/jcen.20.2.174.1162>
- Gläscher, J., Tranel, D., Paul, L.K., Rudrauf, D., Rorden, Ch., Hornaday, A., Grabowski, T., Damasio, H., Adolphs, R. (2009). Lesion mapping of cognitive abilities linked to intelligence. *Neuron*, 61(5), 681-691. <https://doi.org/10.1016/j.neuron.2009.01.026>
- Goldstein, G., Shelly, C. (1981). Does the right hemisphere age more rapidly than the left? *Journal of Clinical and Experimental Neuropsychology*, 3(1), 65-78.
<https://doi.org/10.1080/01688638108403114>
- Golomb, J.D., Peelle, J.E., Addis, K.M., Kahana, M.J., Wingfield, A. (2008). Effects of adult aging on utilization of temporal and semantic associations during free and serial recall. *Memory and Cognition*, 36(5), 947-956. <https://doi.org/10.3758/MC.36.5.947>
- Gootjes, L., Scheltens, P., Van Strien, J.W., Bouma, A. (2007). Subcortical white matter pathology as a mediating factor for age-related decreased performance in dichotic listening. *Neuropsychologia*, 45(10), 2322-2332. <https://doi.org/10.1016/j.neuropsychologia.2007.02.014>
- Grabowska, A. (2010). Mózgowe aspekty komunikacji językowej z perspektywy metod neuroobrazowania. W: I. Kurcz, H. Okuniewska (red.), *Język jako przedmiot badań psychologicznych. Psycholingwistyka ogólna i neurolingwistyka* (s. 308-347). Warszawa: Academica Wydawnictwo SWPS.
- Grady, C.L., Springer, M.V., Hongwanishkul, D., McIntosh, A.R., Winocur, G. (2006). Age-related changes in brain activity across the adult lifespan. *Journal of Cognitive Neuroscience*, 18(2), 227-241.
<https://doi.org/10.1162/jocn.2006.18.2.227>
- Grau-Olivares, M., Arboix, A., Bartréz-Faz, D., Junqué, C. (2007). Neuropsychological abnormalities associated with lacunar infarction. *Journal of the Neurological Sciences*, 257(1), 160-165.
<https://doi.org/10.1016/j.jns.2007.01.022>

Greenaway, M.C., Lacritz, L.H., Binegar, D., Weiner, M.F., Lipton, A., Cullum, M. (2006). Patterns of verbal memory performance in Mild Cognitive Impairment, Alzheimer's disease, and normal aging. *Cognitive Behavioral Neurology*, 19(2), 79-84. <https://doi.org/10.1097/01.wnn.0000208290.57370.a3>

Grieve, S.M., Williams, L.M., Paul, R.H., Clark, C.R., Gordon, E. (2007). Cognitive aging, executive function, and fractional anisotropy: a diffusion tensor MR imaging study. *American Journal of Neuroradiology*, 28(2), 226-235.

Grodzinsky, Y., Friederici, A.D. (2006). Neuroimaging of syntax and syntactic processing. *Current Opinion in Neurobiology*, 16(2), 240-246. <https://doi.org/10.1016/j.conb.2006.03.007>

Gunning-Dixon, F.M., Head, D., McQuain, J., Acker, J.D., Raz, N. (1998). Differential aging of the human striatum: a prospective MR imaging study. *American Journal of Neuroradiology*, 19(8), 1501-1507.

Gunning-Dixon, F.M., Raz, N. (2003). Neuroanatomical correlates of selected executive functions in middle-aged and older adults: a prospective MRI study. *Neuropsychologia*, 41(14), 1929-1941. [https://doi.org/10.1016/S0028-3932\(03\)00129-5](https://doi.org/10.1016/S0028-3932(03)00129-5)

Gunten von, A., Kövari, E., Bussi re, T., Rivara, C.-B., Gold, G., Bouras, C., Hof, P.R., Giannakopoulos, P. (2006). Cognitive impact of neuronal pathology in the entorinal cortex and CA1 field in Alzheimer's disease. *Neurobiology of Aging*, 27(2), 270-277. <https://doi.org/10.1016/j.neurobiolaging.2005.02.008>

GUS 2005 i 2008 <http://www.stat.gov.pl/gus>

Habib, R., Nyberg, L., Nilsson, L.-G. (2007). Cognitive and non-cognitive factors contributing to the longitudinal identification of successful older adults in the Betula Study. *Neuropsychology, Development, and Cognition. Section B, Aging, Neuropsychology, and Cognition*, 14(3), 257-273. <https://doi.org/10.1080/13825580600582412>

Hampshire, A., Thompson, R., Duncan, J., Owen, A.M. (2010). Lateral prefrontal cortex subregions make dissociable contributions during fluid reasoning. *Cerebral Cortex*, 21(1), 1-10. <https://doi.org/10.1093/cercor/bhq085>

Hartley, J.T. (1986). Reader and text variables as determinants of discourse memory in adulthood. *Psychology and Aging*, 1(2), 150-158. <https://doi.org/10.1037/0882-7974.1.2.150>

Hasson, U., Nusbaum, H.C., Small, S.L. (2007). Brain networks subserving the extraction of sentence information and its encoding to memory. *Cerebral Cortex*, 17(12), 2899-2915. <https://doi.org/10.1093/cercor/bhm016>

Hayden, K.M., Reed, B.R., Manly, J.J., Tommet, D., Pietrzak, R.H., Chelune, G.J., Yang, F.M., Revell, A.J., Bennett, D.A., Jones, R.N. (2011). Cognitive decline in the elderly: an analysis of population heterogeneity. *Age and Ageing*, 40(6), 684-689. <https://doi.org/10.1093/ageing/afr101>

Head, D., Kennedy, K.M., Rodrigue, K.M., Raz, N. (2009). Age-differences in perseveration: cognitive and neuroanatomical mediators of performance on the Wisconsin Card Sorting Test. *Neuropsychologia*, 47(4), 1200-1203. <https://doi.org/10.1016/j.neuropsychologia.2009.01.003>

Head, D., Snyder, A.Z., Gierton, L.E., Morris, J.C., Buckner, R.L. (2005). Frontal-hippocampal double dissociation between normal aging and Alzheimer's disease. *Cerebral Cortex*, 15(6), 732-739. <https://doi.org/10.1093/cercor/bhh174>

- Hedden, T., Gabrieli, J.D. (2004). Insights into the ageing mind: a view from cognitive neuroscience. *Nature Reviews. Neuroscience*, 5(2), 87-96. <https://doi.org/10.1038/nrn1323>
- Hedden, T., Van Dijk, K.R.A., Shire, E.H., Sperling, R.A., Johnson, K.A., Buckner, R.A. (2012). Failure to modulate attentional control in advanced aging linked to white matter pathology. *Cerebral Cortex*, 22(5), 1038-1051. <https://doi.org/10.1093/cercor/bhr172>
- Hellige, J.B. (1993). *Hemispheric asymmetry. What's right and what's left.* Cambridge, Massachusetts: Harvard University Press.
- Helmes, E., Østbye, T. (2002). Beyond memory impairment. Cognitive changes in Alzheimer's disease. *Archives of Clinical Neuropsychology*, 17(2), 179-193. <https://doi.org/10.1093/arclin/17.2.179>
- Hier, D.B., Hagenlocker, K., Shindler, A.G. (1985). Language desintegration in dementia: effects of etiology and severity. *Brain and Language*, 25(1), 117-133. [https://doi.org/10.1016/0093-934X\(85\)90124-5](https://doi.org/10.1016/0093-934X(85)90124-5)
- Hugenschmidt, Ch.E., Peiffer, A.M., Kraft, R.A., Casanova, R., Deibler, A.R., Burdette, J.H., Maldijan, J.A., Laurienti, P.J. (2008). Relating imaging indices of white matter integrity and volume in healthy older adults. *Cerebral Cortex*, 18(2), 433-442. <https://doi.org/10.1093/cercor/bhm080>
- Hultsch, D.F., MasDonald, S.W.S., Dixon, R.A. (2002). Variability in reaction time performance of younger and older adults. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*, 57B(2), 101-115. <https://doi.org/10.1093/geronb/57.2.P101>
- Ikram, M.A., Vrooman, H.A., Vernooij, M.W., den Heijer, T., Hofman, A., Niessen, W.J., van der Lugt, A., Koudstaal, P.J., Breteler, M.M. (2010). Brain tissue volumes in relation to cognitive function and risk of dementia. *Neurobiology of Aging*, 31(3), 378-386. <https://doi.org/10.1016/j.neurobiolaging.2008.04.008>
- Infantidou, E. (2005). The semantics and pragmatics of metadiscourse. *Journal of Pragmatics*, 37(9), 1325-1353. <https://doi.org/10.1016/j.pragma.2004.11.006>
- Jacobson, M.W., Delis, D.C., Bondi, M.W., Salmon, D.P. (2002). Do neuropsychological test detect preclinical Alzheimer's disease: individual - test versus cognitive-discrepancy score analyses. *Neuropsychology*, 16(2), 132-139. <https://doi.org/10.1037/0894-4105.16.2.132>
- James, L.E., Burke, D.M., Austin, A., Hulme, E. (1998). Production and perception of "verbosity" in younger and older adults. *Psychology and Aging*, 13(3), 355-367. <https://doi.org/10.1037/0882-7974.13.3.355>
- Jaworowska, A. (2002). *Test Sortowania Kart z Wisconsin.* Podręcznik. Warszawa: Pracownia Testów Psychologicznych Polskiego Towarzystwa Psychologicznego.
- Jenkins, L., Myerson, J., Joerding, J.A., Hale, S. (2000). Converging evidence that visuospatial cognition is more age-sensitive than verbal cognition. *Psychology and Aging*, 15, 157-175. <https://doi.org/10.1037/0882-7974.15.1.157>
- Jensen, A.M., Chenery, H.J., Copland, D.A. (2006). A comparison of picture description abilities in individuals with vascular subcortical lesions and Huntington's disease. *Journal of Communication Disorders*, 39(1), 62-77. <https://doi.org/10.1016/j.jcomdis.2005.07.001>
- Jodzio, K. (2008). *Neuropsychologia intencjonalnego działania. Koncepcje funkcji wykonawczych.* Warszawa: Scholar.

- Jodzio, K., Biechowska, D. (2010). Wisconsin Card Sorting Test as a measure of executive function impairments in stroke patients. *Applied Neuropsychology*, 17(4), 267-277. <https://doi.org/10.1080/09084282.2010.525104>
- Jokinen, H., Kalska, H., Mäntylä, R., Pohjasvaara, T., Ylikoski, R., Hietanen, M., Salonen, O., Kaste, M., Erkinjuntti, T. (2006). Cognitive profile of subcortical ischaemic vascular disease. *Journal of Neurology, Neurosurgery and Psychiatry*, 77(1), 28-33. <https://doi.org/10.1136/jnnp.2005.069120>
- Jolliffe, I.T. (2002). *Principal components analysis*. Second edition. New York: Springer Verlag.
- Joy, S. Fein, D., Kaplan, E., Freedman, M. (2001). Quantifying features of Block Design performance among healthy older adults. *Archives of Clinical Neuropsychology*, 16(2), 157-170. <https://doi.org/10.1093/arclin/16.2.157>
- Juncos-Rabadán, O., Pereiro, A.X., Rodriguez, M.S. (2005). Narrative speech in aging: quantity, information content and cohesion. *Brain and Language*, 95(3), 423-434. <https://doi.org/10.1016/j.bandl.2005.04.001>
- Jung, R.E., Haier, R.J. (2007). The Parieto-Frontal Integration Theory (P-FIT) of intelligence: converging neuroimaging evidence. *Behavioral and Brain Sciences*, 30(2), 135-187.
- Kalaria, R.J., Erkinjuntti, T. (2006). Small vessel disease and subcortical vascular dementia. *Journal of Clinical Neurology*, 2(1), 1-11. <https://doi.org/10.3988/jcn.2006.2.1.1>
- Kalpouzos, G., Chételat, G., Baron, J.C., Landeau, B., Mevel, K., Godeau, Ch., Barré, L., Constans, J.-M., Viader, F., Eustache, F., Desgranges, B. (2009). Voxel-based mapping of gray matter volume and glucose metabolism profiles in normal aging. *Neurobiology of Aging*, 30(1), 112-124. <https://doi.org/10.1016/j.neurobiolaging.2007.05.019>
- Kandiah, N., Narasimhalu, K., Lee, J., Chen, C.L. (2009). Differences exist in the cognitive profile of mild Alzheimer's disease and subcortical ischemic vascular dementia. *Dementia and Geriatric Cognitive Disorders*, 27(5), 399-403. <https://doi.org/10.1159/000210387>
- Kaup, A.R., Mirzakhani, H., Jeste, D.V., Eyler, L.T. (2011). A review of the brain structure correlates of successful cognitive aging. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 23(1), 6-15. <https://doi.org/10.1176/appi.neuropsych.23.1.6>
- Kawecka-Jaszcz, K., Pośnik-Urbańska, A., Jankowski, P. (2007). Rozpowszechnienie nadciśnienia tętniczego w zależności od płci w świetle badań epidemiologicznych w Polsce. *Arterial Hipertension*, 11(5), 377-383.
- Kądziaława, D. (1998). Zaburzenia językowe po uszkodzeniach struktur podkorowych mózgu. W: A. Herzyk, D. Kądziaława (red.), *Związek mózg-zachowanie w ujęciu neuropsychologii klinicznej* (s. 111-156). Lublin: Wydawnictwo UMCS.
- Kemper, S. (1987). Life-span changes in syntactic complexity. *Journal of Gerontology*, 42, 323-328. <https://doi.org/10.1093/geronj/42.3.323>
- Kemper, S., Herman, R., Lian, C. (2003). Age differences in sentence production. *Journal of Gerontology: Psychological Sciences*, 58B, 260-268. <https://doi.org/10.1093/geronb/58.5.P260>
- Kennedy, K.M., Raz, N. (2009). Aging white matter and cognition: differential effects of regional variations in diffusion properties on memory, executive functions, and speed. *Neuropsychologia*, 47(3), 916-927. <https://doi.org/10.1016/j.neuropsychologia.2009.01.001>

Kiernicka, J. (2002). Analiza dyskursu w infekcji HIV i AIDS. Wydział Psychologii Uniwersytetu Warszawskiego. Nieopublikowana praca magisterska.

Kintsch, W., van Dijk, T.A. (1978). Toward a model of text comprehension and production. *Psychological Review*, 85(5), 363-393. <https://doi.org/10.1037/0033-295X.85.5.363>

Kuperberg, G.R., Lakshmann, B.M., Caplan, D.N., Holcomb, P.J. (2006). Making sense of discourse: an fMRI study of causal inferencing across sentences. *NeuroImage*, 33(1), 343-361. <https://doi.org/10.1016/j.neuroimage.2006.06.001>

Kurcz, I. (2010). Charakterystyka kompetencji komunikacyjnej - teorie i badania nad efektywną komunikacją, dyskursem, tekstem i narracją. W: I. Kurcz, H. Okuniewska (red.), *Język jako przedmiot badań psychologicznych. Psycholingwistyka ogólna i neurolingwistyka* (s. 123-148). Warszawa: Wydawnictwo Academica SWPS.

Laeng, B. (2006). Constructional apraxia after left or right unilateral stroke. *Neuropsychologia*, 44(9), 1595-1606. <https://doi.org/10.1016/j.neuropsychologia.2006.01.023>

Laine, M., Laakso, M., Vuorinen, E., Rinne, J. (1998). Coherence and informativeness of discourse in two dementia types. *Journal of Neurolinguistics*, 11(1/2), 78-87. [https://doi.org/10.1016/S0911-6044\(98\)00006-2](https://doi.org/10.1016/S0911-6044(98)00006-2)

Lambon Ralph, M.A., Patterson, K., Graham, N., Dawson, K., Hodges, J.H. (2003). Homogeneity and heterogeneity in mild cognitive impairment and Alzheimer's disease: a cross-sectional and longitudinal study of 55 cases. *Brain*, 126(11), 2350-2362. <https://doi.org/10.1093/brain/awg236>

Lekeu, F., Magis, D., Marique, P., Delbeuck, X., Bechet, S., Guillaume, B., Bechet, S., Adam, S., Petermans, J., Moonen, G., Salmon, E. (2010). The California Verbal Learning Test and other standard clinical neuropsychological tests to predict conversion from mild memory impairment to dementia. *Journal of Clinical and Experimental Neuropsychology*, 32(2), 164-173. <https://doi.org/10.1080/13803390902889606>

Levine, B., Stuss, D.T., Milberg, P., Alexander, M.P., Schwartz, M., McDonald, A. (1998). The effects of focal and diffuse brain damage on strategy application: evidence from focal lesions, traumatic brain injury and normal aging. *Journal of the International Neuropsychological Society*, 4(3), 247-264. <https://doi.org/10.1017/S1355617798002471>

Lezak, M., Howieson, D.B., Loring, D.W. (2004). *Neuropsychological assessment* (fourth edition). New York: Oxford University Press.

Libon, D.J., Xie, S.X., Eppig, J., Wicas, G., Lamar, M., Lippa, C., Bettcher, B.M., Price, C.C., Giovannetti, T., Swenson, R., Wambach, D.M. (2010). The heterogeneity of mild cognitive impairment: a neuropsychological analysis. *Journal of the International Neuropsychological Society*, 16(1), 84-93. <https://doi.org/10.1017/S1355617709990993>

Lie, Ch.-H., Specht, K., Marshall, J.C., Fink, G.R. (2006). Using fMRI to decompose the neural processes underlying the Wisconsin Card Sorting Test. *NeuroImage*, 30(3), 1038-1049. <https://doi.org/10.1016/j.neuroimage.2005.10.031>

Lim, Y.Y., Ellis, K.A., Harrington, K., Kamer, A., Pietrzak, R.H., Bush, A.I., Darby, D., Martins, R.N., Masters, C.L, Rowe, C.C., Savage, G., Szoeka, C., Villemagne, V.L., Ames, D., Maruff, P., The AIBL Research Group (2013). Cognitive consequences of high A β Amyloid in Mild Cognitive Impairment

and healthy older adults: implications for early detection of Alzheimer's Disease. *Neuropsychology*, 27(3), 322-332. <https://doi.org/10.1037/a0032321>

Lombardi, W.J., Andreason, P.J., Sirocco, K.Y., Rio, D.E., Gross, R. E., Umhau, C.U., Hommer, D.W. (1999). Wisconsin Card Sorting Test following right frontal injury: dorsolateral fronto-striatal circuit activity predicts perseveration. *Journal of Clinical and Experimental Neuropsychology*, 21(1), 2-16. <https://doi.org/10.1076/jcen.21.1.2.940>

Long, D.L., Baynes, K. (2002). Discourse representation in the two cerebral hemispheres. *Journal of Cognitive Neuroscience*, 14(2), 228-242. <https://doi.org/10.1162/089892902317236867>

Łojek, E. (2010). Communication competence in the brain. W: B. Bokus (red.), *Studies in the psychology of language and communication. In honor of Ida Kurcz* (s. 121-134). Warszawa: Matrix.

Łojek, E. (2009). Imaging communication in the brain. W: K. Bryan (red.), *Communication in healthcare* (s. 1-66). Bern: Peter Lang A.G.

Łojek, E. (2007). Bateria testów do badania funkcji językowych i komunikacyjnych prawej półkuli mózgu RHLB-PL. Podręcznik. Warszawa: Pracownia Testów Psychologicznych.

Łojek, E. (2001). *Neuropsychologia osób zakażonych wirusem HIV i chorych na AIDS*. Warszawa: Medyk.

Łojek, E., Stańczak, J. (2010). Kalifornijski Test Ucznienia się Językowego CVLT Deana D. Delisa, Joela H. Kramera, Edith Kaplan i Beth A. Ober. Polska normalizacja. Warszawa: Pracownia Testów Psychologicznych Polskiego Towarzystwa Psychologicznego.

Łojek-Osiejuk, E. (1996). Knowledge of scripts reflected in discourse of aphasics and right-brain-damaged patients. *Brain and Language*, 53(1), 58-80. <https://doi.org/10.1006/brln.1996.0037>

Łuczywek, E., Barczak, A., Gabryelewicz, T., Pfeffer, A., Peptońska, B., Maik, M., Styczyńska, M., Religia, D., Barcikowska, M. (2006). Successful aging: The neuropsychological assessment of persons in very advanced age. *Acta Neuropsychologica*, 4 (1/2), 21-32.

Łuczywek, E., Kądzielawa, D. (2005). Funkcjonowanie poznawcze polskich stulatków z perspektywy neuropsychologicznej. W: K. Jodzio (red.), *Neuralny świat umysłu* (s. 145-166). Kraków: Impuls.

Mackenzie, C., Begg, T., Lees, K.R., Brady, M. (1999). The communication effects of right brain damage on the very old and not so old. *Journal of Neurolinguistics*, 12(2), 79-93. [https://doi.org/10.1016/S0911-6044\(99\)00004-4](https://doi.org/10.1016/S0911-6044(99)00004-4)

Mar, R.A. (2004). The neuropsychology of narrative: story comprehension, story production and their interrelation. *Neuropsychologia*, 42(10), 1414-1434. <https://doi.org/10.1016/j.neuropsychologia.2003.12.016>

March, E.G., Wales, R., Pattison, P. (2006). The uses of nouns and deixis in discourse production in Alzheimer's disease. *Journal of Neurolinguistics*, 19(4), 311-340. <https://doi.org/10.1016/j.jneuroling.2006.01.001>

Marini A. (2012). Characteristics of narrative discourse processing after damage to the right hemisphere. *Seminars in Speech and Language*, 33(1), 68-78. <https://doi.org/10.1055/s-0031-1301164>

- Marini, A., Boewe, A., Caltagirone, C., Carlomagno, S. (2005a). Age-related differences in the production of textual descriptions. *Journal of Psycholinguistic Research*, 34(5), 439-463. <https://doi.org/10.1007/s10936-005-6203-z>
- Marini, A., Carlomagno, S., Caltagirone, C., Nocentini, U. (2005b). The role played by the right hemisphere in the organization of complex textual structures. *Brain and Language*, 93(1), 46-54. <https://doi.org/10.1016/j.bandl.2004.08.002>
- Marini, A., Spoletini, I., Rubino, A., Ciuffa, M., Bria, P., Marinotii, G., Banfi, G., Boccascino, R., Strom, P., Siracusano, A., Caltagirone, C., Spalletta, G. (2008). The language of schizophrenia: an analysis of micro and macrolinguistic abilities and their neuropsychological correlates. *Schizophrenia Research*, 105(1-3), 144-155. <https://doi.org/10.1016/j.schres.2008.07.011>
- Mason, R.A., Just, M.A (2009). The role of theory-of-mind cortical network in the comprehension of narratives. *Language and Linguistics Compass*, 3(1), 157-174. <https://doi.org/10.1111/j.1749-818X.2008.00122.x>
- Maxim, J., Bryan, K. (2006). *Language, communication and cognition in the dementias*. W: K. Bryan, J. Maxim (red.), *Communication disabilities in the dementias* (s. 73-124). Chichester: John Wiley.
- McDonald, C.R., Gharapetian, L., McEvoy, L.K., Fennema-Notestine, C., Hagler, D.J. Jr, Holland, D., Dale, A.M., Alzheimer's Disease Neuroimaging Initiative (2012). Relationship between regional atrophy rates and cognitive decline in mild cognitive impairment. *Neurobiology of Aging*, 33(2), 242-253. <https://doi.org/10.1016/j.neurobiolaging.2010.03.015>
- McGinnis, D. (2009). Text comprehension products and processes in young, young-old, and old-old adults. *Journal of Gerontology: Psychological Sciences*, 64B(2), 202- 211. <https://doi.org/10.1093/geronb/gbp005>
- Meudell, P.R. Greenhalgh, M. (1987). Age related differences in left and right hand skill and in visuo-spatial performance: their possible relationships to the hypothesis that the right hemisphere ages more rapidly than the left. *Cortex*, 23(3), 431-345. [https://doi.org/10.1016/S0010-9452\(87\)80005-9](https://doi.org/10.1016/S0010-9452(87)80005-9)
- Mitchell, A.J. (2009). A meta-analysis of the accuracy of the mini-mental state examination in the detection of dementia and the mild cognitive impairment. *Journal of Psychiatric Research*, 43(4), 411-431. <https://doi.org/10.1016/j.jpsychires.2008.04.014>
- Mitrushina, M., Fogel, T., D'Elia, L., Uchiyama, C., Satz, P. (1995). Performance on motor tasks as an indication of increased behavioral asymmetry with advancing age. *Neuropsychologia*, 33(3), 359-364. [https://doi.org/10.1016/0028-3932\(94\)00113-4](https://doi.org/10.1016/0028-3932(94)00113-4)
- Mitzner, T.L., Kemper, S. (2003). Oral and written language in late adulthood: findings from the Nun Study. *Experimental Aging Research*, 29(4), 457-474. <https://doi.org/10.1080/03610730303698>
- Monetta, L., Ouellet-Plamondon, C., Joannette, Y. (2007). Age-related changes in the processing of the metaphorical alternative meanings of words. *Journal of Neurolinguistics*, 20(4), 277-284. <https://doi.org/10.1016/j.jneuroling.2006.10.001>
- Moorhouse, P., Rockwood, K. (2008). Vascular cognitive impairment: current concepts and clinical developments. *Lancet Neurology*, 7(3), 246-255. [https://doi.org/10.1016/S1474-4422\(08\)70040-1](https://doi.org/10.1016/S1474-4422(08)70040-1)
- Muller, M., Grobbee, D.E., Aleman, A., Bots, M., van der Schouw, Y.T. (2007). Cardiovascular disease and cognitive performance in middle-aged and elderly men. *Arteriosclerosis*, 190(1), 143-149. <https://doi.org/10.1016/j.atherosclerosis.2006.01.005>

- Mungas, D., Beckett, L., Harvey, D., Tomaszewski Farias, S., Reed, B., Carmichael, O., Olichney J, Miller J., DeCarli, C. (2010). Heterogeneity of cognitive trajectories in diverse older persons. *Psychology and Aging*, 25(3), 606-619. <https://doi.org/10.1037/a0019502>
- Nebes, R.D., Meltzer, C.C., Whyte, E.M., Scanlon, J.M., Halligan, E.M., Saxton, J.A., Houck, P.R., Boada, F.E., DeKosky, S.T. (2006). The relations of white matter hyperintensities to cognitive performance in the normal old: education matters. *Neuropsychology, Development, and Cognition. Section B, Aging, Neuropsychology, and Cognition*, 13(3-4), 326-340. <https://doi.org/10.1080/138255890969294>
- Nilsson, L.-G., Adolfsson, R., Bäckman, L., de Frias, C.M., Molander, B., Nyberg, L. (2004). Betula: a prospective cohort study on memory, health and aging. *Aging, Neuropsychology, and Cognition*, 11, 134-148. <https://doi.org/10.1080/13825580490511026>
- Nys, G.M.S., van Zandvoort, M.J.E., van der Worp, H.B., Kappelle, L.J., de Haan, E.H.F. (2006). Neuropsychological and neuroanatomical correlates of perseverative responses in subacute stroke. *Brain*, 129(8), 2148-2157. <https://doi.org/10.1093/brain/awl199>
- Osiejuk, E. (1994). *Problematyka dyskursu w neuropsychologii poznawczej*. Warszawa: Wydział Psychologii Uniwersytetu Warszawskiego.
- Pantoni, L. (2010). Cerebral small vessel disease: from pathogenesis and clinical characteristics to therapeutic challenges. *Lancet Neurology*, 9(7), 689-701. [https://doi.org/10.1016/S1474-4422\(10\)70104-6](https://doi.org/10.1016/S1474-4422(10)70104-6)
- Papagno, C. (2001). Comprehension of metaphors and idioms in patients with Alzheimer's disease. A longitudinal study. *Brain*, 124, 1450-1460. <https://doi.org/10.1093/brain/124.7.1450>
- Parasuraman, R., Greenwood, P.M., Alexander, G.E. (2000). Alzheimer's disease constricts the dynamic range of spatial attention in visual search. *Neuropsychologia*, 38(8), 1126-1135. [https://doi.org/10.1016/S0028-3932\(00\)00024-5](https://doi.org/10.1016/S0028-3932(00)00024-5)
- Pardo, J.V., Lee, J.T., Sheikh, S.A., Surerus-Johnson, Ch., Shah, H., Munch, K.R., Carlis, J.V., Lewis, S.M., Kuskowski, M.A., Dysken, M.W. (2007). Where the brain grows old: decline in anterior cingulate and medial prefrontal function with normal aging. *NeuroImage*, 35(3), 1231-1237. <https://doi.org/10.1016/j.neuroimage.2006.12.044>
- Park, D.C., Lautenschlager, G., Hedden, T., Davidson, N.S., Smith, A.D., Smith, P.K. (2002). Models of visuospatial and verbal memory across the life span. *Psychology and Aging*, 17(2), 299-320. <https://doi.org/10.1037/0882-7974.17.2.299>
- Paul, R.H., Haque, O., Gunstad, J., Tate, D.F., Grieve, S.M., Hoth, K., Brickman, A.M., Cohen, R., Lange, K., Jefferson, A.L., MacGregor, K.L., Gordon, E. (2005). Subcortical hyperintensities impact cognitive function among a select subset of healthy elderly. *Archives of Clinical Neuropsychology*, 20(6), 697-704. <https://doi.org/10.1016/j.acn.2005.02.004>
- Payne, B.R., Gross, A.L., Parisi, J.M., Sisco, S.M., Stine-Morrow, E.A.L., Marsiske, M., Rebok G.W. (2013). Modelling longitudinal changes in older adults' memory for spoken discourse: Findings from the ACTIVE cohort, *Memory*, <https://doi.org/10.1080/09658211.2013.861916>
- Peraita, H., Díaz, C., Anllo-Vento, L. (2008). Processing of semantic relations in normal aging and Alzheimer's disease. *Archives of Clinical Neuropsychology*, 23(1), 33-46. <https://doi.org/10.1016/j.acn.2007.09.001>

- Persson, J., Nyberg, L., Lind, J., Larsson, A., Nilsson, L.-G., Ingvar, M., Buckner, R. (2006). Structure-function correlates of cognitive decline in aging. *Cerebral Cortex*, 16 (7), 907-915. <https://doi.org/10.1093/cercor/bhj036>
- Peters, A. (2002). Structural changes that occur during normal aging of primate cerebral hemispheres. *Neuroscience and Biobehavioral Reviews*, 26(7), 733-741. [https://doi.org/10.1016/S0149-7634\(02\)00060-X](https://doi.org/10.1016/S0149-7634(02)00060-X)
- Pike, K.E., Savage, G. (2008). Memory profiling in mild cognitive impairment: Can we determine risk for Alzheimer's disease? *Journal of Neuropsychology*, 2(2), 361-372. <https://doi.org/10.1348/174866407X227015>
- Poels, M.M., Ikram, M.A., van der Lugt, A., Hofman, A., Niessen, W.J., Krestin, G.P., Breteler, M.M., Vernooij, M.W. (2012). Cerebral microbleeds are associated with worse cognitive function: the Rotterdam Scan Study. *Neurology*, 78(5), 326-333. <https://doi.org/10.1212/WNL.0b013e3182452928>
- Powell, A.L, Cummings, J.L., Hill, M.A., Benson, F. (1988). Speech and language alterations in multi-infarct dementia, *Neurology*, 38(5), 717-719. <https://doi.org/10.1212/WNL.38.5.717>
- Pratt, M.W., Boyes, C., Robbins, S., Manchester, J. (1989). Telling tales: aging, working memory, and the narrative cohesion of story retellings. *Developmental Psychology*, 25(4), 628-635. <https://doi.org/10.1037/0012-1649.25.4.628>
- Prins, N.D., van Dijk, E.J., den Heijer, T., Vermeer, S.E., Jolles, J., Koudstaal, P.J., Hofman, A., Berteler, M.M. (2005). Cerebral small-vessel disease and decline in information processing speed, executive function and memory. *Brain*, 128 (9), 2034-2041. <https://doi.org/10.1093/brain/awh553>
- Pudas, S., Persson, J., Josefsson, M., de Luna, X., Nilsson, L.-G., Nyberg, L. (2013). Brain characteristics of individuals resisting age-related cognitive decline over two decades. *The Journal of Neuroscience*, 33(20), 8668-8677. <https://doi.org/10.1523/JNEUROSCI.2900-12.2013>
- Pugh, K.G., Lipsitz, L.A. (2002). The microvascular frontal-subcortical syndrome of aging. *Neurobiology of Aging*, 23(3), 421-431. [https://doi.org/10.1016/S0197-4580\(01\)00319-0](https://doi.org/10.1016/S0197-4580(01)00319-0)
- Radvansky, G.A, Dijkstra, K. (2007). Aging and situation model processing. *Psychonomic Bulletin and Review*, 14(6), 1027-1042. <https://doi.org/10.3758/BF03193088>
- Radvansky, G.A., Zwaan, R.A., Curiel, J.M., Copeland, D.E. (2001). Situation models and aging. *Psychology and Aging*, 16, 145-160. <https://doi.org/10.1037/0882-7974.16.1.145>
- Rajah, N., D'Esposito, M. (2005). Region-specific changes in prefrontal function with age: a review of PET and fMRI studies on working and episodic memory. *Brain*, 128(9), 1964-1983. <https://doi.org/10.1093/brain/awh608>
- Randolph, J.J. (2013). What is positive neuropsychology? W: J.J. Randolph (red.), *Positive neuropsychology. Evidence-based perspective on promoting cognitive health* (s. 1-11). New York: Springer. <https://doi.org/10.1007/978-1-4614-6605-5>
- Ravizza, S.M., Behrman, M., Fiez, J.A. (2005). Right parietal contributions to verbal working memory: spatial or executive? *Neuropsychologia*, 43(14), 2057-2067. <https://doi.org/10.1016/j.neuropsychologia.2005.03.014>

- Raz, N., Ghisletta, P., Rodrigue, K.M., Kennedy, K.M., Lindenberger, U. (2010). Trajectories of brain aging in middle-aged and older adults: regional and individual differences. *NeuroImage*, 51(2), 501-511. <https://doi.org/10.1016/j.neuroimage.2010.03.020>
- Raz, N., Gunning-Dixon, F.M., Head, D., Rodrigue, K.M., Williamson, A., Acker, J. (2004). Aging, sexual dimorphism, and hemispheric asymmetry of the cerebral cortex: replicability of regional differences in volume. *Neurobiology of Aging*, 25(3), 377-396. [https://doi.org/10.1016/S0197-4580\(03\)00118-0](https://doi.org/10.1016/S0197-4580(03)00118-0)
- Raz, N., Lindenberger, U., Ghisletta, P., Rodrigue, K.M., Kennedy, K.M., Acker, J.D. (2008). Neuroanatomical correlates of fluid intelligence in healthy persons and with vascular risk factors. *Cerebral Cortex*, 18(3), 718-726. <https://doi.org/10.1093/cercor/bhm108>
- Raz, N., Lindenberger, U., Rodrigue, K.M., Kennedy, K.M., Head, D., Williamson, A., Dahle, C., Gerstorf, D., Acker, J.D. (2005). Regional brain changes in aging healthy adults: general trends, individual differences and modifiers. *Cerebral Cortex*, 15(11), 1676-1689. <https://doi.org/10.1093/cercor/bhi044>
- Raz, N., Rodrigue, K. (2006). Differential aging of the brain: patterns, cognitive correlates and modifiers. *Neuroscience and Biobehavioral Reviews*, 30(6), 730-748. <https://doi.org/10.1016/j.neubiorev.2006.07.001>
- Reed, B.R., Mungas, D.M., Kramer, J.H., Ellis, W., Vinters, H., Zarow, C., Jagust, W.J., Chui, H.C. (2007). Profiles of neuropsychological impairment in autopsy-defined Alzheimer's disease and cerebrovascular disease. *Brain*, 130(3), 731-739. <https://doi.org/10.1093/brain/awl385>
- Rhodes, M.G. (2004). Age-related differences in performance on the Wisconsin Card Sorting Test: a meta-analytic review. *Psychology and Aging*, 19(3), 482-494. <https://doi.org/10.1037/0882-7974.19.3.482>
- Rieckmann, A., Karlsson, S., Karlsson, P., Brehmer, Y., Fischer, H., Farde, L., Nyberg, L., Bäckman, L. (2011). Dopamine D1 receptor associations within and between dopaminergic pathways in younger and elderly adults: links to cognitive performance. *Cerebral Cortex*, 21(9), 2023-2032. <https://doi.org/10.1093/cercor/bhq266>
- Ripich, D.N., Terrell, B.Y. (1988). Patterns of discourse cohesion in Alzheimer's disease. *Journal of Speech and Hearing Disorders*, 53(1), 8-15. <https://doi.org/10.1044/jshd.5301.08>
- Román, G.C., Erkinjuntti, T., Wallin, A., Pantoni, L., Chui, H. (2002). Subcortical ischaemic vascular dementia. *The Lancet Neurology*, 1(7), 427-436. [https://doi.org/10.1016/S1474-4422\(02\)00190-4](https://doi.org/10.1016/S1474-4422(02)00190-4)
- Ronchi, R., Algeri, L., Chiapella, L., Spada, M.S., Vallar, G. (2012). Spatial neglect and perseveration in visuomotor exploration. *Neuropsychology*, 26(5), 588-603. <https://doi.org/10.1037/a0029216>
- Randolph, J.J. (2013). *Positive neuropsychology. Evidence-based perspectives on promoting cognitive health* (red.). New York: Springer. <https://doi.org/10.1007/978-1-4614-6605-5>
- Rönnlund, M., Nilsson, L.-G. (2006). Adult life-span patterns in WAIS Block Design performance: cross-sectional versus longitudinal age gradients and relations to demographical factors. *Intelligence*, 34, 63-78. <https://doi.org/10.1016/j.intell.2005.06.004>
- Rönnlund, M., Nyberg, L., Bäckman, L., Nilsson, L.-G. (2003). Recall of subject-performed tasks, verbal tasks, and cognitive activities across the adult life span: parallel age-deficits. *Aging, Neuropsychology, and Cognition*, 10(3), 182-201. <https://doi.org/10.1076/anec.10.3.182.16449>

Royall, D.R., Palmer, R., Chiodo, L.K., Polk, M.J. (2005). Normal rates of cognitive change in successful aging: The Freedom House Study. *Journal of the International Neuropsychological Society*, 11(7), 899-909. <https://doi.org/10.1017/S135561770505109X>

Rymaszewska, J., Kiejna, A. (2003). Przegląd badań nad występowaniem zaburzeń otępiennych w Polsce. W: J. Leszek (red.), *Choroby otępienne. Teoria i praktyka* (s. 27-33). Wrocław: Continuo.

Salat, D.H., Williams, V.J., Leritz, E.C., Schnyer, D.M., Rudolph, J.L., Lipsitz, L.A., McGlinchey, R.E., Milberg, W.P. (2012). Inter-individual variation in blood pressure is associated with regional white matter integrity in generally healthy older adults. *NeuroImage*, 59(1), 181-192. <https://doi.org/10.1016/j.neuroimage.2011.07.033>

Saling, L.L., Laroo, N., Saling, M.M. (2012). When more is less: Failure to compress discourse with re-telling in normal ageing. *Acta Psychologica*, 139(1), 220-224. <https://doi.org/10.1016/j.actpsy.2011.10.005>

Salthouse, T.A., Prill, K.A. (1987). Inferences about age impairments in inferential reasoning. *Psychology and Aging*, 2, 43-51. <https://doi.org/10.1037/0882-7974.2.1.43>

Salthouse, T.A. (2010). Selective review of cognitive aging. *Journal of the International Neuropsychological Society*, 16, 754-760. <https://doi.org/10.1017/S1355617710000706>

Scherer, L.C., Fonseca, R.P., Giroux, F., Senhadji, N., Marcotte, K., Tomitch, L.M.B., Benali, H., Lesage, F., Ska, B., Joannette Y. (2012). Neurofunctional (re)organization underlying narrative discourse processing in aging: evidence from fNIRS. *Brain & Language*, 121(2), 174-184. <https://doi.org/10.1016/j.bandl.2011.09.008>

Schiepers, O.J.G., Harris, S.E., Gow, A.J., Pattie, A., Brett, C.E., Starr, J.M., Deary, I.J. (2011). APOE E4 status predicts age-related cognitive decline in the ninth decade: longitudinal follow-up of the Lothian Birth Cohort 1921. *Molecular Psychiatry*, 7(3), 315-324. <https://doi.org/10.1038/mp.2010.137>

Schmitz, R., Peigneux, P. (2011). Age-related changes in visual pseudoneglect. *Brain and Cognition*, 76(3), 382-389. <https://doi.org/10.1016/j.bandc.2011.04.002>

Sedek, G., Verhaeghen, P., Martin, M. (2013). *Social and motivational compensatory mechanisms for age-related cognitive decline*. Abingdon, Oxon: Psychology Press.

Seidler, R.D., Bernard, J.A., Burutolu, T.B., Fling, B.W., Gordon, M.T., Gwin, J.T., Kwak, Y., Lipps, D.B. (2010). Motor control and aging: links to age-related brain structural, functional, and biochemical effects. *Neuroscience and Biobehavioral Reviews*, 34(5), 721-733. <https://doi.org/10.1016/j.neubiorev.2009.10.005>

Sheline, Y.I., Morris, J.C., Snyder, A.Z., Price, J.L., Yan, Z., D'Angelo, G., Liu, C., Dixit, S., Benzinger, T., Fagan, A., Goate, A., Mintun, M.A. (2009). APOE4 allele disrupts resting state fMRI connectivity in the absence of amyloid plaques or decreased CSF A β 42. *Journal of Neurosciences*, 30(50), 17035-17040. <https://doi.org/10.1523/JNEUROSCI.3987-10.2010>

Sheline, Y.I., Raichle, M.E., Snyder, A.Z., Morris, J.C., Head, D., Wang, S., Mintun, M.A. (2010). Amyloid plaques disrupt resting state default mode network connectivity in cognitively normal elderly. *Biological Psychiatry*, 67(6), 584-587. <https://doi.org/10.1016/j.biopsych.2009.08.024>

- Sherratt, S., Bryan, K. (2012). Discourse production after right brain damage: Gaining a comprehensive picture using a multi-level processing model. *Journal of Neurolinguistics*, 25(4), 213-239. <https://doi.org/10.1016/j.jneuroling.2012.01.001>
- Siëborger, F.T., Ferstl, E., von Cramon, D.Y. (2007). Making sense of nonsense: an fMRI study of task induced inference processes during discourse comprehension. *Brain Research*, 1166, 77-91. <https://doi.org/10.1016/j.brainres.2007.05.079>
- Shim, Y.S., Yang, D.-W., Kim, B.-S., Shon, Y.M., Chung, Y.-A. (2006). Comparison of regional cerebral blood flow in two subsets of subcortical ischemic vascular dementia: statistical parametric mapping analysis of SPECT. *Journal of the Neurological Sciences*, 250(1-2), 85-91. <https://doi.org/10.1016/j.jns.2006.07.008>
- Silver, M., Newell, K., Hyman, B., Growdon, J., Hedley-Whyte, E.T., Perls, T. (1998). Unrevealing the mystery of cognitive changes in old age: correlation of neuropsychological evaluation with neuropathological findings in the extreme old. *International Psychogeriatrics*, 10(1), 25-41. <https://doi.org/10.1017/S1041610298005122>
- Siuda, J., Gorzkowska, A., Opala, G., Ochudło, S. (2007). Vascular risk factors and intensity of cognitive dysfunction in MCI. *Journal of the Neurological Sciences*, 257(1-2), 202-205. <https://doi.org/10.1016/j.jns.2007.01.034>
- Słowik, A., Szczudlik, A. (2007). Choroba małych naczyń i udar lakunarny mózgu. W: A. Szczudlik, A. Członkowska, A. Kwieciński, A. Słowik (red.). *Udar mózgu* (s. 347-361). Kraków: Wydawnictwo UJ.
- Słowik, A., Turaj, W., Zwolińska, G., Róg, T., Dziedzic, T., Pera, J., Rudzińska, M., Wyrwicz-Petkow, U., Kasprzyk, K., Kiełtyka, A., Pająk, A., Szczudlik, A. (2007). Częstość występowania i śmiertelność z powodu udaru mózgu w Krakowskim Rejestrze Udarowym. *Neurologia i Neurochirurgia Polska*, 41, 291-295.
- Sobol, E. (red.) (2002). *Słownik wyrazów obcych PWN*. Warszawa: Wydawnictwo Naukowe PWN.
- Small, B.J., Dixon, R.A., Hulstsch D.F., Hertzog, Ch. (1999). Longitudinal changes in quantitative and qualitative indicators of word and story recall in young-old and old-old adults. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*, 54B(2), P107-P115. <https://doi.org/10.1093/geronb/54B.2.P107>
- Smith, C.D., Chebrolu, H., Wekstein, D.R., Schmitt, F.A., Markesbery, W.R. (2007). Age and gender effects on human brain anatomy: a voxel-based morphometric study in healthy elderly. *Neurobiology of Aging*, 28(7), 1075-1087. <https://doi.org/10.1016/j.neurobiolaging.2006.05.018>
- Sobów, T., Nagata, K., Sikorska, B., Magierski, R., Bartosiewicz-Wąsik, J., Jaskólski, M., Liberski, P.P. (2004). Choroba Alzheimera. W: A. Szczudlik, P.P. Liberski, M. Barcikowska (red.), *Otępienie* (s. 177-210). Kraków: Wydawnictwo UJ.
- Sowell, E.R., Thompson, P.M., Toga, A.W. (2004). Mapping changes in the human cortex throughout the span of life. *The Neuroscientist*, 10(4), 372-392. <https://doi.org/10.1177/1073858404263960>
- Speer, N.K., Reynolds, J.R., Swallow, K.M., Zacks, J.M. (2009). Reading stories activates neural representations of visual and motor experiences. *Psychological Sciences*, 20(8), 989-999. <https://doi.org/10.1111/j.1467-9280.2009.02397.x>
- Sperling, R.A., LaViolette, P.S., O'Keefe, K., O'Brien, J., Rentz, D.M., Pihlajamaki, M., Marshall, G., Hyman, B.T., Selkoe, D.J., Hedden, T., Buckner, R.L., Becker, J.A., Johnson, K.A. (2009). Amyloid

deposition is associated with impaired default network function in older persons without dementia. *Neuron*, 63(2), 178-188. <https://doi.org/10.1016/j.neuron.2009.07.003>

Stańczyk, J. (2010). MMSE. Polska normalizacja. Warszawa: Pracownia Testów Psychologicznych Polskiego Towarzystwa Psychologicznego.

Stern, Y. (2012). Cognitive reserve in ageing and Alzheimer's disease. *Lancet Neurology*, 11(11), 1006-1012. [https://doi.org/10.1016/S1474-4422\(12\)70191-6](https://doi.org/10.1016/S1474-4422(12)70191-6)

Stricker, J.L., Brown, G.G., Wixted, J., Baldo, J.V., Delis, D.C. (2002). New semantic and serial clustering indices for the California Verbal Learning Test - Second Edition: background, rationale, and formulae. *Journal of the International Neuropsychological Society*, 8(3), 425-435. <https://doi.org/10.1017/S1355617702813224>

Stricker, N.H., Chang, Y.-L., Delano-Wood, L., Salmon, D.P., Bondi, M.W., Dale, A.M. (2011). Alzheimer's Disease Neuroimaging Initiative. Distinct profiles of brain and cognitive changes in the very old with Alzheimer's disease. *Neurology*, 77(8), 713-721. <https://doi.org/10.1212/WNL.0b013e31822b0004>

Stuss, D.T., Levine, B., Alexander, M.P., Hong, J., Palumbo, C., Hamer, L., Murphy, K.J., Izukawa, D. (2000). Wisconsin Card Sorting Test performance in patients with focal frontal and posterior brain damage: effects of lesion location and test structure on separable cognitive processes. *Neuropsychologia*, 38(4), 388-402. [https://doi.org/10.1016/S0028-3932\(99\)00093-7](https://doi.org/10.1016/S0028-3932(99)00093-7)

Sulicka, J., Fornal, M., Gryglewska, B., Wizner, B., Grodzicki, T. (2006). Wybrane czynniki ryzyka chorób sercowo-naczyniowych u pacjentów podstawowej opieki zdrowotnej. *Arterial Hypertension*, 10(5), 370-376.

Sullivan, E.V., Rohlfing, T., Pfefferbaum, A. (2010). Quantitative fiber tracking of lateral and interhemispheric white matter systems in normal aging: relations to timed performance. *Neurobiology of Aging*, 31(3), 464-481. <https://doi.org/10.1016/j.neurobiolaging.2008.04.007>

Swerdlow, R.H. (2007). Is aging part of Alzheimer's disease, or is Alzheimer's disease part of aging? *Neurobiology of Aging*, 28(10), 1465-1480. <https://doi.org/10.1016/j.neurobiolaging.2006.06.021>

Taconnat, L., Clarys, D., Vanneste, S., Bouazzaoui, B., Isingrini, M. (2007). Aging and strategic retrieval in a cued-recall test: the role of executive function and fluid intelligence. *Brain and Cognition*, 64(1), 1-6. <https://doi.org/10.1016/j.bandc.2006.09.011>

Taler, V., Klepousniotou, E., Philips, N.A. (2009). Comprehension of lexical ambiguity in healthy aging, mild cognitive impairment, and mild Alzheimer's disease. *Neuropsychologia*, 47(5), 1332-1343. <https://doi.org/10.1016/j.neuropsychologia.2009.01.028>

Terry, R.D., Katzman, R. (2001). Life span and synapses: will there be a primary senile dementia? *Neurobiology of Aging*, 22(3), 347-348. [https://doi.org/10.1016/S0197-4580\(00\)00250-5](https://doi.org/10.1016/S0197-4580(00)00250-5)

Thoma, P., Daum, I. (2006). Neurocognitive mechanisms of figurative language processing - Evidence from clinical dysfunctions. *Neuroscience and Biobehavioral Reviews*, 30(8), 1182-1205. <https://doi.org/10.1016/j.neubiorev.2006.09.001>

Thorndyke, P.W. (1977). Cognitive structures in comprehension and memory of narrative discourse. *Cognitive Psychology*, 9(1), 77-110. [https://doi.org/10.1016/0010-0285\(77\)90005-6](https://doi.org/10.1016/0010-0285(77)90005-6)

- Tupler, L.A., Krishnan, K.R.K., Greenberg, D.L., Marcovina, S.M., Payne, M.E., MacFall, J.R., Charles, H.C., Doraiswamy, P.M. (2007). Predicting memory decline in normal elderly: genetics, MRI, and cognitive reserve. *Neurobiology of Aging*, 28(11), 1644-1656.
<https://doi.org/10.1016/j.neurobiolaging.2006.07.001>
- Turner, M.S., Cipolotti, L., Yousry, T., Shallice, T (2007). Qualitatively different memory impairments across frontal lobe subgroups. *Neuropsychologia*, 45(7), 1540-1552.
<https://doi.org/10.1016/j.neuropsychologia.2006.11.013>
- Twamley, E.W., Legendre Ropacki, S.A., Bondi, M. (2006). Neuropsychological and neuroimaging changes in preclinical Alzheimer's disease. *Journal of the International Neuropsychological Society*, 12(5), 707-735. <https://doi.org/10.1017/S1355617706060863>
- Uekermann, J., Channon, S., Daum, I. (2006). Humor processing, mentalizing, and executive function in normal aging. *Journal of the International Neuropsychological Society*, 12(2), 184-191.
<https://doi.org/10.1017/S1355617706060280>
- Uekermann, J., Thoma, P., Daum, I. (2008). Proverb changes in aging. *Brain and Cognition*, 67(1), 51-57. <https://doi.org/10.1016/j.bandc.2007.11.003>
- Ulatowska, H.K., Chapman, S.B., Highley, A.P., Prince, J. (1998). Discourse in healthy old-elderly adults: a longitudinal study. *Aphasiology*, 12 (7-8), 619-633.
<https://doi.org/10.1080/02687039808249562>
- Ulatowska, H.K., Rymarczyk, K., Kądziaława, D. (2003). Processing of proverbs by patients with right hemisphere damage. *Acta Neuropsychologica*, 1(4), 414-427.
- Usita, P.M., Hyman, I.E., Herman K.C. (1998). Narrative intentions: listening to life stories in Alzheimer's disease. *Journal of Aging Studies*, 12(2), 185-197. [https://doi.org/10.1016/S0890-4065\(98\)90014-7](https://doi.org/10.1016/S0890-4065(98)90014-7)
- Van Der Werf, Y.D., Tisserand, D.J., Visser, P.J., Hofman, P.A.M., Vuurman, E., Uylings, H.B.M., Jolles, J. (2001). Thalamic volume predicts performance on tests of cognitive speed and decreases in healthy aging. A magnetic resonance imaging-based volumetric analysis. *Cognitive Brain Research*, 11(3), 377-385. [https://doi.org/10.1016/S0926-6410\(01\)00010-6](https://doi.org/10.1016/S0926-6410(01)00010-6)
- Van Dijk T.A. (2009). Semantic macrostructures and knowledge frames in discourse comprehension. W: M.A. Just, P.A. Carpenter (red.), *Cognitive process in comprehension*. Hillsdale: Lawrence Erlbaum Associates.
- Verhaeghen, P., Cerella, J., Bopp, K.L., Basak, Ch. (2006). Starzenie się i różne rodzaje kontroli poznawczej: przegląd metaanaliz odporności na interferencję, koordynacji i przełączania się między zadaniami oraz eksperymentalne poszukiwania nad związaną z wiekiem wrażliwością w niedawno zidentyfikowanym procesie przerzucania uwagi. W: R.W. Engle, G. Sędek, U. von Hecker, D.N. McIntosh (red.), *Ograniczenia poznawcze. Starzenie się i psychopatologia* (s. 172-206). Warszawa: PWN.
- Vernaleken, I., Weibrich, C., Siessmeier, T., Buchholz, H.-M., Rösch, F., Heinz, A., Cumming, P., Stoeter, P., Bartenstein, P., Gründer, G. (2007). Asymmetry in dopamine 2/3 receptors of caudate nucleus is lost with age. *Neuro-Image*, 34(3), 870-878.
<https://doi.org/10.1016/j.neuroimage.2006.10.013>

- Vuorinen, E., Laine, M., Rinne, J. (2000). Common pattern of language impairment in vascular dementia and in Alzheimer's disease. *Alzheimer's Disease & Associated Disorders*, 14(2), 81-86. <https://doi.org/10.1097/00002093-200004000-00005>
- Ward, N.S., Frackowiak, R.S. (2003). Age-related changes in the neural correlates of motor performance. *Brain*, 126(4), 873-888. <https://doi.org/10.1093/brain/awg071>
- Welland, R.J., Lubinski, R., Higginbotham, D. J. (2002). Discourse comprehension test performance of elders with dementia of the Alzheimer type. *Journal of Speech, Language and Hearing Research*, 45(6), 1175-1187. [https://doi.org/10.1044/1092-4388\(2002/095\)](https://doi.org/10.1044/1092-4388(2002/095))
- Weller, M.P., Latimer-Sayer, D.T. (1985). Increasing right-hand dominance with age on a motor skill task. *Psychological Medicine*, 15(4), 867-882. <https://doi.org/10.1017/S0033291700005109>
- Werring, D.J., Frazer, D.W., Coward, L.J., Loseff, N.A., Watt, H., Cipolotti, L., Borwn, M.M., Jäger, H.R. (2004). Cognitive dysfunction in patients with cerebral microbleeds on T2*-weighted gradient-echo MRI. *Brain*, 127(10), 2265-2275. <https://doi.org/10.1093/brain/awh253>
- West, R.L. (1996). An application of prefrontal cortex function theory to cognitive aging. *Psychological Bulletin*, 120(2), 272-292. <https://doi.org/10.1037/0033-2909.120.2.272>
- Westlye, L.T., Grydeland, H., Walhovd, K.B., Fjell, A.M. (2011). Associations between regional cortical thickness and attentional networks as measured by the attention network test. *Cerebral Cortex*, 21(2), 345-356. <https://doi.org/10.1093/cercor/bhq101>
- Whitwell, J.L., Przybelski, S.A., Weigand, S.D., Knopman, S.D., Boeve, B.F., Petersen, R.C., Jack Jr., C.R. (2007). 3D maps from multiple MRI illustrate changing atrophy patterns as subjects progress from mild cognitive impairment to Alzheimer's disease. *Brain*, 130(7), 1777-1786. <https://doi.org/10.1093/brain/awm112>
- Whitney, C., Huber, W., Kahn, J., Weis, S., Krach, S., Kircher, T. (2009). Neural correlates of narrative shifts during auditory story comprehension. *Neuro-Image*, 47(1), 360-366. <https://doi.org/10.1016/j.neuroimage.2009.04.037>
- Williams-Hubbard, L.J. (2006). Cognitive-flexibility in macrostructure processing by older adults. *Brain and Language*, 99(1-2), 187-188. <https://doi.org/10.1016/j.bandl.2006.06.102>
- Wingfield, A., Grossman, M. (2006). Language and the aging brain: patterns of neural compensation revealed by functional brain imaging. *Journal of Neurophysiology*, 96(6), 2830-2839. <https://doi.org/10.1152/jn.00628.2006>
- Wingfield, A., Stine-Morrow, E.A. (2000). Language and speech. W: F.I. M. Craik, T.A. Salthouse (red.), *The handbook of aging and cognition*. Second Edition (s. 359-416). New Jersey: Erlbaum.
- World Health Organization (2000). *Klasyfikacja zaburzeń psychicznych i zaburzeń zachowania w ICD-10. Opisy kliniczne i wskazówki diagnostyczne*. Warszawa: Uniwersyteckie Wydawnictwo Medyczne Vesalius Instytut Psychiatrii i Neurologii.
- Wright, H.H., Capilouto, G.J., Srinivasan, C., Fergadiotis, G. (2011). Story processing ability in cognitively healthy younger and older adults. *Journal of Speech, Language, and Hearing Research*, 54(3), 900-917. [https://doi.org/10.1044/1092-4388\(2010/09-0253\)](https://doi.org/10.1044/1092-4388(2010/09-0253))

Ylikoski, R., Ylikoski, A., Keskivaara, P., Telvis, R., Sulkava, R., Erkinjuntti, T. (1999). Heterogeneity of cognitive profiles in aging: successful aging, normal aging, and individuals at risk of cognitive decline. *European Journal of Neurology*, 6(6), 645-652. <https://doi.org/10.1046/j.1468-1331.1999.660645.x>

Zacks, R.T., Hasher, L. (1988). Capacity theory and the processing of inferences. W: L. Light, D. Burke (red.), *Language, memory and aging* (s. 155-170). Cambridge: Cambridge University Press.

Zelinski, E.M. (1988). Integrating information from discourse: do older adults show deficits? W: L. Light, D. Burke (red.), *Language, memory and aging* (s. 117-132). Cambridge: Cambridge University Press. <https://doi.org/10.1017/CBO9780511575020.008>