

Anna Drabik, Jerzy Silberring **Wprowadzenie do proteomiki i strategii identyfikacji białek**

Ahmed F.E. Sample preparation and fractionation for proteome analysis and cancer biomarker discovery by mass spectrometry. *J. Sep. Sci.* 32 (2009) (5–6) 771–798.

<https://doi.org/10.1002/jssc.200800622>

Han X., Aslanian A., Yates J.R. 3rd. Mass spectrometry for proteomics. *Curr. Opin. Chem. Biol.* 12 (2008) (5) 483–490. <https://doi.org/10.1016/j.cbpa.2008.07.024>

Nagy J.M. HUPO Biological Reference Material Initiative Workshop 26 September 2009, Toronto, Canada. *Proteomics* 2010 May; 10(10):1903–1905. <https://doi.org/10.1002/pmic.201090036>

Agnieszka Kraj **Analiza metabolomu – zróżnicowanej chemicznie matrycy**

Ahmed S., Santosh W., Kumar S., Christlet H.T.T. Metabolic profiling of Parkinson's disease: evidence of biomarker from gene expression analysis and rapid neural network detection. *J. Biomed. Sci.* 16 (2009) 63. <https://doi.org/10.1186/1423-0127-16-63>

Chace D., Kalas T., Naylor E.W. The application of tandem mass spectrometry to neonatal screening for inherited disorders of intermediary metabolism. *Ann. Rev. Genom. Human Genet.* 3 (2002) 17-45. <https://doi.org/10.1146/annurev.genom.3.022502.103213>

Fiehn O. Metabolomics - the link between genotype and phenotype. *Plant Mol. Biol.* 48 (2002) 155-171. https://doi.org/10.1007/978-94-010-0448-0_11

ter Kuile B.H., Westerhoff H.V. Transcriptome meets metabolome: hierarchical and metabolic regulation of the glycolytic pathway. *FEBS Lett.* 500 (2001) 169-171. [https://doi.org/10.1016/S0014-5793\(01\)02613-8](https://doi.org/10.1016/S0014-5793(01)02613-8)

Nicholson J.K., Lindon J.C. *Metabonomics* 23 (10) (2008) 1455.

Vallejo M., Garcia A., Tunon J., Garcia-Martínez D., Angulo S., Martin-Ventura J.L., Blanco-Colio L. M., Almeida P., Egido J., Barbas C. Plasma fingerprinting with GC-MS in acute coronary syndrome. *Anal. Bioanal. Chem.* 394 (2009) 1517-1524. <https://doi.org/10.1007/s00216-009-2610-6>

Vogel G., Fiehn O., Jean-Richard-dit-Bressel L., Boller T., Wiemken A., Aeschbacher R.A., Wingler A. Trehalose metabolism in Arabidopsis: occurrence of trehalose and molecular cloning and characterization of trehalose-6-phosphate synthase homologues. *J. Exp. Bot.* 52(362) (2001) 1817-26. <https://doi.org/10.1093/jexbot/52.362.1817>

Wishart D.S. et al. HMDB: the Human Metabolome Database. *Nucl. Acids Res.* 35(Database issue) (2007) D521-6. <https://doi.org/10.1093/nar/gkl923>

Magdalena Niedziółka **Przygotowanie materiału biologicznego do analizy**

Bodzoń-Kułakowska A. et al. Methods for sample preparation in proteomic research. *J. Chromatogr. B* 849 (2007) 1-31. <https://doi.org/10.1016/j.jchromb.2006.10.040>

Boos K.S., Fleischer K.T. Multidimensional on-line solid phase extraction (SPE) using restricted access materials (RAM) with molecular imprinted polymers (MIP). *Fresenius J. Anal. Chem.* 371 (2001) 16-20. <https://doi.org/10.1007/s002160100831>

Canas B. et al. Trends in sample preparation for classical and second generation proteomics. *J. Chromatogr. A* 1153 (2007) 235-258. <https://doi.org/10.1016/j.chroma.2007.01.045>

Emmert-Buck et al. Laser capture microdissection. *Science* 274 (5289) (1996) 998-1001. <https://doi.org/10.1126/science.274.5289.998>

Hinshaw J. Solid-Phase Microextraction LC*GC December 2003.

Pawliszyn J. Sampling and Sample Preparation for Field and Laboratory. Elsevier Sci. 2002.

Hana Raof **Chromatografia gazowa w połączeniu ze spektrometrią mas**

Desiderio D.M. Mass Spectrometry of Peptides. CRC Press 1991. <https://doi.org/10.1007/978-1-4899-1173-5>

Ekman R., Silberring J., Westman-Brinkman A.M., Kraj A. Mass Spectrometry, instrumentation, interpretation and application. Wiley 2009, 106-109. <https://doi.org/10.1002/9780470395813>

Harris D.C. Quantitative Chemical Analysis. W.H.Freeman 2003, 578-606.

Niessen W.M.A. Current Practice of Gas Chromatography-Mass Spectrometry. CRC Press 2001, 2-19. <https://doi.org/10.1201/9781420029512>

Rioux V., Catheline D., Bouriel M, Legrand P. High performance liquid chromatography of fatty acid metabolites. *Analysis* 27 (1999) 186-193. <https://doi.org/10.1051/analisis:1999165>

Vaidyanathan S., Harrigan G.G., Goodacre R. Metabolome analysis: strategies for systems biology. Springer 2005, 103-114. <https://doi.org/10.1007/b106967>

Villas-Bôas S.G., Nielsen J., Smedsgaard J., Hansen M.A.E., Roessner-Tunali U. Metabolome analysis: an introduction. Wiley-Interscience 2007, 269-274. <https://doi.org/10.1002/0470105518>

Anna Drabik, Piotr Laidler **Elektroforeza jednowymiarowa (1-DE)**

Gallagher S.R. One-dimensional SDS gel electrophoresis of proteins. *Curr. Protocols Mol. Biol.* 10 (2A) (1999) 1-34. <https://doi.org/10.1002/0471140856.txa03fs00>

Judd R.C. SDS-Polyacrylamide Gel Electrophoresis of Peptides. *The Protein Protocols Handbook*. Humana Press Inc. Totowa, New Jersey 1996. https://doi.org/10.1007/978-1-60327-259-9_16

Kraj A., Silberring J. Proteomics: Introduction to Methods and Applications. John Wiley & Sons Inc., Hoboken, New Jersey 2008.

Kraj A., Silberring J. Proteomika. Wydawnictwo EJB, Kraków 2004.

Scgagger H. Tricine-SDS-PAGE. *Nature Protocols*. 1 (2006) 16-22. <https://doi.org/10.1038/nprot.2006.4>

Simpson R.J. Proteins and Proteomics: A Laboratory Manual. CSHL Press 2003.

Walker J.M. The protein protocols handbook. Humana Press Inc., 2002.

<https://doi.org/10.1385/1592591698>

Westermeier R., Naven T. Proteomics in practice: a laboratory manual of proteome analysis. John Wiley & Sons Inc., Hoboken, New Jersey 2002.

Anna Drabik, Anna Bodzoń-Kuśakowska **Elektroforeza dwuwymiarowa 2-DE**

Berth M., Moser F.M., Kolbe M., Bernhardt J. The state of the art in the analysis of two-dimensional gel electrophoresis images. Appl. Microbiol. Biotechnol. 76 (2007) 1223-1243.

<https://doi.org/10.1007/s00253-007-1128-0>

Clark B.N., Gutstein H.B. The myth of automated, high-throughput twodimensional gel analysis.

Proteomics 8 (2008) 1197-1203. <https://doi.org/10.1002/pmic.200700709>

Gorg A., Weiss W., Dunn M.J. Current two-dimensional electrophoresis technology for proteomics.

Proteomics 4 (2004) 3665-3685. <https://doi.org/10.1002/pmic.200401031>

Herbert B. Advances In protein solubilization for two-dimensional electrophoresis. Electrophoresis 20

(1999) 660-663. [https://doi.org/10.1002/\(SICI\)1522-2683\(19990101\)20:4/5<660::AID-ELPS660>3.0.CO;2-Q](https://doi.org/10.1002/(SICI)1522-2683(19990101)20:4/5<660::AID-ELPS660>3.0.CO;2-Q)

Kraj A., Silberring J. Proteomics: Introduction to Methods and Applications. John Wiley & Sons, Inc., Hoboken, New Jersey 2008.

Kraj A., Silberring J. Proteomika. Wydawnictwo EJB, Kraków 2004.

Marouga R., David S., Hawkins E., The development of DIGE system: 2D fluorescence difference gel

analysis technology. Anal. Bioanal. Chem. 382 (2005) 669-678. <https://doi.org/10.1007/s00216-005-3126-3>

Unlu M., Morgan M.E., Minden J.S., Difference gel electrophoresis: A single gel method for detecting changes in protein extracts. Electrophoresis 18 (1997) 2071-2077.

<https://doi.org/10.1002/elps.1150181133>

Wheelock A.M., Buckpitt A.R. Software-induced variance in two-dimensional gel electrophoresis

image analysis. Electrophoresis 26 (2005) 4508-4520. <https://doi.org/10.1002/elps.200500253>

Wittig I., Schagger H. Features and applications of blue-native and clearnative electrophoresis.

Proteomics 8 (2008) 3974-3990. <https://doi.org/10.1002/pmic.200800017>

Bogusław Buszewski, Ewa Kłodzińska, Michał Szumski, Marek Noga, Jerzy Silberring **Elektroforeza kapilarna**

Albert K. J. Liquid chromatography - nuclear magnetic resonance spectroscopy. Chromatogr. A 856 (1999) 199-211. [https://doi.org/10.1016/S0021-9673\(99\)00831-6](https://doi.org/10.1016/S0021-9673(99)00831-6)

Albert K. On-line LC-NMR and related techniques. John Wiley & Sons Ltd, Chichester, Hoboken, San Francisco, Weinheim, Singapore, Toronto 2002, ISBN 0-471-49649-9.

Baker D. R. Capillary Electrophoresis. John Wiley Sons Ltd, New York 1995, 19-51.

Choudhary G., Apffel A., Yin H., Hancock W. Use of on-line mass spectrometric detection in capillary electrochromatography. *J. Chromatogr. A* 887 (2000) 85-101. [https://doi.org/10.1016/S0021-9673\(00\)00530-6](https://doi.org/10.1016/S0021-9673(00)00530-6)

Hjertén S., Kubo K. A new type of pH- and detergent-stable coating for elimination of electroendosmosis and adsorption (capillary) electrophoresis. *Electrophoresis* 14 (1993) 390-395. <https://doi.org/10.1002/elps.1150140164>

Jayawickrama D.A., Sweedler J.V. Hyphenation of capillary separation with nuclear magnetic resonance spectroscopy. *J. Chromatogr. A* 1000 (2003) 819-840. [https://doi.org/10.1016/S0021-9673\(03\)00447-3](https://doi.org/10.1016/S0021-9673(03)00447-3)

Materiały firmy Hewlett Packard "HP Capillary Electrophoresis"

Witkiewicz Z. Podstawy chromatografii. Wyd. Nauk.-Techn., Warszawa 2000, 355-400.

Anna Drabik **Ogniskowanie do punktu izoelektrycznego (IEF, ang. isoelectric focusing)**

Cargile B.J., Sevinsky J.R., Essader A.S., Stephenson J.L., Bundy J.L. Immobilized pH gradient isoelectric focusing as a first-dimension separation in shotgun proteomics. *J. Biomol. Tech.* 16 (2005) 181–189.

Kraj A., Silberring J. *Proteomics: Introduction to Methods and Applications*. John Wiley & Sons, Inc., Hoboken, New Jersey 2008.

Kraj A., Silberring J. *Proteomika*. Wydawnictwo EJB, Kraków 2004.

Puchades M., Folkesson-Hansson S. The Rotofor system as a prefractionation device used prior to 2-D gel electrophoresis. *Bio-Rad Bulletin* 3131.

Schuermans Stekhoven F.M.A.H., Gorissen M.H.A.G., Filk G. The isoelectric point, a key to understanding a variety of biochemical problems: a minireview. *Fish Physiol. Biochem.* 34 (2008) 1–8. <https://doi.org/10.1007/s10695-007-9145-6>

Małgorzata Barańska, Anna Baran **Spektroskopia Ramana**

Barańska M., Malek K., Weselucha-Birczyńska A. *Spektroskopia Rozproszenia Ramana W: Wybrane metody spektroskopii i spektrometrii molekularnej w analizie strukturalnej*, K. Malek, L.M. Proniewicz (red.), Wydawnictwo Naukowe UJ, 2005, 47–67.

Kitagawa T., Hirota S. *Raman spectroscopy of proteins. W: The Handbook of Vibrational Spectroscopy*, Chalmers ed.: J.M and Griffiths P.R., John Wiley & Sons, Chichester 2002.

Twardowski J. *Biospektroskopia tom IV*, Państwowe Wydawnictwo Naukowe, Warszawa 1990

Ibeth Guevara-Lora, Anna Gołda, Andrzej Kozik **Blotting białek**

Deutscher M.P. *Methods in enzymology. Guide to protein purification*. Academic Press, California 1990.

Dunbar B.S. Protein blotting. A practical approach. IRL Press, Oxford 1996.

Jackson P., Gallagher J.T. Laboratory guide to glycoconjugate analysis. Lavoisier Editions, Paris 1995.
<https://doi.org/10.1007/978-3-0348-7388-8>

Ornberg R.L., Harper T.F., Liu H. Western blot analysis with quantum dot fluorescence technology: a sensitive and quantitative method for multiplexed proteins. Nature Meth. 2 (2005) 79-81.
<https://doi.org/10.1038/nmeth0105-79>

Simpson R.J. Proteins and proteomics. A laboratory manual. Cold Spring Harbor Laboratory Press, New York 2003.

Walker J.M. The protein protocols handbook. Humana Press, New York 1996.
<https://doi.org/10.1007/978-1-60327-259-9>

Piotr Suder **Electrospray i nanoelectrospray (ESI i nanoESI)**

Cole R. Electrospray ionization mass spectrometry. Fundamentals, instrumentation and applications. 2nd ed. Wiley and Sons 1997.

Rose M.E., Johnstone R. A. W. Mass spectrometry for chemists and biochemists. Cambridge University, New York 1996. <https://doi.org/10.1017/CBO9781139166522>

Piotr Suder **Chromatografia cieczowa połączona ze spektrometrią mas (LC-MS)**

Ardrey B. Liquid chromatography - mass spectrometry: An Introduction. Wiley and Sons, Chichester, England 2003. <https://doi.org/10.1002/0470867299>

McMaster M. C. LC/MS A practical user's guide. Wiley and Sons, Hoboken, New Jersey 2005.
<https://doi.org/10.1002/0471736589>

Marek Noga Anna Drabik **Wielowymiarowe techniki separacji połączone ze spektrometrią mas**

Issaq H.J., Chan K.C., Janini G.M., Condrads T.P., Veenstra T.D. Multidimensional separation of peptides for effective proteomic analysis. J. Chromat. B. 817 (2005) 35-47.
<https://doi.org/10.1016/j.jchromb.2004.07.042>

Kraj A., Silberring J. Proteomics: Introduction to methods and applications. John Wiley & Sons, Inc., Hoboken, New Jersey 2008.

Kraj A., Silberring J. Proteomika. Wydawnictwo EJB, Kraków 2004.

Marchetti N., Fairchild N.J., Guiochon G. Comprehensive off-line, two dimensional liquid chromatography. Application to the separation of peptide digests. Anal. Chem. 80 (8) (2008) 2756-67.
<https://doi.org/10.1021/ac7022662>

Stroink T., Ortiz M.C., Bult A., Lingeman H., de Jong G.J., Underberg W.J.M. On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins. *J. Chromat. B.* 817 (2005) 49-66. <https://doi.org/10.1016/j.jchromb.2004.11.057>

Tang J., Gao M., Deng C., Zhang X. Recent development of multi-dimensional chromatography strategies in proteome research. *J. Chromat. B.* 886 (2008) 123-132. <https://doi.org/10.1016/j.jchromb.2008.01.029>

Adam Moszczyński, Magdalena Niedziółka **Desorpcja/ionizacja laserowa wspomagana matrycą (MALDI)**

de Hoffmann E., Stroobant V. *Mass Spectrometry Principles and Applications*. John Wiley & Sons Ltd., Chichester, West Sussex 2007.

Suder P., Silberring J. *Spektrometria mas*. Wydawnictwo Uniwersytetu Jagiellońskiego, Kraków 2006.

Adam Moszczyński **Warianty laserowej desorpcji/ionizacji**

Feuerstein I., Najam-ul-Haq M., Rainer M., Trojer L., Bakry R., Hidayat Aprilita N., Stecher G., Huck C. W., Bonn G. K., Klocker H., Bartsch G., Guttman A. Material-enhanced laser desorption/ionization (MELDI) - A new protein profiling tool utilizing specific carrier materials for time of flight mass spectrometric analysis. *J. Am. Soc. Mass. Spectrom.* 17 (2006) 1203-1208. <https://doi.org/10.1016/j.jasms.2006.04.032>

Ho-Wai Tang, Kwan-Ming Ng, Wei Lu, Chi-Ming Che. Ion desorption efficiency and internal energy transfer in carbon-based surface-assisted laser desorption/ionization mass spectrometry: desorption mechanism(s) and the design of SALDI substrate. *Anal. Chem.* 81 (2009) 4720-4729. <https://doi.org/10.1021/ac8026367>

Peterson D.S. Matrix-free methods for Laser desorption/ionization mass spectrometry. *Mass Spec. Rev.* 26 (2007) 19-34. <https://doi.org/10.1002/mas.20104>

Tang N., Tornatore P., Weinberger S.R. Current developments in SELDI affinity technology. *Mass Spec. Rev.* 23 (2004) 34-44. <https://doi.org/10.1002/mas.10066>

Małgorzata Iwona Szykowska, Jerzy Silberring **Skaningowa spektrometria mas**

Mass Spectrometry for Graduate Students. Instrumentation, Interpretation and Applications (red. R. Ekman, J. Silberring, A.M. Westman-Brinkmalm, A. Kraj), Wiley&Sons N.Y., USA 2009.

McDonnell L.A., Heeren R.M.A. Imaging mass spectrometry. *Mass Spectr. Rev.* 26 (2007) 606-643. <https://doi.org/10.1002/mas.20124>

Paryczak T., Szykowska M. I. Spektrometria mas jonów wtórnych z analizatorem czasu przelotu jonów (TOF-SIMS) w badaniach fizykochemicznych powierzchni ciał stałych. *Przem. Chem.* 823 (2003)199-206.

Proteomika (red. A. Kraj, J. Silberring), Wydawnictwo EJB, Kraków 2004.

Proteomics, Introduction to Methods and Applications (red. A. Kraj, J. Silberring), Wiley&Sons N.Y., USA 2008.

Spektrometria mas (red. P. Suder, J. Silberring), Wydawnictwo UJ, Kraków 2006.

Vickerman J.C., Briggs D. TOF-SIMS Surface Analysis by Mass Spectrometry, Surface Spectra IMP, 2001.

Agnieszka Kraj **Wysokorozdzielcza spektrometria mas w metabolomice**

Brown S. C., Kruppa G., Dasseux J.L. Metabolomics applications of FT-ICR mass spectrometry. Mass Spectrom. Rev. 24(2) (2004) 223-231. <https://doi.org/10.1002/mas.20011>

Elyashberg M., Blinov K., Molodtsov S., Smurnyy Y., Williams A.J., Churanova T. Computer-assisted methods for molecular structure elucidation: realizing a spectroscopist's dream. J. Cheminform. 1 (2009) 3. <https://doi.org/10.1186/1758-2946-1-3>

Hu Q., Noll R.J., Li H., Makarov A., Hardman M., Cooks R.G. The Orbitrap: a new mass spectrometer. J. Mass Spectrom. 40 (2005) 430-443. <https://doi.org/10.1002/jms.856>

Kind T., Fiehn O. Seven Golden Rules for heuristic filtering of molecular formulas obtained by accurate mass spectrometry. BMC Bioinformatics 8 (2007) 105. <https://doi.org/10.1186/1471-2105-8-105>

Marshall A.G., Hendrickson C.L., Jackson G. S. Fourier transform ion cyclotron resonance mass spectrometry. A primer. Mass Spectrom. Rev. 17 (1) (1998) 1-35. [https://doi.org/10.1002/\(SICI\)1098-2787\(1998\)17:1<1::AID-MAS1>3.0.CO;2-K](https://doi.org/10.1002/(SICI)1098-2787(1998)17:1<1::AID-MAS1>3.0.CO;2-K)

Smith D.H., Buchanan B.G., Engelmores R.S., Duffield A.M., Yeo A., Feigenbaum E.A., Lederberg J., Djerassi C. J. Am. Chem. Soc. 94 (17) (1972) 5962-5971. <https://doi.org/10.1021/ja00772a005>

http://masspec.scripps.edu/metabo_science/index.php

<http://fiehnlab.ucdavis.edu/>

Filip Sucharski **Techniki izolacji i fragmentacji jonów**

Johnson R.S., Martin S.A., Biemann K., Stults J.T. and Watson J.T. Novel fragmentation process of peptides by collision-induced decomposition in a tandem mass spectrometer: differentiation of leucine and isoleucine. Anal. Chem. 59(21) (1987) 2621-2625. <https://doi.org/10.1021/ac00148a019>

Ngoka L.C., Gross M.L. A nomenclature system for labeling cyclic peptide fragments. J. Am. Soc. Mass Spectrom. 10(4) (1999) 360-363. [https://doi.org/10.1016/S1044-0305\(99\)00006-9](https://doi.org/10.1016/S1044-0305(99)00006-9)

Udeshi N.D., Shabanowitz J., Hunt D.F., Rose K.L. Analysis of proteins and peptides on a chromatographic timescale by electron transfer dissociation MS. FEBS J. 274 (2007) 6269-6276. <https://doi.org/10.1111/j.1742-4658.2007.06148.x>

Marek Noga, Filip Sucharski **Identyfikacja białek wspomagana fragmentacją**

Craig R. and Beavis R.C. A method for reducing the time required to match protein sequences with tandem mass spectra. *Rapid Commun. Mass Spectrom.* 17 (2003) 2310-2316.

<https://doi.org/10.1002/rcm.1198>

Keller A., Nesvizhskii A.I., Kolker E., Aebersold R. Empirical statistical model to estimate the accuracy of peptide identifications made by MS/MS and database search. *Anal. Chem.* 74(20) (2002) 5383-5392. <https://doi.org/10.1021/ac025747h>

MacCoss M.J., Wu C.C., Yates J.R. 3rd. Probability-Based Validation of Protein Identifications Using a Modified SEQUEST Algorithm. *Anal. Chem.* 74(21) (2002) 5593-5599.

<https://doi.org/10.1021/ac025826t>

Peng J., Elias J.E., Thoreen C.C., Licklider L.J., Gygi S.P. Evaluation of Multidimensional Chromatography Coupled with Tandem Mass Spectrometry (LC/LC-MS/MS) for Large-Scale Protein Analysis: The Yeast Proteome. *J. Proteom. Res.* 2 (1) (2003) 43-50.

<https://doi.org/10.1021/pr025556v>

Adam Moszczyński **Fragmentacja wspomagana chemicznie**

Conrotto P., Hellman U. Sulfonation Chemistry as a Powerful Tool for MALDI TOF/TOF de novo Sequencing and Post-Translational Modification Analysis. *J. Biomolec. Tech.* (2005).

Keough T., Youngquist R. S., Lacey M. P. A method for high-sensitivity peptide sequencing using postsorce decay matrix-assisted laser desorption ionization mass spectrometry. *Proc. Natl. Acad. Sci. USA.* 96 (1999) 7131-7136. <https://doi.org/10.1073/pnas.96.13.7131>

Silberring J., Ekman R. *Mass spectrometry and hyphenated techniques in neuropeptide research.* John Wiley and Sons Inc., New York 2002.

Wang D., Fang S., Wohlhueter R. M. N-terminal derivatization of peptides with isothiocyanate analogues promoting Edman-type cleavage and enhancing sensitivity in electrospray ionization tandem mass spectrometry analysis. *Anal. Chem.* 81 (2009) 1893-1900.

<https://doi.org/10.1021/ac8021136>

Filip Sucharski, Adam Moszczyński **Sekwencjonowanie de novo**

Hunt D.F., Henderson R.A., Shabanowitz J., Sakaguchi K., Michel H., Sevilir N., Cox A.L., Appella E.,

Engelhard V.H. Characterization of peptides bound to the class I MHC molecule HLA-A2.1 by mass spectrometry. *Science* (1992) 6; 255(5049)1261-1263. <https://doi.org/10.1126/science.1546328>

<http://www.ionsource.com/tutorial/DeNovo/introduction.htm>

Standing K.G. peptide and protein de novo sequencing by mass spectrometry. *Curr. Opin. Struct. Biol.* 13 (2003) 595-601. <https://doi.org/10.1016/j.sbi.2003.09.005>

Anna Bodzoń-Kułakowska **Proteomika funkcjonalna**

Alberts B. The cell as a collection of protein machines: preparing the next generation of molecular biologists. *Cell* 92 (1998) 291-294. [https://doi.org/10.1016/S0092-8674\(00\)80922-8](https://doi.org/10.1016/S0092-8674(00)80922-8)

Cho S, Park SG, Lee DH & Park BC. Protein-protein interaction networks: from interactions to networks. *J. Biochem. Mol. Biol.* 37 (2004) 45-52. <https://doi.org/10.5483/BMBRep.2004.37.1.045>

Capecchi M.R, Ewans M.J, Smithies O. Gene modification in mice
http://nobelprize.org/nobel_prizes/medicine/laureates/2007/adv.html

Dykxhoorn DM & Lieberman J. The silent revolution: RNA interference as basic biology, research tool, and therapeutic. *Annu. Rev. Med.* 56 (2005) 401-423.
<https://doi.org/10.1146/annurev.med.56.082103.104606>

Fonović M & Bogyo M. Activity-based probes as a tool for functional proteomic analysis of proteases. *Expert Rev. Proteomics* 5 (2008) 721-730. <https://doi.org/10.1586/14789450.5.5.721>

Köcher T & Superti-Furga G. Mass spectrometry-based functional proteomics: from molecular machines to protein networks. *Nat. Methods* 4 (2007) 807-815. <https://doi.org/10.1038/nmeth1093>

Monti M, Cozzolino M, Cozzolino F, Vitiello G, Tedesco R, Flagiello A & Pucci P. Puzzle of protein complexes in vivo: a present and future challenge for functional proteomics. *Expert Rev. Proteomics* 6 (2009) 159-169. <https://doi.org/10.1586/epr.09.7>

Prinz A, Reither G, Diskar M & Schultz C. Fluorescence and bioluminescence procedures for functional proteomics. *Proteomics* 8 (2008) 1179-1196. <https://doi.org/10.1002/pmic.200700802>

Selbach M & Mann M. Protein interaction screening by quantitative immunoprecipitation combined with knockdown (quick). *Nat. Methods* 3 (2006) 981-983. <https://doi.org/10.1038/nmeth972>

Terpe K. Overview of tag protein fusions: from molecular and biochemical fundamentals to commercial systems. *Appl. Microbiol. Biotechnol.* 60 (2003) 523-533.
<https://doi.org/10.1007/s00253-002-1158-6>

Uttamchandani M, Li J, Sun H & Yao SQ. Activity-based protein profiling: new developments and directions in functional proteomics. *Chembiochem.* 9 (2008) 667-675.
<https://doi.org/10.1002/cbic.200700755>

Grzegorz Schroeder, Piotr Młynarz, Anna Czernicka **Macierze białkowe i peptydowe**

Creitch M., Chiari M. Peptide Microarrays. *Methods and Protocols.* Humana Press, Milano 2009.
<https://doi.org/10.1007/978-1-60327-394-7>

Surface plasmon fluorescence spectroscopy <http://res-tec.de/spfs.html>

Zhu H., Snyder M. Protein chip technology. *Curr. Opin Chem. Biol.* 7 (2003) 55-63.
[https://doi.org/10.1016/S1367-5931\(02\)00005-4](https://doi.org/10.1016/S1367-5931(02)00005-4)

Przemysław Mielczarek **Zastosowanie sieciowania chemicznego w celu badania interakcji między białkami**

Downard K.M. Mass spectrometry of proteins interactions. Wiley Interscience, New Jersey 2007.
<https://doi.org/10.1002/9780470146330>

Huang B.X., Kim H. Y., Dass C. Probing three-dimensional structure of bovine serum albumin by chemical cross-linking and mass spectrometry. *J. Am. Soc. Mass Spectrom.* 15 (2004) 1237-1247.
<https://doi.org/10.1016/j.jasms.2004.05.004>

Kalkhof S., Ihling C., Mechtler K., Sinz A. Chemical crosslinking and high performance Fourier transform ion cyclotron resonance mass spectrometry for protein interaction analysis: application to a calmodulin/target peptide complex. *Anal. Chem.* 77 (2005) 495-503.
<https://doi.org/10.1021/ac0487294>

Sinz A., Kalkhof S., Ihling C. Mapping protein interfaces by a trifunctional cross-linker combined with MALDI-TOF and ESI-FTICR mass spectrometry. *J. Am. Soc. Mass Spectrom.* 16 (2005) 1921-1931.
<https://doi.org/10.1016/j.jasms.2005.07.020>

Grzegorz Bujacz, Anna Bujacz **Proteomika strukturalna**

Branden C., Tooze J. Introduction to protein structure. Garland Publishing. Inc., New York 1998.

Carter C.W, Sweet R.M. Methods in enzymology, macromolecular crystallography, Part A (vol. 276) and Part B (vol. 277). Academic Press, New York 1997-98.

Drenth J. Principles of protein X-ray crystallography. Springer, New York 1999.
<https://doi.org/10.1007/978-1-4757-3092-0>

Luger P. Rentgenografia strukturalna monokryształów. PWN, Warszawa 1989.

Mathews B.W. Solvent content of protein crystals. *J. Mol. Biol.* 33 (1968) 491.
[https://doi.org/10.1016/0022-2836\(68\)90205-2](https://doi.org/10.1016/0022-2836(68)90205-2)

McPherson A. Crystallisation of biological macromolecules. Cold Spring Harbor Lab. Press. 1999.

McRee D.E. Practical Protein Crystallography. Academic Press, New York 1999.
<https://doi.org/10.1016/B978-012486052-0/50007-5>

Rhodes Gale. Crystallography made crystal clear. Academic Press, Inc., San Diego, California, Harcourt Brace & Company, 1993.

Marek Noga **Proteomika ilościowa**

Ong S.E., Mann M. Mass spectrometry-based proteomics turns quantitative. *Nat. Chem. Biol.* 1 (5) (2005) 252-262. <https://doi.org/10.1038/nchembio736>

Panchaud, M. Affolter, P. Moreillon, M. Kussmann. Experimental and computational approaches to quantitative proteomics: Status quo and outlook. *J. Proteom.* 71 (1) (2008) 19-33.
<https://doi.org/10.1016/j.jprot.2007.12.001>

Anna Bodzoń-Kułakowska **Proteomika kliniczna**

Adam B., Qu Y., Davis J.W., Ward M.D., Clements M.A. et al. Serum protein fingerprinting coupled with a pattern-matching algorithm distinguishes prostate cancer from benign prostate hyperplasia and healthy men. *Cancer Res.* 62 (2002) 3609-3614.

Anderson N.L., Anderson N.G. The human plasma proteome: history, character, and diagnostic prospects. *Mol. Cell. Proteom.* 1 (2002) 845-867. <https://doi.org/10.1074/mcp.R200007-MCP200>

Azad N.S., Rasool N., Annunziata C.M., Minasian L., Whiteley G. et al. Proteomics in clinical trials and practice: present uses and future promise. *Mol. Cell. Proteom.* 5 (2006) 1819-1829. <https://doi.org/10.1074/mcp.R600008-MCP200>

Castano E.M., Roher A.E., Esh C.L., Kokjohn T.A., Beach T. Comparative proteomics of cerebrospinal fluid in neuropathologically-confirmed alzheimer's disease and non-demented elderly subjects. *Neurol. Res.* 28 (2006) 155-163. <https://doi.org/10.1179/016164106X98035>

Chaurand P., Sanders M.E., Jensen R.A., Caprioli R.M. Proteomics in diagnostic pathology: profiling and imaging proteins directly in tissue sections. *Am. J. Pathol.* 165 (2004) 1057-1068. [https://doi.org/10.1016/S0002-9440\(10\)63367-6](https://doi.org/10.1016/S0002-9440(10)63367-6)

Rifai N., Gillette M.A., Carr S.A. Protein biomarker discovery and validation: the long and uncertain path to clinical utility. *Nat. Biotechnol.* 24 (2006) 971-983. <https://doi.org/10.1038/nbt1235>

Seibert V., Ebert M.P.A., Buschmann T. Advances in clinical cancer proteomics: seldi-tof-mass spectrometry and biomarker discovery. *Brief. Funct. Genom. Proteom.* 4 (2005) 16-26. <https://doi.org/10.1093/bfgp/4.1.16>

Veenstra T.D., Conrads T.P., Hood B.L., Avellino A.M., Ellenbogen R.G. et al. Biomarkers: mining the biofluid proteome. *Mol. Cell. Proteom.* 4 (2005) 409-418. <https://doi.org/10.1074/mcp.M500006-MCP200>

Vlahou A., Schellhammer P.F., Mendrinos S., Patel K., Kondylis F.I. et al. Development of a novel proteomic approach for the detection of transitional cell carcinoma of the bladder in urine. *Am. J. Pathol.* 158 (2001) 1491-1502. [https://doi.org/10.1016/S0002-9440\(10\)64100-4](https://doi.org/10.1016/S0002-9440(10)64100-4)

Yanagisawa K., Shyr Y., Xu B.J., Massion P.P., Larsen P.H. et al. Proteomic patterns of tumour subsets in non-small-cell lung cancer. *Lancet* 362 (2003) 433-439. [https://doi.org/10.1016/S0140-6736\(03\)14068-8](https://doi.org/10.1016/S0140-6736(03)14068-8)

Zhang X., Leung S., Morris C.R., Shigenaga M.K. Evaluation of a novel, integrated approach using functionalized magnetic beads, bench-top maldi-tof-ms with prestructured sample supports, and pattern recognition software for profiling potential biomarkers in human plasma. *J. Biomol. Tech.* 15 (2004) 167-167.

Filip Sucharski **Proteomika modyfikacji potranslacyjnych**

Carapito C., Klemm C., Aebersold R., Domon B. Systematic LC-MS analysis of labile post-translational modifications in complex mixtures. *J. Proteome Res.* 8 (5) (2009) 2608-2614. <https://doi.org/10.1021/pr800871n>

Mann M., Jensen O.N. Proteomic analysis of post-translational modifications. *Nat. Biotechnol.* 21(3) (2003) 255–261. <https://doi.org/10.1038/nbt0303-255>

Rinner O., Seebacher J., Walzthoeni T., Mueller LN., Beck M., Schmidt A., Mueller M., Aebersold R. Identification of cross-linked peptides from large sequence databases *Nat. Meth.* 5 (2008) 315–315. <https://doi.org/10.1038/nmeth.1192>

Wollscheid B., Bausch-Fluck D., Henderson C., O'Brien R., Bibel M., Schiess R., Aebersold R., Watts J.D. Mass-spectrometric identification and relative quantification of N-linked cell surface glycoproteins. *Nat. Biotechnol.* 27 (4) (2009) 378–386. <https://doi.org/10.1038/nbt.1532>

Agnieszka Kraj Metabolom człowieka

Joshi-Tope G., Gillespie M., Vastrik I., D'Eustachio P., Schmidt E., de Bono B., Jassal B., Gopinath G.R., Wu G.R., Matthews L. et al. Reactome: a knowledgebase of biological pathways. *Nucl. Aci. Res.* 33 (2005) D428-D432. <https://doi.org/10.1093/nar/gki072>

Kanehisa M., Goto S., Kawashima, S., Okuno Y. and Hattori M. The KEGG resource for deciphering the genome. *Nucl. Aci. Res.* 32 (2004) D277-D280. <https://doi.org/10.1093/nar/gkh063>

Krummenacker M., Paley S., Mueller L., Yan T. Karp P.D. Querying and computing with BioCyc databases. *Bioinformatics* 21 (2005) 3454-3455. <https://doi.org/10.1093/bioinformatics/bti546>

Smith C.A., O'Maille G., Want E.J., Qin C., Trauger S.A., Brandon T.R., Custodio D.E., Abagyan R.

Siuzdak G. METLIN: a metabolite mass spectral database. *Ther. Drug Monit.* 27 (2005) 747-751. <https://doi.org/10.1097/01.ftd.0000179845.53213.39>

Wishart D.S. et al. HMDB: the Human Metabolome Database. *Nucl. Aci. Res.* 35 (2007) Database issue D521-D526. <https://doi.org/10.1093/nar/gkl923>

Elżbieta Kostyra, Henryk Kostyra Metabolom żywności i żywienia

Kaput J., Rodriguez R. L. *Nutritional genomics.* John Wiley & Sons, Inc. Publication, 2006. <https://doi.org/10.1002/0471781797>

Kostyra E., Sienkiewicz-Szłapka E., Jarmołowska B., Krawczuk S., Kostyra H. Opioid peptides derived from milk proteins. *Pol. J. Food Nutr. Sci.* 13/54 SI 1(2004) 25–35.

Litwińczuk A., Barłowska J., Król J., Litwińczuk Z. Białka polimorficzne mleka jako markery cech użytkowych bydła mlecznego i mięsnego. *Med. Wet.* 62 (1) (2006) 6–10.

Westerhuis J., van Velzen E., Hoefsloot H., Smilde A. Data analysis strategies in nutritional metabolomics. *GIT, Lab. J.* 13 (2009) 17–19.

Williams R. J. *Biochemical individuality.* Keats Publishing, New Canaan, Connecticut 1998.

Cannon S.B., Crow J.A., Crow, Heuer M.L., Wang X., Cannon E.K.S., Dwan C., Lamblin A-F., Vasdevani J., Mudge J., Cook A., Gish J., Cheung F., Kenton S., Kunau T.M., Brown D., May G.D., Kim D., Cook D.R., Roe B.A., Town C.D., Young N.D., Retzel E.F. Databases and Information Integration for the *Medicago truncatula* Genome and Transcriptome. *Plant Physiol.* 138 (2005) 38–46.

<https://doi.org/10.1104/pp.104.059204>

Dixon R.A., Strack D. Phytochemistry meets genome analysis and beyond. *Phytochemistry* 62 (2002) 815–816. [https://doi.org/10.1016/S0031-9422\(02\)00712-4](https://doi.org/10.1016/S0031-9422(02)00712-4)

Fernie A.R., Trethewey R.N., Krotzky A.J., Willmitzer L. Metabolite profiling: from diagnostics to systems biology. *Nat. Rev. Mol. Cell Biol.* 5 (2004) 763–769. <https://doi.org/10.1038/nrm1451>

Fiehn O. Combining genomics, metabolome analysis and biochemical modeling to understand metabolic networks. *Comp. Funct. Genomics* 2 (2001) 155–168. <https://doi.org/10.1002/cfg.82>

Fiehn O., Robertson, Griffin J., van der Werf M., Nikolau B., Morrison N., Sumner L.W., Goodacre R., Hardy N.W., Taylor C., Fostel J., Kaddurah-Daouk R. et al. Metabolomics standards initiative. *Metabolomics* 3 (2007), 175–178, <https://doi.org/10.1007/s11306-007-0070-6>

Fiehn O., Wohlgemuth G., Scholz M., Kind T., Lee D.Y., Lu Y., Moon S., Nikolau B. Quality control for plant metabolomics: reporting MSI-compliant studies. *Plant J.* 53 (2008) 691–704.

<https://doi.org/10.1111/j.1365-313X.2007.03387.x>

Garvin D.F. Brachypodium: a new monocot model plant system emerges. *J. Sci. Food Agric.* 87 (2007) 1177–1179. <https://doi.org/10.1002/jsfa.2868>

Gliniski M., Weckwerth W. The role of mass spectrometry in plant systems biology. *Mass Spectrom. Rev.* 25 (2006) 173–214. <https://doi.org/10.1002/mas.20063>

Goodacre R., Vaidyanathan S., Dunn W.B., Harrigan G.G., Kell D.B. Metabolomics by numbers: acquiring and understanding global metabolite data. *Trends Biotechnol.* 22 (2004), 245–252.

<https://doi.org/10.1016/j.tibtech.2004.03.007>

Griffiths W.J. (red.) *Metabolomics, metabonomics and metabolite profiling* RSC. Publishing 2007.

<https://doi.org/10.1039/9781847558107>

Kopka J. et al. GMD@CSB.DB: the Golm metabolome DataBase. *Bioinformatics* 21 (2005) 1635–1638.

<https://doi.org/10.1093/bioinformatics/bti236>

Last R.L., Jones D., Shachar-Hill Y. Towards the plant metabolome and beyond. *Nature Rev. Mol. Cell Biol.* 8 (2007) 167–174. <https://doi.org/10.1038/nrm2098>

Lindon J., Nicholson J., Holmes E. (red.) *The handbook of metabonomics and metabolomics*. Elsevier 2006.

Muth D., Kachlicki P., Stobiecki M. Spektrometria mas – możliwości wykorzystania w badaniach metabolomu roślinnego. *Biotechnologia* 1(76) (2007) 156–175.

Nielsen J., Jewett M.C. (red.), *Metabolomics: a powerful tool in systems biology*. Seria: Topics in Current Genetics, Vol. 18, Springer 2007. <https://doi.org/10.1007/978-3-540-74719-2>

Nikolau B. J., Wurtele S. E. (red.). *Concepts in plant metabolomics: methods and protocols*. Springer 2007. <https://doi.org/10.1007/978-1-4020-5608-6>

Oksman-Caldentay K-M., Saito K. Integrating genomics and metabolomics for engineering plant metabolic pathways. *Curr. Opin. Biotechnol.* 16 (2005) 174–179.

<https://doi.org/10.1016/j.copbio.2005.02.007>

Oksman-Caldentey K-M., Inze D. Plant cell factories in the post-genomic era: new ways to produce designer secondary metabolites. *Trends Plant Sci.* 9 (2002) 433–440.

<https://doi.org/10.1016/j.tplants.2004.07.006>

Ouyang S., Zhu W., Hamilton J., Lin H., Campbell M., Childs K., Thibaud-Nissen F., Malek R.L., Lee Y., Zheng L., Orvis J., Haas B., Wortman J., and Buell C. R. The TIGR Rice Genome Annotation Resource: improvements and new features. *NAR* 35 (2007) Database Issue: D846-851.

<https://doi.org/10.1093/nar/gkl976>

Scholz M., Gatzek S., Sterling A., Fiehn O., Selbig J. Metabolite fingerprinting: detecting biological features by independent component analysis. *Bioinformatics* 20 (2004) 2447-2454.

<https://doi.org/10.1093/bioinformatics/bth270>

The Arabidopsis Genome Initiative "Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*". *Nature* 408 (2000) 796-815. <https://doi.org/10.1038/35048692>

Tomita M., Nishioka T. (red.). *Metabolomics - The Frontier of Systems Biology*. Springer 2005.

<https://doi.org/10.1007/4-431-28055-3>

Trethewey R. Metabolite profiling as an add to metabolic engineering in plants. *Curr. Opin. Plant Biol.* 7 (2004) 196–201. <https://doi.org/10.1016/j.pbi.2003.12.003>

Tuskan G.A. et al. The Genome of Black Cottonwood, *Populus trichocarpa* (Torr. & Gray). *Science* 313 (2006) 1596-1604.

Verpoorte R., Memelnik J. Engineering secondary metabolite production in plants. *Curr. Opin. Biotechnol.* 13 (2002) 181–187. [https://doi.org/10.1016/S0958-1669\(02\)00308-7](https://doi.org/10.1016/S0958-1669(02)00308-7)

[https://doi.org/10.1016/S0958-1669\(02\)00308-7](https://doi.org/10.1016/S0958-1669(02)00308-7)

Villas-Boas Silas G., Roessner U., Hansel Michael A.E., Smedsgaard J., Nielsen J. (red.). *Metabolome analysis: an introduction*. Wiley 2007. <https://doi.org/10.1002/0470105518>

Weckwerth W. (red.). *Metabolomics: Methods and protocols*. W: *Methods in molecular biology*, Vol. 358, Springer 2006. <https://doi.org/10.1007/978-1-59745-244-1>

Weckwerth W. Integration of metabolomics and proteomics in molecular plant physiology-coping with the complexity by data-dimensionality reduction. *Physiol. Plant.* 132 (2007) 176–189

<https://doi.org/10.1111/j.1399-3054.2007.01011.x>

Ewa Kłodzińska, Michał Szumski, Bogusław Buszewski Nowe podejście w oznaczaniu i identyfikacji mikroorganizmów

Buszewski B., Kłodzińska E., Determination of pathogenic bacteria by capillary electrophoresis with modified capillary surface. *Electrophoresis* 29 (2008) 4177-4184.

<https://doi.org/10.1002/elps.200800080>

Buszewski B., Szumski M . Kłodzińska E. Application of a new type of micro-monolithic columns for separation of microorganisms with specific detection system. *Microchim. Acta* 164 (2009) 287-291.

<https://doi.org/10.1007/s00604-008-0069-3>

Buszewski B., Ulanowska A., Ligor T., Jackowski M., Kłodzińska E., Szeliga J. Identification of volatile organic compounds secreted from cancer tissues and bacterial cultures. *J. Chromatogr. B*, 868 (2008) 88-94. <https://doi.org/10.1016/j.jchromb.2008.04.038>

Dale S.E., Sebulsky M.T., Heinrichs D.E. Involvement of SirABC in iron-siderophore import in *Staphylococcus aureus*. *J. Bacteriol.* 186(24) (2004) 8356-8362. <https://doi.org/10.1128/JB.186.24.8356-8362.2004>

Fey P.D., Said-Salim B., Rupp M.E., Hinrichs S.H., Boxrud D.J., Davis C.C., Kreiswirth B.N., Schlievert P.M. Comparative molecular analysis of community - or hospital-acquired methicillin-resistant *Staphylococcus aureus*. *Antimicrob. Agents Chemother.* 47 (2003) 196-203. <https://doi.org/10.1128/AAC.47.1.196-203.2003>

Gao J., Stewart G.C. Regulatory elements of the *Staphylococcus aureus* protein A (Spa) promoter. *J. Bacteriol.* 186(12) (2004) 3738-3748. <https://doi.org/10.1128/JB.186.12.3738-3748.2004>

Guardati M.C., Guzman C.A., Piatti G., Pruzzo C. Rapid methods for identification of *Staphylococcus aureus* when both human and animal are tested: Comparison with a new immunoenzymatic assay. *J. Clin. Bacteriol.* 31(6) (1993) 1606-1608.

Hryniewicz K., Kłodzińska E., Dahm H., Buszewski B., Szeliga J., Jackowski M. Combination of PCR assays and electromigration techniques in differentiation of clinical strains of *Staphylococcus aureus*. *FEMS Microbiol. Lett.* 286 (2008) 1-8. <https://doi.org/10.1111/j.1574-6968.2008.01245.x>

Kenndler E.; Blaas D. Capillary electrophoresis of macromolecular biological assemblies: bacteria and viruses. *Tr. Anal. Chem.* 20 (10) (2001) 543-551. [https://doi.org/10.1016/S0165-9936\(01\)00112-1](https://doi.org/10.1016/S0165-9936(01)00112-1)

Kłodzińska E., Buszewski B. Electrokinetic detection and characterization of intact microorganisms. *Anal. Chem.* 81 (1) (2009) 8-15. <https://doi.org/10.1021/ac801369a>

Krishnan P.U., Miles K., Shetty N. Detection of methicillin and mupirocin resistance in *Staphylococcus aureus* isolates using conventional and molecular methods: a descriptive study from a burns unit with high prevalence of MRSA. *J. Clin. Pathol.* 55(10) (2002) 745-748. <https://doi.org/10.1136/jcp.55.10.745>

Lipinski B., Hawiger J., Jeljaszewicz J. Staphylococcal clumping with soluble fibrin monomer complexes. *J. Exp. Med.* 126(5) (1967) 979-988. <https://doi.org/10.1084/jem.126.5.979>

Moon B., Kim Y. Analysis of health-related microbes by capillary electrophoresis. *Bull. Korean Chem. Soc.* 24 (8) (2003) 1203. <https://doi.org/10.5012/bkcs.2003.24.8.1203>

Okun V.M., Ronacher B., Blaas D., Kenndler E. Analysis of common cold virus (human rhinovirus serotype 2) by capillary zone electrophoresis: the problem of peak identification. *Anal. Chem.* 71 (1999) 2028-2032 <https://doi.org/10.1021/ac981324x>

Poortinga A.T., Bos R., Norde W., Busscher H.J. *Surf. Sci. Rep.* 47 (2002) 1. [https://doi.org/10.1016/S0167-5729\(02\)00032-8](https://doi.org/10.1016/S0167-5729(02)00032-8)

Rodriguez M.A., Armstrong D.W. Separation and analysis of colloidal/nano-particles including microorganisms by capillary electrophoresis: a fundamental review. *J. Chromatogr. B*, 800 (2004) 7-25. <https://doi.org/10.1016/j.jchromb.2003.09.060>

Rodriguez M.A., Lantz A.W., Armstrong D.W. Capillary electrophoresis method for the detection of bacterial contamination. *Anal. Chem.* 78 (2006) 4759-4767. <https://doi.org/10.1021/ac051936z>

Schneiderheinze J.M., Armstrong D.W., Schulte G., Westenberg D.J. High efficiency separation of microbial aggregates using capillary electrophoresis. *FEMS Microbiol. Lett.* 189 (2000) 39-44. <https://doi.org/10.1111/j.1574-6968.2000.tb09203.x>

Shintani T., Torimura M., Sato H, Tao H., Manabe T. Rapid separation of microorganisms by quartz microchip capillary electrophoresis. *Anal. Sci.* 21 (2005) 57. <https://doi.org/10.2116/analsci.21.57>

Szeliga J., Jackowski M., Kłodzińska E., Dahm H., Buszewski B. Rapid identification of pathogenic bacteria using capillary electrophoresis. *Anal. Bioanal. Chem. (ABC)* 391(2008) 2153-2160. <https://doi.org/10.1007/s00216-008-2021-0>

Szumski M. Buszewski B. State of the art in miniaturized separation techniques. *Crit. Rev. Anal. Chem.* 32 (2002) 1-46. <https://doi.org/10.1080/10408340290765434>

Van Griethuysen A., Pouw M., Van Leeuwen N., Heck M. Willemse P., Buiting A., Kluytmans J. Rapid slide latex agglutination test for detection of methicillin resistance in *Staphylococcus aureus*. *J. Clin. Microbiol.* 37 (1999) 2789-2792.

Witkiewicz Z. *Podstawy chromatografii*. WNT, Warszawa 2000.

Filip Sucharski **Metabolom drożdży**

Ewald J.C., Heux S., Zamboni N. High-throughput quantitative metabolomics: workflow for cultivation, quenching, and analysis of yeast in a multiwell format. *Anal. Chem.* 81(9) (2009) 3623-3629. <https://doi.org/10.1021/ac900002u>

Smedsgaard J., Nielsen J. Metabolite profiling of fungi and yeast: from phenotype to metabolome by MS and informatics. *J. Exp. Bot.* 56(410) (2005) 273-286. <https://doi.org/10.1093/jxb/eri068>

Visser D., van Zuylen G.A., van Dam J.C., Oudshoorn A., Eman M.R., Ras C., van Gulik W.M., Frank J., van Dedem G.W., Heijnen J.J. Rapid sampling for analysis of in vivo kinetics using the BioScope: a system for continuous-pulse experiments. *Biotechnol. Bioeng.* 79(6) (2002) 674-81 <https://doi.org/10.1002/bit.10328>.

Jolanta Kotlińska, Agnieszka Pachuta, Marcin Bocheński **Badania farmakologiczne**

Adams M.L., Sewing B.N., Chen J., Meyer E.R., Cicero T.J.. Nitric oxide- related agents alter alcohol withdrawal in male rats. *Alcohol Clin. Exp. Res.* 19 (1995)195-199. <https://doi.org/10.1111/j.1530-0277.1995.tb01492.x>

Alexander G.M., Godwin D.W. Metabotropic glutamate receptors as a strategic target for the treatment of epilepsy. *Epilepsy Res.* 71 (2006) 1-22. <https://doi.org/10.1016/j.eplepsyres.2006.05.012>

Aujla P.K., Fetell M.R., Jensen F.E. Talampanel suppresses the acute and chronic effects of seizures in a rodent neonatal seizure model. *Epilepsia* 50 (2009) 694-701. <https://doi.org/10.1111/j.1528-1167.2008.01947.x>

- Bansinath M., Turndorf H., Puig M.M. Influence of hypo and hyperthermia on disposition of morphine. *J. Clin. Pharmacol.* 28 (1988) 860-864. <https://doi.org/10.1002/j.1552-4604.1988.tb03229.x>
- Ben-Bassat J., Peretz E., Sulman F.G. Analgesimetry and ranking of analgesic drugs by the receptacle method. *Arch. Int. Pharmacodyn. Ther.* 122 (1959) 434-447.
- Bespalov A., Dumpis M., Piotrovsky L., Zvartau E. Excitatory amino acid receptor antagonist kynurenic acid attenuates rewarding potential of morphine. *Eur. J. Pharmacol.* 264 (1994) 233-239. [https://doi.org/10.1016/0014-2999\(94\)00462-5](https://doi.org/10.1016/0014-2999(94)00462-5)
- Bieńkowski P., Kuca P., Piasecki J., Kostowski W. Low dose of ethanol induces conditioned place preference in rats after repeated exposures to ethanol or saline injections. *Alcohol Alcohol.* 31 (1996) 547-553. <https://doi.org/10.1093/oxfordjournals.alcalc.a008190>
- Cavicchini E., Candeletti S., Ferri S. Effects of dynorphins on body temperature of rats. *Pharmacol. Res. Commun.* 20 (1988) 603-604. [https://doi.org/10.1016/S0031-6989\(88\)80086-9](https://doi.org/10.1016/S0031-6989(88)80086-9)
- Deichman W.B., Leblanc T.J. Determination of the approximate lethal dose with about six animals. *J. Ind. Hyg. Toxicol.* 25 (1943) 415-417.
- Dunham N.W., Miya T.S. A note on a simple approach for determining neurological deficit in rats and mice. *J. Am. Pharm. Association* 46 (1957) 208-209. <https://doi.org/10.1002/jps.3030460322>
- Goddard G.V. Development of epileptic seizures through brain stimulation at low intensity. *Nature* 214 (1967) 1020-1021. <https://doi.org/10.1038/2141020a0>
- Hamida S.B., Plute E., Cosquer B., Kelche C., Jones B.C., Cassel J.C. Interactions between ethanol and cocaine, amphetamine, or MDMA in the rat: hermeregulatory and locomotor effects. *Psychopharm.* 197 (2008) 67-82. <https://doi.org/10.1007/s00213-007-1007-5>
- Handler C.M., Geller E.B., Adler M.W. Effect of mi-, kappa-, and delta-selective opioid agonists on thermoregulation in the rat. *Pharmacol. Biochem. Behav.* 43 (1992) 1209-1216. [https://doi.org/10.1016/0091-3057\(92\)90504-9](https://doi.org/10.1016/0091-3057(92)90504-9)
- Hellier J.L., White A., Williams P.A., Dudek F., Staley K.J. NMDA receptor-mediated long-term alterations in epileptiform activity in experimental chronic epilepsy. *Neuropharmacology* 56 (2009) 414-421. <https://doi.org/10.1016/j.neuropharm.2008.09.009>
- Herman Z.S. Metody badania zachowania się zwierząt. W: *Farmakometria. Doświadczalne metody badania leków.* S. Rump, Z. Kleinrok (red.) PZWL, Warszawa 1982, 73-85.
- Itoh J., Nabeshima T., Kameyama T. Utility of an elevated plus-maze for the evaluation of memory in mice: effects of nootropics scopolamine and electroconvulsive shock. *Psychopharm.* 101 (1990) 27-33. <https://doi.org/10.1007/BF02253713>
- Janssen P.A.J., Jageneau A.H.M., Schellekens K.H.L. Chemistry and pharmacology of compounds related to 4-(4-hydroxy-4-phenyl-piperidino)-butyrophenone. Part IV. Influence of haloperidol (R 1625) or chlorpromazine on the behaviour of rats in unfamiliar "open field" situation. *Psychopharm.* (Berlin) 1 (1960) 389-392. <https://doi.org/10.1007/BF00441186>
- Koster R., Anderson M., De Beer E.J. Acetic acid for analgesic screening. *Fed. Proc.* 18 (1959) 412.

- Kotlińska J., Langwiński R. Audiogenic seizures during ethanol withdrawal can be blocked by a delta opioid agonist. *Drug Alcohol Depend.* 18 (1986) 361-367. [https://doi.org/10.1016/0376-8716\(86\)90100-6](https://doi.org/10.1016/0376-8716(86)90100-6)
- Krsiak M., Steinberg H., Stolerman I.P. Uses and limitations of photocell activity cages for assessing effects of drugs. *Psychopharmacologia.* 17 (1970) 258-274. <https://doi.org/10.1007/BF00402085>
- Kuribara H. Modification of cocaine sensitization by dopamine D1 and D2 receptor antagonists in terms of ambulation in mice. *Pharmacol Biochem. Behav.* 51 (1995) 799-805. [https://doi.org/10.1016/0091-3057\(95\)00037-W](https://doi.org/10.1016/0091-3057(95)00037-W)
- Lister R.G. The use of a plus-maze to measure anxiety in the mouse. *Psychopharm.* 92 (1987) 180-185. <https://doi.org/10.1007/BF00177912>
- Litchfield J.T., Wilcoxon J.R F. A simplified method of evaluating dose-effect experiments. *J. Pharmacol. Exp. Ther.* 96 (1949) 99-113.
- Lomax P., Bajorek J.G., Chesarek W.A., Chaffee R.R. Ethanol-induced hypothermia in the rat. *Pharmacology* 21 (1980) 288-294. <https://doi.org/10.1159/000137443>
- Löscher W., Schmidt D. Which animal models should be used in the search for new antiepileptic drugs? A proposal based on experimental and clinical considerations. *Epilepsy Res.* 2 (1988) 145-181. [https://doi.org/10.1016/0920-1211\(88\)90054-X](https://doi.org/10.1016/0920-1211(88)90054-X)
- Maldonado C., Rodriguez-Arias M., Castillo A., Aguilar M.A., Minarro J. Effect of memantine and CNQX in the acquisition, expression and reinstatement of cocaine-induced conditioned place preference. *Prog. Neuropsychopharmacol. Biol. Psychiatry* 31 (2007) 932-939. <https://doi.org/10.1016/j.pnpbp.2007.02.012>
- Mason C.R., Cooper R.M. A permanent change in convulsive threshold in normal and brain-damaged rats with repeated small doses of pentylentetrazol. *Epilepsia* 13 (1972) 663-674. <https://doi.org/10.1111/j.1528-1157.1972.tb04401.x>
- Miller D.S. Audiogenic Seizures. *Science* 136 (1962) 334-342. <https://doi.org/10.1126/science.136.3513.334>
- Montgomery K.C. The relation between fear induced by novel stimulation and exploratory behavior. *J. Comp. Physiol. Psychol.* 48 (1958) 254-260. <https://doi.org/10.1037/h0043788>
- Morris R. Developments of a water-maze procedure for studying spatial learning in the rat. *J. Neurosci. Methods.* 11(1984) 47-60. [https://doi.org/10.1016/0165-0270\(84\)90007-4](https://doi.org/10.1016/0165-0270(84)90007-4)
- Olton D.S., Samuelson R.J. Remembrance of places passed: spatial memory in rats. *J. Exp. Psychol. Behav. Proc.* 2 (1976) 97-116. <https://doi.org/10.1037/0097-7403.2.2.97>
- Pellow S., Chopin P., File S.E., Briley M. Validation of open:closed arm entries in an elevated plus-maze as a measure of anxiety in the rat. *J. Neurosci. Meth.* 14 (1985) 149-167. [https://doi.org/10.1016/0165-0270\(85\)90031-7](https://doi.org/10.1016/0165-0270(85)90031-7)
- Pellow S. Anxiolytic and anxiogenic drug effects in a novel test of anxiety: are exploratory models of anxiety in rodents valid? *Methods Find. Exp. Clin. Pharmacol.* 8 (1986) 557-565.
- Przegaliński E. Działanie przeciwdrgawkowe. W: *Farmakometria. Doświadczalne metody badania leków.* S. Rump, Z. Kleinrok (red.) PZWL, Warszawa 1982, 198-209.

Przegaliński E., Maj J. Działanie kojące. W: Farmakometria. Doświadczalne metody badania leków. S. Rump, Z. Kleinrok (red.) PZWL, Warszawa 1982, 167-171.

Robinson T.E., Becker J.B. Enduring changes in brain and behavior produced by chronic amphetamine administration: a review and evaluation of animal models of amphetamine psychosis. *Brain Res.* 396 (1986) 157-198. [https://doi.org/10.1016/S0006-8993\(86\)80193-7](https://doi.org/10.1016/S0006-8993(86)80193-7)

Robinson T.E., Berridge K.C. Incentive-sensitization and addiction. *Addiction* 96 (2001) 103-114. <https://doi.org/10.1046/j.1360-0443.2001.9611038.x>

Siegmund E.A., Cadmus R.A. and Lu G. A method for evaluating both nonnarcotic and narcotic analgesics. *Proc. Soc. Exper. Biol.* 95 (1957) 729-731. <https://doi.org/10.3181/00379727-95-23345>

Spencer R.L., Hruby V.J., Burks T.F. Body temperature response profiles for selective mu, delta and kappa opioid agonists in restrained and unrestrained rats. *J. Pharmacol. Exp. Ther.* 246 (1988) 92-101.

Thompson W.R. Use of moving averages and interpolation to estimate median-effective dose: I. Fundamental formulas, estimation of error, and relation to other methods. *Bacteriol. Rev.* 11 (1947) 115-145.

Way E.L., Loh H.H., Shen F.H. Simultaneous quantitative assessment of morphine tolerance and physical dependence. *J. Pharmacol. Exp. Ther.* 167 (1969) 1-8.

Weil C. S. Tables for convenient calculation of median effective dose. *Biometrics* 8 (1952) 249-263. <https://doi.org/10.2307/3001557>

White H.S., Scholl E.A., Klein B.D., Flynn S.P., Pruess T.H., Green B.R., Zhang L., Bulaj G. Developing novel antiepileptic drugs: characterization of NAX 5055, a systemically-active galanin analog, in epilepsy models. *Neurotherapeutics* 6 (2009) 372-380. <https://doi.org/10.1016/j.nurt.2009.01.001>

Xin L., Geller E.B., Adler M.W. Body temperature and analgesic effects of selective mu and kappa opioid receptor agonists microdialyzed into rat brain. *J. Pharmacol. Exp. Ther.* 281 (1997) 499-507.

Adam Lesner, Magdalena Wysocka, Anna Łęgowska, Krzysztof Rolka **Wstęp do chemii kombinatorycznej**

Abato P., Conroy J.L., Seto C.T. Combinatorial library of serine and cysteine protease inhibitors that interact with both the S and S' binding sites., *J. Med. Chem.* 42 (1999) 4001. <https://doi.org/10.1021/jm990272g>

Al-Obeidi F., Hruby V.J., Sawyer T.K. Peptide and peptidomimetic libraries. Molecular diversity and drug design. *Mol. Biotechnol.* 9 (1998) 205. <https://doi.org/10.1007/BF02915794>

An H., Haly B.D., Cook P.D. Discovery of novel pyridinopolyamines with potent antimicrobial activity: deconvolution of mixtures synthesized by solution-phase combinatorial chemistry. *J. Med. Chem.* 41 (1998) 706. <https://doi.org/10.1021/jm970598u>

Appell K.C., Chung T.D.Y., Solly K.J., Chelsky D. Biological characterization of neurokinin antagonists discovered through screening of a combinatorial library. *J. Biomol. Screen.* 3 (1998) 19. <https://doi.org/10.1177/108705719800300103>

Armon-Omer A., Levin A., Hayouka Z., Butz K., Hoppe-Seyler F., Loya S., Hizi A., Friedler A., Loyter A. Correlation between shiftide activity and HIV-1 integrase inhibition by a peptide selected from a combinatorial library. *J. Mol. Biol.* 12 (2007). <https://doi.org/10.1016/j.jmb.2007.11.095>

Brenner S., Lerner R.A., Encoded combinatorial chemistry. *P. Natl. Acad. Sci. USA* 89, 5381 (1992). <https://doi.org/10.1073/pnas.89.12.5381>

Brummel C.L., Lee I.N., Zhou Y., Benkovic S.J., Winograd N., A mass spectrometric solution to the address problem of combinatorial libraries. *Science* 264 (1994) 399. <https://doi.org/10.1126/science.8153627>

de Koster H.S., Amons R., Benckhuijsen W.E., Feijlbrief M., Schellekens G.A., Drijfhout J. W.J. The use of dedicated peptide libraries permits the discovery of high affinity binding peptides. *Immunol. Method.* 187 (1995) 179. [https://doi.org/10.1016/0022-1759\(95\)00182-A](https://doi.org/10.1016/0022-1759(95)00182-A)

Dooley C.T., Houghten R.A. The use of positional scanning synthetic peptide combinatorial libraries for the rapid determination of opioid receptor ligands. *Life Sci.* 52 (1993) 1509. [https://doi.org/10.1016/0024-3205\(93\)90113-H](https://doi.org/10.1016/0024-3205(93)90113-H)

Eichler J., Bienert M., Stierandova A., Lebl M. Evaluation of cotton as a carrier for solid-phase peptide synthesis. *Peptide Res.* 4 (1991) 296.

Fodor S.P.A., Read J.L., Pirrung M.C., Stryer L., Lu A.T., Solas D. Light-directed, spatially addressable parallel chemical synthesis. *Science* 251 (1991) 767. <https://doi.org/10.1126/science.1990438>

Frank R., Güler S., Krause S., Lindenmaier W. 1991. Facile and rapid "spot synthesis" of large numbers of peptides on membrane sheets. W: Giralt E., Andreu. D. (red.) *Peptides 1990, Proc. 21st Eur. Peptide Symp. ESCOM, Leiden*, s. 151. https://doi.org/10.1007/978-94-011-3034-9_61

Frank R., Heikens W., Heisterberg-Moutsis G., Becker H. A new general approach for the simultaneous chemical synthesis of large numbers of oligonucleotides: segmental solid supports. *Nucl. Acids Res.* 11 (1983) 4365. <https://doi.org/10.1093/nar/11.13.4365>

Furka A. *Combinatorial chemistry: Principles and techniques*, e-book, Budapest 2007.

Furka A., Study on possibilities of systematic searching for pharmaceutically useful peptides, dokument notarialny nr 36237/1982, Budapest 29 maja 1982.

Furka A., Sebestyen F. Patent WO93/24517 (1993).

Geysen H.M., Meloen R.H., Barteling S.J. Use of peptide synthesis to probe viral antigens for epitopes to a resolution of a single amino acid. *P. Natl. Acad. Sci. USA* 81 (1984) 3998. <https://doi.org/10.1073/pnas.81.13.3998>

Geysen H.M., Rodda S.J., Mason T.J. A priori delineation of a peptide which mimics a discontinuous antigenic determinant, *Mol. Immunol.* 23 (1986) 709. [https://doi.org/10.1016/0161-5890\(86\)90081-7](https://doi.org/10.1016/0161-5890(86)90081-7)

Han H., Wolfe M.M., Brenner S., Janda K.D. Liquid-phase combinatorial synthesis. *P. Natl. Acad. Sci. USA* 92 (1995) 6419. <https://doi.org/10.1073/pnas.92.14.6419>

Hayashi Y., Katada J., Harada T., Tachiki A., Iijima K., Takiguchi Y., Muramatsu M., Miyazaki H., Asari T., Okazaki T., Sato Y., Yasuda E., Yano M., Uno I., Ojima I. GPIIb/IIIa integrin antagonists with the new conformational restriction unit, tri-substituted beta-amino acid derivatives, and a substituted benzamidine structure. *J. Med. Chem.* 41 (1998) 2345. <https://doi.org/10.1021/jm980126v>

Houghten R.A. General method for the rapid solid-phase synthesis of large numbers of peptides: specificity of antigen-antibody interaction at the level of individual amino acids. *P. Natl. Acad. Sci. USA* 82 (1985) 5131. <https://doi.org/10.1073/pnas.82.15.5131>

Houghten R.A., Pinilla C., Blondelle S.E., Appel J.R., Dooley C.T., Cuervo J.H. Generation and use of synthetic peptide combinatorial libraries for basic research and drug discovery. *Nature* 354, 84 (1991). <https://doi.org/10.1038/354084a0>

Ivanetich K.M., Santi D.V. Preparation of equimolar mixtures of peptides by adjustment of activated amino acid concentrations *Method. Enzymol.* 267, 247 (1996). [https://doi.org/10.1016/S0076-6879\(96\)67017-7](https://doi.org/10.1016/S0076-6879(96)67017-7)

Kamal A., Reddy K.L., Devaiah V., Shankaraiah N., Reddy G.S., Raghavan S. Solid-phase synthesis of a library of pyrrolo[2,1-c][1,4]benzodiazepine-5,11-diones with potential antitubercular activity. *J. Comb. Chem.* 9, 29 (2007). <https://doi.org/10.1021/cc0501458>

Kassarjian A., Schellenberger V., Turck C.W. Screening of synthetic peptide libraries with radiolabeled acceptor molecules. *Peptide Res.* 6, 129 (1993).

Kim S.W., Lee J.G., Lee E.J., Park Choo H.Y., Yoo C.Y., Lee D.Y., Roh K.R., Kim E.K. An efficient and improved route for the preparation of (S)-5-aminomethylloxazolidinone libraries. *J. Comb. Chem.* 6, 851 (2004). <https://doi.org/10.1021/cc0499237>

Lam K.S., Lebl M., Krchnak V. The "One-bead-one-compound" combinatorial library method. *Chem. Rev.* 97, 411 (1997). <https://doi.org/10.1021/cr9600114>

Lam K.S., Hruby V.J., Lebl M., Knapp R.J., Kazmierski W.M., Hersh E.M., Salmon S.E. The chemical synthesis of large random peptide libraries and their use for the discovery of ligands for macromolecular acceptors. *Bioorg. Med. Chem. Lett.* 3, 419 (1993). [https://doi.org/10.1016/S0960-894X\(01\)80224-9](https://doi.org/10.1016/S0960-894X(01)80224-9)

Lam K.S., Salmon S.E., Hersh E.M., Hruby V.J., Kazmierski W.M., Knapp R.J. A new type of synthetic peptide library for identifying ligand-binding activity. *Nature* 354, 82 (1991). <https://doi.org/10.1038/354082a0>

Lou Q., Leftwich M.E., Lam K.S. Identification of GIYWHY as a novel peptide substrate for human p60c-src protein tyrosine kinase. *Bioorgan. Med. Chem.* 4, 677 (1966). [https://doi.org/10.1016/0968-0896\(96\)00063-6](https://doi.org/10.1016/0968-0896(96)00063-6)

Lowe G. Oligomeric and biogenetic combinatorial libraries. *Nat. Prod. Rep.* 16, 641 (1999). <https://doi.org/10.1039/a809411j>

Macleon D., Schullek J.R., Murphy M.M., Ni Z.-J., Gordon E.M., Gallop M.A. Encoded combinatorial chemistry: Synthesis and screening of a library of highly functionalized pyrrolidines. *P. Natl. Acad. Sci. USA* 94, 2805 (1997). <https://doi.org/10.1073/pnas.94.7.2805>

Mattioli S., Imberti L., Stellini R., Primi D.J. Mimicry of the immunodominant conformation-dependent antigenic site of hepatitis A virus by motifs selected from synthetic peptide libraries. *Virology* 69, 5294 (1995).

Meldal M. The one-bead two-compound assay for solid phase screening of combinatorial libraries. *Biopolymers* 66, 93 (2002). <https://doi.org/10.1002/bip.10229>

Meldal M. Methods (San Diego), Multiple column synthesis of quenched solid-phase bound fluorogenic substrates for characterization of endoprotease specificity. *Methods: A Companion to Methods in Enzymology* 6, 417 (1994). <https://doi.org/10.1006/meth.1994.1044>

Merrifield R.B. Solid Phase Peptide Synthesis. I. The Synthesis of a Tetrapeptide. *J. Am. Chem. Soc.* 85, 2149 (1963). <https://doi.org/10.1021/ja00897a025>

Nestler P.H., Bartlett P.A., Still W.C. A general method for molecular tagging of encoded combinatorial chemistry library. *J. Org. Chem.* 59, 4723 (1994). <https://doi.org/10.1021/jo00096a008>

Ohlmeyer M.H., Swanson R.N., Dillard L.W., Reader J.C., Asouline G., Kobayashi R., Wigler M., Still W.C. Complex synthetic chemical libraries indexed with molecular tags. *P. Natl. Acad. Sci. USA* 90, 10922 (1993). <https://doi.org/10.1073/pnas.90.23.10922>

Poster at EMBO/IRBM Workshop on Molecular Repertoires and Methods of Selection, Gubio, Italy (1999).

Pennington M.E., Lam K.S., Cress A.E. The use of a combinatorial library method to isolate human tumor cell adhesion peptides. *Mol. Divers.* 2 (1996) 19. <https://doi.org/10.1007/BF01718696>

Robillard M.S., Bacac M., van den Elst H., Flamigni A., van der Marel G.A., van Boom J.H., Reedijk J., Automated parallel solid-phase synthesis and anticancer screening of a library of peptide-tethered platinum(II) complexes. *J. Comb. Chem.* 5 (2003) 821. <https://doi.org/10.1021/cc030011z>

Rosse G., Kueng E., Page M.G., Schauer-Vukasinovic V., Giller T, Lahm H.W., Lunziker P., Schlatter D. Rapid identification of substrates for novel proteases using a combinatorial peptide library. *J. Comb. Chem.* 2 (2002) 462. <https://doi.org/10.1021/cc000019y>

Samaroo D., Vinodu M., Chen X., Drain C.M. Meso-tetra(pentafluorophenyl)-porphyrin as an efficient platform for combinatorial synthesis and the selection of new photodynamic therapeutics using a cancer cell line. *J. Comb. Chem.* 9 (2007) 998. <https://doi.org/10.1021/cc070067j>

Serrano P., Casas J., Llebaria A., Zucco M., Emeric G., Delgado A. Parallel synthesis and yeast growth inhibition screening of succinamic acid libraries. *J. Comb. Chem.* 9, 635 (2007). <https://doi.org/10.1021/cc070026n>

Sewald N., Jakubke H.-D. (red.). *Peptides: Chemistry and Biology*. Wiley-VCH Weinheim 2002. <https://doi.org/10.1002/352760068X>

Smith M.H., Lam K.S., Hersh E.M., Lebl M., Grimes W.J. Peptide sequences binding to MHC class I proteins. *Mol. Immunol.* 31 (1994) 1431. [https://doi.org/10.1016/0161-5890\(94\)90159-7](https://doi.org/10.1016/0161-5890(94)90159-7)

Sofia M.J., Carbohydrate-based combinatorial libraries. *Mol. Divers.* 3 (1997-1998) 75.

Strop P., Chen C., Haney K., Spoonamore J., Ostrem J., Stierandova A., Sefar P., Krchnak V., Kocis P., Sepetov N.F., Cabel D., Abdul-Latif F., Lebl M. Use of peptide and nonpeptidic libraries for mapping of active site of human thrombin; Poster at EMBO/IRBM Workshop on Molecular Repertoires and Methods of Selection, Gubio, Italy (1999).

Stegk T.A., Janssen R., Schneider G.A. High-throughput synthesis and characterization of bulk ceramics from dry powders. *J. Comb. Chem.* 2 (2008) 12. <https://doi.org/10.1021/cc700145q>

Vaino A.R., Janda K.D. Euclidean shape-encoded combinatorial chemical libraries. *P. Natl. Acad. Sci. USA* 97 (2000) 7692. <https://doi.org/10.1073/pnas.97.14.7692>

Wennemers H., Still W.C. Peptide complexation in water, sequence selective binding with simple dye molecules. *Tetrahedron Lett.* 35 (1994) 6413. [https://doi.org/10.1016/S0040-4039\(00\)78233-5](https://doi.org/10.1016/S0040-4039(00)78233-5)

Xiao X., Yu P., Lim H.S., Sikder D., Kodadek T. Design and synthesis of a cell-permeable synthetic transcription factor mimic. *J. Comb. Chem.* 9 (2007) 592 <https://doi.org/10.1021/cc070023a>.

Wojciech Rożek, Paweł Ciborowski **Bioinformatyka – zarys ogólny**

Barritault D., Expert-Bezancon A., Milet M., Hayes D.H. Inexpensive and easily built small scale 2D electrophoresis equipment. *Anal. Biochem.* 70 (1976) 600-611. [https://doi.org/10.1016/0003-2697\(76\)90486-3](https://doi.org/10.1016/0003-2697(76)90486-3)

Berners-Lee T., Hall W., Hendler J., Shadbolt N., Weitzner D.J. Computer science. Creating a science of the Web. *Science* 313 (2006) 769-771. <https://doi.org/10.1126/science.1126902>

Berners-Lee T., Hendler J. Publishing on the semantic web. *Nature* 410 (2001) 1023-1024. <https://doi.org/10.1038/35074206>

Berners-Lee T., Hendler J., Lassila O. The Semantic Web *ScientificAmerican.com* (2001). <https://doi.org/10.1038/scientificamerican0501-34>

Carpentier S.C., Panis B., Swennen R., Lammertyn J. Finding the significant markers: statistical analysis of proteomic data. *Meth. Mol. Biol.* 428 (2008) 327-347. https://doi.org/10.1007/978-1-59745-117-8_17

Celis J.E., Ostergaard M., Jensen N.A., Gromova I., Rasmussen H.H., et al. Human and mouse proteomic databases: novel resources in the protein universe. *FEBS Lett* 430 (1998) 64-72. [https://doi.org/10.1016/S0014-5793\(98\)00527-4](https://doi.org/10.1016/S0014-5793(98)00527-4)

Chalmers M.J., Mackay C.L., Hendrickson C.L., Wittke S., Walden M., et al. Combined top-down and bottom-up mass spectrometric approach to characterization of biomarkers for renal disease. *Anal. Chem.* 77 (2005) 7163-7171. <https://doi.org/10.1021/ac050983o>

Consortium T.U. The Universal Protein Resource (UniProt) *Nucl. Acids Res.* 36 (2008) D190-D195. <https://doi.org/10.1093/nar/gkm895>

Fernholz L.T., Morgenthaler S. And roughly the only mechanism for suggesting questions is exploratory. And once they're suggested, the only appropriate question would be how strongly supported are they and particularly how strongly supported are they by new data. And that's confirmatory., A conversation with John W. Tukey and Elizabeth Tukey. *Statistical Science* 15 (2000): 79-94. <https://doi.org/10.1214/ss/1009212675>

Frawley W.J., Piatetsky-Shapiro G., Matheus C. (1991) Knowledge Discovery In Databases: An Overview. W: Knowledge Discovery In Databases

G. Piatetsky-Shapiro aWJF, AAAI Press/MIT Press, , 1991, pp. 1-30, editor. Cambridge, MA.: AAAI Press/MIT Press. 1-30 p.

Gelfi C., Righetti P.G. Preparative isoelectric focusing in immobilized pH gradients. II. A case report. *J. Biochem. Biophys. Meth.* 8 (1983): 157-172. [https://doi.org/10.1016/0165-022X\(83\)90041-6](https://doi.org/10.1016/0165-022X(83)90041-6)

Gianazza E. Isoelectric focusing as a tool for the investigation of post-translational processing and chemical modifications of proteins. *J. Chromatogr. A* 705 (1995) 67-87.

[https://doi.org/10.1016/0021-9673\(94\)01251-9](https://doi.org/10.1016/0021-9673(94)01251-9)

Kim K., Visintin I., Alvero A.B., Mor G. Development and validation of a protein-based signature for the detection of ovarian cancer. *Clin. Lab. Med.* 29 (2009) 47-55.

<https://doi.org/10.1016/j.cll.2009.02.001>

Marshall A.G., Hendrickson C.L., Jackson G.S. Fourier transform ion cyclotron resonance mass spectrometry: a primer. *Mass. Spectrom. Rev.* 17 (1998) 1-35. [https://doi.org/10.1002/\(SICI\)1098-2787\(1998\)17:1<1::AID-MAS1>3.0.CO;2-K](https://doi.org/10.1002/(SICI)1098-2787(1998)17:1<1::AID-MAS1>3.0.CO;2-K)

Mathivanan S., Pandey A. Human Proteinpedia as a resource for clinical proteomics. *Mol. Cell. Proteom.* 7 (2008) 2038-2047.

<https://doi.org/10.1074/mcp.R800008-MCP200>

Mead J.A., Shadforth I.P., Bessant C. Public proteomic MS repositories and pipelines: available tools and biological applications. *Proteomics* 7 (2007) 2769-2786.

<https://doi.org/10.1002/pmic.200700152>

Millea K.M., Krull I.S., Cohen S.A., Gebler J.C., Berger S.J. Integration of multidimensional chromatographic protein separations with a combined "top-down" and "bottom-up" proteomic strategy. *J. Proteom. Res.* 5 (2006) 135-146. <https://doi.org/10.1021/pr050278w>

Nie L., Wu G., Zhang W. Statistical application and challenges in global gel-free proteomic analysis by mass spectrometry. *Crit. Rev. Biotechnol.* 28 (2008) 297-307.

<https://doi.org/10.1080/07388550802543158>

Schrattenholz A., Groebe K. What does it need to be a biomarker? Relationships between resolution, differential quantification and statistical validation of protein surrogate biomarkers. *Electrophoresis* 28 (2007) 1970-1979. <https://doi.org/10.1002/elps.200600752>

Suresh S., Sujatha Mohan S., Mishra G., Hanumanthu G.R., Suresh M., et al. Proteomic resources: integrating biomedical information in humans. *Gene* 364 (2005) 13-18.

<https://doi.org/10.1016/j.gene.2005.07.021>

Wu C.H., Yeh L.S., Huang H., Arminski L., Castro-Alvear J., et al. (2003) The Protein Information Resource. *Nucl. Acids Res.* 31 (2003) 345-347. <https://doi.org/10.1093/nar/gkg040>

Yates J.R., 3rd Mass spectrometry. From genomics to proteomics. *Trends Genet* 16 (2000) 5-8

[https://doi.org/10.1016/S0168-9525\(99\)01879-X](https://doi.org/10.1016/S0168-9525(99)01879-X).

Beata Walczak, Michał Daszykowski **Chemometria w metabolomice i proteomice**

Benjamini Y., Hochberg Y. Controlling the false discovery rate: a practical and powerful approach to multiple testing. *J. R. Statist. Soc. B* 57 (1995) 289-300. <https://doi.org/10.1111/j.2517-6161.1995.tb02031.x>

Blijnsma S., Bobeldijk I., Verheij E.R., Ramaker R., Kochhar S., Macdonald I.A., van Ommen B., Smilde A.K. Large-scale human metabolomics studies: a strategy for data (pre-) processing and validation. *Anal. Chem.* 78 (2006) 567-574. <https://doi.org/10.1021/ac051495j>

Daszykowski M., Mosleth Fægstad E., Grove H., Martens H., Walczak B. Matching 2D gel electrophoresis

images with Matlab 'Image Processing Toolbox'. *Chemom. Intell. Lab. Syst.* 96 (2009) 188-195.

<https://doi.org/10.1016/j.chemolab.2009.01.011>

Daszykowski M., Stanimirova I., Bodzon-Kulakowska A., Silberring J., Lubec G., Walczak B. The start-to-end processing of two-dimensional gel electrophoretic images. *J. Chromatogr. A* 1158 (2007) 306–317.

<https://doi.org/10.1016/j.chroma.2007.02.009>

Daszykowski M., Walczak B. Target selection for alignment of chromatographic signals obtained using monochannel detectors. *J. Chromatogr. A* 1176 (2007) 1–11.

<https://doi.org/10.1016/j.chroma.2007.10.099>

Daszykowski M., Walczak B., Massart D.L. Density-based clustering for exploration of analytical data. *Anal. Bioanal. Chem.* 380 (2004) 370–372.

<https://doi.org/10.1007/s00216-004-2582-5>

Daszykowski M., Walczak B., Massart D.L. Projection methods in chemistry. *Chemom. Intell. Lab. Syst.* 65 (2003) 97–112.

[https://doi.org/10.1016/S0169-7439\(02\)00107-7](https://doi.org/10.1016/S0169-7439(02)00107-7)

Daszykowski M., Wróbel M.S., Bierzynska-Krzysik A., Silberring J., Lubec G., Walczak B. Automatic preprocessing of electrophoretic images. *Chemom. Intell. Lab. Syst.* 97 (2009) 132–140.

<https://doi.org/10.1016/j.chemolab.2009.03.002>

Daszykowski M., Wu W., Nicholls A.W., Ball R.J., Czekaj T., Walczak B. Identifying potential biomarkers in LC-MS data. *J. Chemometrics* 21 (2007) 292–302.

<https://doi.org/10.1002/cem.1066>

Digabel H., Lantuéjoul C. Iterative algorithms. W: Actes du Second Symposium Européen d'Analyse Quantitative des Microstructures en Sciences des Matériaux, Biologie et Médecine, Caen, 4-7 October 1977 (1978), (J.-L. Chermant red.), Riederer Verlag, Stuttgart. 8599.

Eilers P.H.C., Currie I.D., Durban M. Fast and compact smoothing on large multidimensional grids.

Comput. Stat. Data Anal. 50 (2006) 61–76. <https://doi.org/10.1016/j.csda.2004.07.008>

Fægstad E.M., Rye M., Walczak B., Gidskehaug L., Wold J.P., Grove H., Jia X., Hollung K., Indahl U.G., Westad F., van den Berg F., Martens H. Pixel-based analysis of multiple images for the identification of changes: A novel approach applied to unravel proteome patterns of 2-D electrophoresis gel images. *Proteomics* 7 (2007) 3450–3461.

<https://doi.org/10.1002/pmic.200601026>

Gidskehaug L., Anderssen, Alsberg B.K. Cross model validation and optimisation of bilinear regression models. *Chemom. Intell. Lab. Syst.* 93 (2008) 1–10.

<https://doi.org/10.1016/j.chemolab.2008.01.005>

Grove H., Hollung K., Uhlen A.K., Martens H., Fægstad E.M. Challenges related to analysis of protein spot volumes from two-dimensional gel electrophoresis as revealed by replicate gels. *J. Proteome Res.* 5 (2006) 3399–3410.

<https://doi.org/10.1021/pr0603250>

Guyon I., Elisseeff A. An introduction to variable and feature selection. *JMLR* 3 (2003) 1157–1182.

Guyon I., Gunn S., Nikravesh M., Zadeh L. Feature extraction, foundations and applications. Physica-Verlag, Springer, Berlin 2006.

<https://doi.org/10.1007/978-3-540-35488-8>

Kaczmarek K., Walczak B., de Jong S., Vandeginste B.G.M. Baseline reduction in two dimensional gel electrophoresis images. *Acta Chromatogr.* 15 (2005) 82–96.

- Kaczmarek K., Walczak B., de Jong S., Vandeginste B.G.M. Feature based fuzzy matching of 2D gel electrophoresis images. *J. Chem. Inf. Comp. Sci.* 42 (2002) 143–1442. <https://doi.org/10.1021/ci020266k>
- Kaczmarek K., Walczak B., de Jong S., Vandeginste B.G.M. Matching of 2D gel electrophoresis images. *J. Chem. Inf. Comp. Sci.* 43(2003) 978– 986. <https://doi.org/10.1021/ci0256337>
- Kaczmarek K., Walczak B., de Jong S., Vandeginste B.G.M. Preprocessing of two-dimensional gel electrophoresis images. *Proteomics* 4 (2004) 2377–2389. <https://doi.org/10.1002/pmic.200300758>
- Listgarten J., Emili A. Statistical and computational methods for comparative proteomic profiling using liquid chromatography-tandem mass spectrometry. *Molecular & Cellular Proteomics* 4.4 (2005) 419.434. <https://doi.org/10.1074/mcp.R500005-MCP200>
- Martens H., Næs T. *Multivariate Calibration*, John Wiley & Sons, Chichester, UK 1989.
- Massart D.L., Kaufman L. *The interpretation of analytical chemical data by the use of cluster analysis*. R.E. Krieger Publishing Company, Florida 1989.
- Nielsen N.-P.V., Carstensen J.M., Smedsgaard J. Aligning of single and multiple wavelength chromatographic profiles for chemometric data analysis using correlation optimised warping. *J. Chromatogr. A* 805(1998) 17-35. [https://doi.org/10.1016/S0021-9673\(98\)00021-1](https://doi.org/10.1016/S0021-9673(98)00021-1)
- Smit S., Hoefsloot H.C.J., Smilde A.K. Statistical data processing in clinical proteomics. *J. Chromatogr. B* 866 (2008) 77–88. <https://doi.org/10.1016/j.jchromb.2007.10.042>
- Smit S., van Breemen M.J., Hoefsloot H.C.J., Smilde A.K., Aerts J.M.F.G., de Koster C.G. Assessing the statistical validity of proteomics based biomarkers. *Anal. Chim. Acta* 592 (2007) 210–217. <https://doi.org/10.1016/j.aca.2007.04.043>
- Sternberg S.R. Biomedical image processing. *IEEE Computer* 16 (1983) 22–34. <https://doi.org/10.1109/MC.1983.1654163>
- Stone M. Cross-validatory choice and assessment of statistical predictions. *J. R. Statist. Soc. B* 36 (1974) 111–147. <https://doi.org/10.1111/j.2517-6161.1974.tb00994.x>
- Trygg J., Holmes E., Lundstedt T. Chemometrics in metabonomics. *J. Proteome Res.* 6 (2007) 469–479. <https://doi.org/10.1021/pr060594q>
- van den Berg R., Hoefsloot H.C.J., Westerhuis J.A., Smilde A.K., van der Werf M.J. Centering, scaling, and transformations: improving the biological information content of metabolomics data. *BCM Genomics* 7 (2006) 1–15. <https://doi.org/10.1186/1471-2164-7-142>
- van der Greef J., Smilde A.K. Symbiosis of chemometrics and metabolomics: past, present and future. *J. Chemometrics* 19 (2005) 376– 386. <https://doi.org/10.1002/cem.941>
- Walczak B. *Wavelets in chemistry*, Elsevier, Amsterdam, The Netherlands 2000.
- Walczak B., Massart D.L. Noise suppression and signal compression using wavelet packet transform. *Chemom. Intell. Lab. Syst.* 36 (1997) 81–94. [https://doi.org/10.1016/S0169-7439\(96\)00077-9](https://doi.org/10.1016/S0169-7439(96)00077-9)
- Walczak B., Wu W. Fuzzy warping of chromatograms. *Chemom. Intell. Lab. Syst.* 77 (2005) 173–180. <https://doi.org/10.1016/j.chemolab.2004.07.012>
- Wishart D.S. Current progress in computational metabolomics. *Brief. Bioinform.* 8 (2007) 279–293. <https://doi.org/10.1093/bib/bbm030>

Wold S., Esbensen K., Geladi P. Principal component analysis. *Chemom. Intell. Lab. Syst.* 2 (1987) 37–52. [https://doi.org/10.1016/0169-7439\(87\)80084-9](https://doi.org/10.1016/0169-7439(87)80084-9)

Stanisław Wysocki **FRET**

Förster T. Intermolecular Energy Migration and Fluorescence. *Ann. Phys.* 2 (1948) 55-75.
<https://doi.org/10.1002/andp.19484370105>

Lakowicz J. Principles of fluorescence spectroscopy. Kluwer Academic/Plenum Publishers, New York 1999.

Laurence T. A., Kong X., Jäger M., Weiss S. Protein-protein interactions as a tool for site-specific labeling of proteins. *Proc. Natl. Acad. Sci. USA.* 102 (2005) 17348.

Kapanidis A. N., Lee N. K., Laurence T. A., Dose S., Margeat E., Weiss S. Fluorescence-aided molecule sorting: analysis of structure and interactions by alternating-laser excitation of single molecules. *Proc. Natl. Acad. Sci. USA* 101 (2004) 8936. <https://doi.org/10.1073/pnas.0401690101>

Wiczak W., Łankiewicz L. Average distance and distance distribution estimation by steady-state Energy transfer measurements. *Wiad. Chem.* 50 (1996) 99-124.