

Alekseev V. R., 1995. Podotriad Cyclopoida; Podotriad Harpacticoida. [W: V. R. Alekseev (red. tomu), S. J. Tšalolihin (red. serii), *Opredelitel presnovodnykh bespozvonočnykh Rossii i sopredelnykh territorii*. 2. Rakoobraznyje], Zool. Inst., RAN, St Petersburg, 109-128.

Alekseev V. R., 1998. Key to freshwater Cyclopidae of Russia and adjacent lands (Crustacea). *Zoosystematica Rossica*, 7: 25-43.

Anonymous, 2003. Copepoda. (W: *Taxaliste der Gewässerorganismen Deutschlands*. Bayerisches Landesamt für Wasserwirtschaft). Informationsberichte des Bayerischen Landesamtes für Wasserwirtschaft , 316-318.

Balcer M. D., Korda N. L., Dodson S. I., 1984. *Zooplankton of the Great Lakes: a guide to the identification and ecology of the common crustacean species*. University of Wisconsin Press, Madison, Wisconsin, 174 s.

Bayly I. A. E., 1992. The non-marine centropagidae. Copepoda: Calanoida of the world. [W: H. J. F. Dumont (red.), *Guides to the identification of the microinvertebrates of the continental waters of the world* 2.]. SPB Academic Publishing bv, The Hague, 30 s.

Błędzki L. A., 2008. Widłonogi (Copepoda). S. 297-301, 311. [W: W. Bogdanowicz, E. Chudzicka, I. Pilipuk, E. Skibinska (red.), *Fauna Polski - charakterystyka i wykaz gatunków*]. Muzeum i Instytut Zoologii PAN, Warszawa, 3, 603 s.

Boxshall G. A., Braide E. I., 1990. The freshwater cyclopoid copepods of Nigeria with an illustrated key to all species. *Bulletin of the British Museum (Natural History), Zoology*, 57: 185-212.

Boxshall G. A., Halsey H., 2004. *An introduction to copepod diversity*. The Ray Society, London: 1-966.

Brandl Z., 1998. Feeding strategies of planktonic cyclopoids in lacustrine ecosystems. [W: H. U. Dahms, T. Glatzel, H. J. Hirche, S. Schiel, H. K. Schminke (red.), *Proceedings of the 6th International Conference on Copepoda*]. *J. Marine Systems*, 15: 87-95. [https://doi.org/10.1016/S0924-7963\(97\)00042-0](https://doi.org/10.1016/S0924-7963(97)00042-0)

Bruno M. C., Reid J. W., Perry S. A., 2003. Checklist and identification key for free-living copepod crustaceans in freshwater habitats of Everglades National Park and adjacent areas, Florida, U.S.A., with notes on their ecology. *Florida Scientist*, 66: 23-42.

Damakaer D. M., 2002. *The copepodologist's cabinet*. American Philosophical Society, Philadelphia, Pennsylvania, 300 s.

Damian-Georgescu A., 1963. Copepoda. Fam. Cyclopidae (forme de apă dulce). *Fauna Republicii Populare Române, Academiei Republicii Socialiste România, Crustacea* 4, 205 s.

Day J. A., de Moor I. J., Stewart B. A., Louw A. E. (red.), 2001. *Guides to the freshwater invertebrates of southern Africa*. 3. Crustacea II. Ostracoda, Copepoda and Branchiura. Water Research Commission, Report No. TT 148/01.

Defaye D., 1988. Contribution à la connaissance des Crustacés Copepodes d'Éthiopie. *Hydrobiologia*, 164: 103-147. <https://doi.org/10.1007/BF00008454>

Devai I., 1977. Az Évezolabu Rankok (Calanoida és Cyclopoida) Áltrendjeinek kishatározója. [W: L. Felföldy (red.), *Hydrobiology for water management praxis* 5.]. Budapest, Vizugyi Dokumentációs és Továbbképző Intézet, 220 s.

- Dole-Olivier M. J., Galassi D. M. P., Marmonier P., Creuze des Chatelliers M., 2000. The biology and ecology of lotic microcrustaceans. *Freshwat. Biol.*, 44: 63-91. <https://doi.org/10.1046/j.1365-2427.2000.00590.x>
- Dussart B. H., 1967. Les Copepodes des eaux continentales d'Europe occidentale. I Calanoides at Harpacticoides. N. Boubée et Cie, Paris, 149 s.
- Dussart B. H., 1969. Les Copepodes des Eaux Continentales d'Europe Occidentale. II Cyclopoides et Biologie. N. Boubée et Cie, Paris, 292 s.
- Dussart B. H., 1982. Crustacés Copepodes des eaux intérieures. Faune de Madagascar, ORSTOM, Paris 58, 146 s.
- Dussart B. H., Defaye D., 1985. Répertoire mondial des Crustacés Copepodes des eaux intérieures. II. Cyclopoides. Centre National de la Recherche Scientifique, Centre Régional de Publications de Bordeaux, 236 s.
- Dussart B. H., Defaye D., 2001. Introduction to the Copepoda. [W: H. J. F. Dumont (red.), Guides to the Identification of the Microinvertebrates of the Continental Waters of the World 16]. Backhuys Publishers, Leiden, 344 s.
- Dussart B. H., Defaye D., 2002. World directory of Crustacea Copepoda of inland waters. I - Calaniformes. Backhuys Publishers, Leiden, 276 s.
- Dussart B. H., Defaye D., 2006. World directory of Crustacea Copepoda of inland waters. II - Cyclopiformes. Backhuys Publishers, Leiden, 354 s.
- Einsle U., 1993. Crustacea: Copepoda: Calanoida und Cyclopoida. [W: J. Schwoerbel, P. Zwick (red.), Süsswasserfauna von Mitteleuropa]. Gustav Fischer Verlag, 8: 1-209.
- Einsle U., 1996. Copepoda: Cyclopoida. Genera Cyclops, Megacyclops, Acanthocyclops. [W: H. J. F. Dumont (red.), Guides to the identification of the microinvertebrates of the continental waters of the world]. SPB Academic Publishing BV, Amsterdam, 10: 1-82.
- Elgmork K., 1965. Triennial copepod (Crustacea) in the temperate zone. *Nature*, 205: 413-414. <https://doi.org/10.1038/205413a0>
- Elgmork K., 1978. Life cycles strategies in neighboring populations of the copepod *Cyclops scutifer* Sars. *Verh. Internat. Verein. Limnol.*, 20: 2518-2523. <https://doi.org/10.1080/03680770.1977.11896907>
- Galassi D. M. P., 2001. Groundwater copepods: diversity patterns over ecological and evolutionary scales. [W: R. M. Lopes, J. W. Reid, C. E. F. Rocha (red.), Copepoda: Developments in Ecology, Biology and Systematics]. Kluwer Academic Publishers, The Netherlands. *Hydrobiologia*, 453/454: 227-253. <https://doi.org/10.1023/A:1013100924948>
- Galassi D. M. P., Marmonier P., Dole-Olivier M. J., Rundle S., 2002. Microcrustacea. [W: S. D. Rundle, A. L. Robertson, J. M. Schmid-Araya (red.), Freshwater Meiofauna: Biology and Ecology]. Backhuys Publishers, Leiden, 135-175.
- Gaviria S., 1994. Los copepodos (Arthropoda, Crustacea) de vida libre de las aguas continentales de Colombia. *Revista de la Academia Colombiana de Ciencias Exactas, Físicas y Naturales*, Santafe de Bogotá, 19: 361-385.

- Gaviria S., 1998. Checklist and distribution of the free-living copepods (Arthropoda: Crustacea) from Austria. *Annalen des Naturhistorischen Museums in Wien, Serie B, Botanik und Zoologie*, 100: 539-594.
- Gurney R., 1933. *British freshwater Copepoda. III. Cyclopoida*. Ray Society, London, 384 s.
- Harding J. P., Smith W. A., 1974. A Key to the British freshwater Cyclopoid and Calanoid. *Copepods with ecological notes*. Scientific Publications of the Freshw. Biol. Assoc., Ambleside, 18, 56 s.
- Hołyńska M. 2008. Cyclopoida. S. 301-304, 311-312. [W: W. Bogdanowicz, E. Chudzicka, I. Pilipuk, E. Skibinska (red.), *Fauna Polski - charakterystyka i wykaz gatunków*]. Muzeum i Instytut Zoologii PAN, Warszawa, 3, 603 s.
- Hołyńska M., Mirabdullayev I. M., Reid J. W., Ueda H., 2003. *Copepoda: Cyclopoida. Genera Mesocyclops and Thermocyclops*. [W: H. J. F. Dumont (red.), *Guides to the identification of the microinvertebrates of the continental waters of the world*, 20]. Coordinating Backhuys Publishers, Leiden, 1-318.
- Huys R., Boxshall G. A., 1991. *Copepod evolution*. The Ray Society, London, 159, 468 s.
- Ishida T., 2002. Illustrated fauna of the freshwater cyclopoid copepods of Japan. *Bulletin of the Biogeographical Society of Japan*, 57: 37-106.
- Jurine L., 1820. *Historie de Monocles qui se trouvent aux environs de Geneve*. Paris, 260 s.
<https://doi.org/10.5962/bhl.title.10137>
- Karaytug S., 1999. *Copepoda: Cyclopoida. Genera Paracyclops, Ochromocyclops and Key to the Eucyclopinae*. [W: H. J. F. Dumont (red.), *Guides to the identification of the microinvertebrates of the continental waters of the world*, 14]. SPB Academic Publishing BV, The Hague, 1-224.
- Kiefer F., 1929. Zur Kenntnis einiger Artengruppen der Süsswasser-Cyclopiden. *Z. wiss. Zool.*, 133: 1-56.
- Kiefer F., 1938. Beiträge zur Copepodenkunde (XIX) 56. Zwei Mesocyclops-Arten im Bodensee. *Zool. Anz.*, 124: 150-158.
- Kiefer F., 1960. *Ruderfuskrebse (Copepoden). Einführung in die Kleinlebewelt*. Kosmos-Verlag, Franckh Stuttgart, 99 s.
- Kiefer F., 1967. *Copepoda*. [W: J. Illies (red.), *Limnofauna Europaea*]. Gustav Fischer Verlag, Stuttgart, 474 s.
- Kiefer F., 1978 a. *Copepoda*. [W: J. Illies (red.), *Limnofauna Europaea*]. Gustav Fischer Verlag, Stuttgart, 209-223 s.
- Kiefer F., 1978 b. *Freilebende Copepoda*. [W: A. Thienemann, H. J. Elster, W. Ohle (red.), *Das Zooplankton der Binnengewässer*, 2]. Die Binnengewässer, 26, 380 s.
- Koźmiński Z., 1927. O zmienności oczlików (Cyclopidae) z grupy strenuus na podstawie badań ilościowych. - Über die Variabilität der Cyclopiden aus der strenuus-Gruppe auf Grund von quantitativen Untersuchungen. *Bulletin international de l'Académie polonaise des Sciences et des Lettres, Suppl. 1*: 1-114.
- Koźmiński Z., 1933. Badania morfometryczne i ekologiczne nad oczlikami (Cyclopidae) z grupy strenuus. *Arch. Hydrobiol. Ryb.*, 7: 59-140.

Koźmiński Z., 1936. Morphometrische und ökologische Untersuchungen an Cyclopiden der strenuus-Gruppe. *Int. Revue ges. Hydrobiol. Hydrogr.*, 33: 161-240. <https://doi.org/10.1002/iroh.19360330302>

Lande A., 1890. Materyjały do fauny skorupiaków widłonogich (Copepoda) Królestwa Polskiego. Widłonogi swobodnie żyjące I. Rodzina Cyklopy (Cyclopidae). *Pamiętnik Fizjograficzny*, 10: 307-398.

Lescher-Moutoué F., 1986. Copepoda, Cyclopoida et Cyclopidae des eaux douces souterraines continentales. [W: L. Botosaneanu (red.), *Stygofauna Mundi*]. E. J. Brill/Dr. W. Backhuys, Leiden, 740 s. https://doi.org/10.1163/9789004631977_034

Łotocka M., Styczyńska-Jurewicz E., Błędzki L., A. 2004. Changes in carotenoid composition in different developmental stages of copepods: *Pseudocalanus acuspes* Giesbrecht and *Acartia* spp. *J. Plankton Res.*, 26: 159-166. <https://doi.org/10.1093/plankt/fbh021>

Mauchline J., 1998. The biology of calanoid copepods, *Advances in Marine Biology*, 33: 1-710.

Mončenko V. I., 1974. Ščelepno-roti ciklopodiny, ciklopi (Cyclopidae). *Fauna Ukrainy*. Vidavnistvo Naukova Dumka, Kiev, 27, 452 s.

Paterson M., 1993. The distribution of microcrustacea in the littoral zone of freshwater lake. *Hydrobiologia*, 263: 173-183. <https://doi.org/10.1007/BF00006268>

Pesta O., 1929. Krebstiere oder Crustacea. I. Ruderfuser oder Copepoda (1. Calanoida, 2. Cyclopoida, 3. Ordnung). [W: F. Dahl (red.), *Die Tierwelt Deutschlands und der angrenzenden Meeressteile*, 9]. Gustav Fischer Verlag, Jena, 136 s.

Rayner N. A., 1999. Copepoda: Calanoida. Diaptomidae: Paradiaptominae. Illustrated keys to the genera and species of *Paradiaptomus*, *Lovenula*, *Neolovenula* and *Metadiaptomus*. [W: H. J. F. Dumont (red.), *Guides to the identification of the microinvertebrates of the continental waters of the world*, 15]. Backhuys Publishers, Leiden, 1-122.

Reddy Y. R., 1994. Copepoda: Calanoida: Diaptomidae. [W: H. J. F. Dumont (red.), *Guides to the identification of the microinvertebrates of the continental waters of the world* 5]. SPB Academic Publishing BV, The Hague, 1-221.

Reid J. W., 1985. Chave de identificação e lista de referências bibliográficas para as espécies continentais sulamericanas de vida livre da ordem Cyclopoida (Crustacea, Copepoda). *Boletim de Zoologia*, Universidade de São Paulo, 9: 17-143. <https://doi.org/10.11606/issn.2526-3358.bolzoo.1985.122293>

Reid J. W., 2001. A human challenge: discovering and understanding continental copepod habitats. [W: R. M. Lopes, J. W. Reid, C. E. F. Rocha (red.), *Copepoda: Developments in Ecology, Biology and Systematics*]. Kluwer Academic Publishers, Dordrecht. *Hydrobiologia*, 453/454: 201-226. <https://doi.org/10.1023/A:1013148808110>

Ringuet R. A. 1958. Los crustáceos copepodos de las aguas continentales en la República Argentina. Sinopsis sistemática. *Contribuciones Científicas de la Facultad de Ciencias Exactas y Naturales de la Universidad de Buenos Aires, Serie Zoología*, 1, 120 s.

Rundle S. D., Bilton D., Galassi D. M. P., Shiozawa D., 2002. The geographical ecology of freshwater meiofauna. [W: Rundle S. D., A. L. Robertson, J. M. Schmid-Araya (red.), *Freshwater Meiofauna: Biology and Ecology*]. Backhuys Publishers, Leiden, 294 s.

- Rylov V. M., 1948. Cyclopoida presnych vod. Fauna SSSR, Rakoobraznye. Zoolog. Inst., AN SSSR. Leningrad, 3, 318 s.
- Shen C. J., Mizuno T., 1984. Inland-water Calanoida in Japan. [(W: C. J. Shen, T. Mizuno (red.), Chinese/Japanese Freshwater Copepoda]. Tatara-shobo, Yonago.
- Shen C. J. (red.) and Research Group of Carcinology, Institute of Zoology, 1979. Freshwater Copepoda. Fauna Sinica, Crustacea. Science Press, Beijing, 450 s.
- Shiel R. J., 1995. A Guide to identification of Rotifers, Cladocerans and Copepods from Australian inland waters. Co-operative Research Centre for Freshwater Ecology Identification Guide 3. Albury, New South Wales, 144 s.
- Simm, K., 1916. Diaptomus alluadi de Guerne et Rich., nowy gatunek dla fauny skorupiakow galicyjskich. Spraw. Kom. Fizjogr., 50 s.
- Smith D. G., 2001. Copepoda. Pennak's Freshwater Invertebrates of the United States: Porifera to Crustacea. John Wiley and Sons, New York, 648 s.
- Smith K. E., Fernando C. H., 1978. A guide to the freshwater calanoid and cyclopoid copepod Crustacea of Ontario. University of Waterloo Biology, 18, 74 s.
- Smith K. E., Fernando C. H., 1980. Guia para los Copepodos (Calanoida y Cyclopoida) de las Aguas Dulces de Cuba. Editorial Academia de Ciencias de Cuba, La Habana, Cuba, 28 s.
- Stella E., 1982. Calanoida (Crustacea, Copepoda, Calanoida). Guide per il riconoscimento delle specie animali delle acque interne italiane 14. Consiglio Nazionale delle Ricerche AQ, Rome, 1/40, 66 s.
- Strickler J. R., 1975. Swimming of planktonic Cyclops species (Cop. Crust.): pattern, movements and their control. [W: Y. T. Wu, C. J. Brokaw, C. Brennen (red.), Swimming and flying in nature]. Plenum Press, London, 599-613. https://doi.org/10.1007/978-1-4757-1326-8_9
- Strickler J. R., 1998. Observing free swimming copepods mating. Phil. Trans. Roy. Soc. London BV, 353: 671-680. <https://doi.org/10.1098/rstb.1998.0233>
- Suarez-Morales E., Reid J. W., Iliff e T. M., Fiers F., 1996. Catalogo de los Copepodos (Crustacea) Continentales de la Peninsula de Yucatan, Mexico. ECOSUR and CONABIO, Regina de Los Angeles, S.A., Mexico City, 296 s.
- Ueda H., Reid J., 2003, (red.), Hołyńska M., Mirabdullayev I. M., Reid J. W., Ueda H. Copepoda: Cyclopoida. Genera Mesocyclops and Thermocyclops. [W: H. J. F. Dumont (red.), Guides to the identification of the microinvertebrates of the continental waters of the world]. Coordinating Backhuys Publishers, Leiden, 20: 1-318.
- Vervoort W., 1986 a. Bibliography of Copepoda, up to and including 1980. I (A-G). Crustaceana, Supplement, 10: 1-369. https://doi.org/10.1163/9789004611122_002
- Vervoort W., 1986 b. Bibliography of Copepoda, up to and including 1980. II (H-R). Crustaceana, Supplement, 11: 370-845. https://doi.org/10.1163/9789004629394_012
- Vervoort W., 1988. Bibliography of Copepoda, up to and including 1980, addenda et corrigenda supplement 1981-1985. Part III (S-Z). Crustaceana, Supplement, 12: 846-1316. <https://doi.org/10.1163/9789004629400>
- Wierzejski A., 1883. Zarys fauny stawów tatrzańskich. Pamiętn. Tatr. 3.

Wierzejski A., 1887. O krajowych skorupiakach z rodziny Calanidae. Rozpr. Acad. Krakow, 16, 13 s.

Williams-Howze J., 1997. Dormancy in the free-living copepod orders Cyclopoida, Calanoida and Harpacticoida. Annual Rev. Oceanogr. Marine Biol., 35: 257-321.

Williamson C. E., Reid J. W., 2001. Copepoda. [W: J. H. Thorp, A. P. Covich (red.), Ecology and Classification of North American Freshwater Invertebrates]. Academic Press, San Diego.

<https://doi.org/10.1016/B978-012690647-9/50023-5>

Wilson M. S., Yeatman H. C., 1959. Free-living Copepoda. [W: W. T. Edmondson, H. B. Ward, G. C. Whipple (red.), Freshwater Biology]. John Wiley and Sons, New York.

Wyngaard G. A., Rasch E. M., 2000. Patterns of genome size in the Copepoda. [W: V. Alekseev, G. A. Wyngaard, F. D. Ferrari (red.), Advances in Copepod Taxonomy]. Kluwer Academic Publishers, Dordrecht. Hydrobiologia, 417: 43-56. <https://doi.org/10.1023/A:1003855322358>