

- Aardal-Eriksson, E. (2002). Salivary cortisol and post-traumatic stress reactions. Methodological and applied studies before and after trauma. Linköping: Faculty of Health Sciences, Linköping University.
- Abueg, F.R., Fairbank, J.A. (1992). Behavioral treatment of co-occurring PTSD and substance abuse: A multidimensional stage koncepcja. [W:] P.A. Saigh (red.). Post-traumatic stress disorder: A behavioral approach to assessment and treatment. Boston: Allyn & Bacon.
- American Psychiatric Association (1980). Diagnostic and statistical manual of mental disorders (3th ed.). Washington, DC: APA.
- American Psychiatric Association (1994). Diagnostic and statistical manual of mental disorders (4th ed.). Washington, DC: APA.
- American Psychiatric Association (2000). Diagnostic and statistical manual of mental disorders (4th ed., text revised). Washington, DC: APA.
- Babor, T.F., de la Fuente, J.R., Saunders, J., Grant, M. (1996). Test rozpoznawania zaburzeń związanych z piciem alkoholu (AUDIT). Publikacja Światowej Organizacji Zdrowia. Warszawa: PARPA.
- Bales, R.F. (1946). Cultural differences in rates of alcoholism. Quarterly Journal of Studies on Alcohol, 6, 480-499.
- Bernstein, D.P., Fink, L., Handelsman, L., Foote, J., Lovejoy, M., Wenzel, K., Sapareto, E., Ruggiero, J. (1994). Initial reliability and validity of a new retrospective measure of child abuse and neglect. American Journal of Psychiatry, 151, 1132-1136. <https://doi.org/10.1176/ajp.151.8.1132>
- Bielawska-Batorowicz, E., Golińska, L. (1998). Przemoc związana z rodziną pochodzenia w doświadczeniach osób z problemem alkoholowym. Przegląd Psychologiczny, 41, 83-96.
- Bilikiewicz, A. (red.) (2000). Psychiatria. Warszawa: Wydawnictwo Lekarskie PZWL.
- Blake, D.D., Weathers, F.W., Nagy, L.M., Kaloupek, D.G., Gusman, F.D., Charney, D.S., Keane, T.M. (1995). The development of a clinician-administered PTSD scale. Journal of Traumatic Stress, 8, 75-90. <https://doi.org/10.1002/jts.2490080106>
- Blanchard, E.B., Jones-Alexander, J., Buckley, T.C., Forneris, C.A. (1996). Psychometric properties of the PTSD Checklist (PCL). Behaviour Research and Therapy, 34, 669-673. [https://doi.org/10.1016/0005-7967\(96\)00033-2](https://doi.org/10.1016/0005-7967(96)00033-2)
- Bower, G.H. (1981). Mood and memory. American Psychologist, 36, 129-148. <https://doi.org/10.1037/0003-066X.36.2.129>
- Brady, K.T. (2001). Comorbid post-traumatic stress disorder and substance use disorders. Psychiatric Annals, 31, 313-319. <https://doi.org/10.3928/0048-5713-20010501-09>
- Brady, K.T., Killeen, T.K., Brewerton, T., Lucerini, S. (2000). Comorbidity of psychiatric disorders and post-traumatic stress disorder. Journal of Clinical Psychiatry, 61 (suppl. 7), 22-32.
- Bratkiewicz, A. (2002). Rozpowszechnienie traumatycznych zdarzeń i objawów potraumatycznych w grupie dorosłych pacjentów hospitalizowanych z diagnozą depresji. Niepublikowana praca magisterska napisana pod kierunkiem prof. UW dr hab. M. Lis-Turlejskiej.
- Bremner, J.D., Brett, E. (1997). Trauma-related dissociative states and long-term psychopathology in post-traumatic stress disorder. Journal of Traumatic Stress, 10, 37-49. <https://doi.org/10.1002/jts.2490100105>

- Bremner, J.D., Southwick, S.M., Johnson, D.R., Yehuda, R., Charney, D.S. (1993). Childhood physical abuse and combat-related post-traumatic stress disorder in Vietnam Veterans. *American Journal of Psychiatry*, 150, 235-239. <https://doi.org/10.1176/ajp.150.2.235>
- Breslau, N. (1998). Epidemiology of trauma and post-traumatic stress disorder. [W:] R. Yehuda (red.) *Psychological trauma*. Washington, DC: American Psychiatric Press.
- Breslau, N. (2002). Epidemiologic studies of trauma, post-traumatic stress disorder, and other psychiatric disorders. *Canadian Journal of Psychiatry*, 47, 923-929. <https://doi.org/10.1177/070674370204701003>
- Breslau, N., Davis, G.C., Andreski, P., Peterson, E. (1991). Traumatic events and post-traumatic stress disorder in an urban population of young adults. *Archives of General Psychiatry*, 48, 216-222. <https://doi.org/10.1001/archpsyc.1991.01810270028003>
- Breslau, N., Davis, G.C., Andreski, P., Peterson, E.L., Schultz, L.R. (1997). Sex differences in post-traumatic stress disorder. *Archives of General Psychiatry*, 54, 81-87. <https://doi.org/10.1001/archpsyc.1997.01830130087016>
- Breslau, N., Davis, G.C., Schultz, L.R. (2003). Post-traumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma. *Archives of General Psychiatry*, 60, 289-294. <https://doi.org/10.1001/archpsyc.60.3.289>
- Brewin, C.R., Dalgleish, T., Joseph, S. (1996). A dual representation theory of post-traumatic stress disorder. *Psychological Review*, 103, 670-686. <https://doi.org/10.1037/0033-295X.103.4.670>
- Brewin, C.R., Holmes, E.A. (2003). Psychological theories of post-traumatic stress disorder. *Clinical Psychology Review*, 23, 339-376. [https://doi.org/10.1016/S0272-7358\(03\)00033-3](https://doi.org/10.1016/S0272-7358(03)00033-3)
- Brewin, Ch.R. (2001). A cognitive neuroscience account of post-traumatic stress disorder and its treatment. *Behaviour Research and Therapy*, 39, 373-393. [https://doi.org/10.1016/S0005-7967\(00\)00087-5](https://doi.org/10.1016/S0005-7967(00)00087-5)
- Brown, P.J. (2000). Outcome in female patients with both substance use and posttraumatic stress disorder. *Alcoholism Treatment Quarterly*, 18, 127-135. https://doi.org/10.1300/J020v18n03_11
- Brown, P.J., Recupero, P.R., Stout, R.L. (1995). PTSD substance abuse comorbidity and treatment utilization. *Addictive Behaviors*, 20, 251-254. [https://doi.org/10.1016/0306-4603\(94\)00060-3](https://doi.org/10.1016/0306-4603(94)00060-3)
- Brown, P.J., Stout, R.L., Mueller, T. (1999). Substance use disorder and post-traumatic stress disorder comorbidity: Addiction and psychiatric treatment rates. *Psychology of Addictive Behaviors*, 13, 115-122. <https://doi.org/10.1037/0893-164X.13.2.115>
- Brown, P.J., Wolfe, J. (1994). Substance abuse and post-traumatic stress disorder comorbidity. *Drug and Alcohol Dependence*, 35, 51-59. [https://doi.org/10.1016/0376-8716\(94\)90110-4](https://doi.org/10.1016/0376-8716(94)90110-4)
- Bryant, R.A., Harvey, A.G. (2003). *Zespół ostrego stresu*. Warszawa: Wydawnictwo Naukowe PWN.
- Cacioppo, J.T., Gardner, W.L. (2001). *Emocje*. [W:] M. Jarymowicz (red.). *Pomiędzy afektem a intelektem*. Warszawa: Wydawnictwo Instytutu Psychologii PAN.
- Carson, R.C., Butcher, J.N., Mineka, S. (2005). *Psychologia zaburzeń*. Tom I i II. Gdańsk: Gdańskie Wydawnictwo Psychologiczne.

- Charney, D.S., Deutch, A.Y., Krystal, J.H., Southwick, S.M., Davis, M. (1993). Psychobiological mechanisms of post-traumatic stress disorder. *Archives of General Psychiatry*, 50, 294-305. <https://doi.org/10.1001/archpsyc.1993.01820160064008>
- Chilcoat, H.D., Breslau, N. (1998). Investigations of casual pathways between PTSD and drug use disorders. *Addictive Behaviors*, 23, 827-840. [https://doi.org/10.1016/S0306-4603\(98\)00069-0](https://doi.org/10.1016/S0306-4603(98)00069-0)
- Chilcoat, H.D., Menard, Ch. (2003). Epidemiological investigations: Comorbidity of post-traumatic stress disorder and substance use disorder. [W:] P. Ouimette, P.J. Brown (red.). *Trauma and substance abuse. Causes, consequences and treatment of comorbid disorders*. Washington, DC: American Psychological Association. <https://doi.org/10.1037/10460-001>
- Cierpiąłkowska, L. (2001). *Alkoholizm - przyczyny, leczenie, profilaktyka*. Poznań: Wydawnictwo Naukowe UAM.
- Cloninger, C.R. (1994). The genetic structure of personality and learning: A phylogenetic koncepcja. *Clinical Genetics*, 1, 124-137. <https://doi.org/10.1111/j.1399-0004.1994.tb04214.x>
- Cloninger, C.R., Bohmann, M., Sigvardsson, S. (1981). Inheritance of alcohol abuse: Cross-fostering analysis of adopted men. *Archives of General Psychiatry*, 38, 861-868. <https://doi.org/10.1001/archpsyc.1981.01780330019001>
- Cloninger, C.R., Sigvardsson, S., Bohmann, M. (2002). Typ I i typ II alkoholizmu - uaktualnienie badań. [W:] *Typologia alkoholizmu*. Warszawa: PARPA.
- Conrod, P.J., Stewart, S.H. (2003). Experimental studies exploring functional relations between post-traumatic stress disorder and substance use disorder. [W:] P. Ouimette, P.J. Brown (red.). *Trauma and substance abuse. Causes, consequences and treatment of comorbid disorders*. Washington, DC: American Psychological Association. <https://doi.org/10.1037/10460-003>
- Cooper, M.L., Frone, M.R., Russell, M., Mudar, P. (1995). Drinking to regulate positive and negative moods: A motivational model of alcohol use. *Journal of Personality and Social Psychology*, 69, 990-1005. <https://doi.org/10.1037/0022-3514.69.5.990>
- Corcoran, C.B., Green, B.L., Goodman, L.A., Krinsley, K.E. (2000).
- Conceptual and methodological issues in trauma history assessment. [W:] A.Y. Shalev, R. Yehuda, A.C. McFarlane (red.). *International handbook of human response to trauma*. New York: Kluwer Academic/Plenum Publishers.
- Cottler, L.B., Compton, W.M., Mager, D., Spitznagel, E.L., Janca, A. (1992). Post-traumatic stress disorder among substance users from the general population. *American Journal of Psychiatry*, 149, 664-670. <https://doi.org/10.1176/ajp.149.5.664>
- Covington, S.S. (1983). Sexual experience, dysfunction and abuse: A descriptive study of alcoholic and nonalcoholic women. *Dissertation Abstracts International*, 44, 287B.
- Dagleish, T. (2004). Cognitive approaches to post-traumatic stress disorder: The evolution of multirepresentational theorizing. *Psychological Bulletin*, 130, 228-260. <https://doi.org/10.1037/0033-2909.130.2.228>
- Dansky, B.S., Roitzsch, J.C., Brady, K.T., Saladin, M.E. (1997). Post-traumatic stress disorder and substance abuse: Use of research in a clinical setting. *Journal of Traumatic Stress*, 10, 141-148. <https://doi.org/10.1002/jts.2490100114>

- Davidson, J.R.T., Smith, R.D., Kudler, H.S. (1989). Familial psychiatric illness in chronic post-traumatic stress disorder. *Comprehensive Psychiatry*, 30, 339-345. [https://doi.org/10.1016/0010-440X\(89\)90059-X](https://doi.org/10.1016/0010-440X(89)90059-X)
- Davidson, S., Smith, R. (1990). Traumatic experiences in psychiatric outpatients. *Journal of Traumatic Stress*, 3, 459-475. <https://doi.org/10.1002/jts.2490030314>
- De Bellis, M.D. (2002). Developmental traumatology: A contributory mechanism for alcohol and substance use disorders. *Psychoneuroendocrinology*, 27, 155-170. [https://doi.org/10.1016/S0306-4530\(01\)00042-7](https://doi.org/10.1016/S0306-4530(01)00042-7)
- De Bellis, M.D., Baum, A., Birmaher, B., Keshavan, M., Eccard, C.H., Boring, A.M., Jenkins, F.J., Ryan, N.D. (1999a). Developmental traumatology. Part I: biological stress systems. *Biological Psychiatry*, 45, 1259-1270. [https://doi.org/10.1016/S0006-3223\(99\)00044-X](https://doi.org/10.1016/S0006-3223(99)00044-X)
- De Bellis, M.D., Keshavan, M., Clark, D.B., Casey, B.J., Giedd, J., Boring, A.M., Frustaci, K., Ryan, N. (1999b). Developmental traumatology. Part II: brain development. *Biological Psychiatry*, 45, 1271-1284. [https://doi.org/10.1016/S0006-3223\(99\)00045-1](https://doi.org/10.1016/S0006-3223(99)00045-1)
- Dembo, R., Williams, L., Wothke, W., Schmeidler, J., Brown, C.H. (1992). The role of family factors, physical abuse, and sexual victimization experiences in high-risk youths' alcohol and other drug use and delinquency: A longitudinal models. *Violence and Victims*, 7, 245-266. <https://doi.org/10.1891/0886-6708.7.3.245>
- Deykin, E.Y., Buka, S.L. (1997). Prevalence and risk factors for post-traumatic stress disorder among chemically dependent adolescents. *American Journal of Psychiatry*, 154, 6. <https://doi.org/10.1176/ajp.154.6.752>
- Di Sclafani, V., Finn, P., Fein, G. (2007). Psychiatric comorbidity in long-term abstinent alcoholics. *Alcohol Clinical and Experimental Research*, 5, 795-803. <https://doi.org/10.1111/j.1530-0277.2007.00361.x>
- DiNardo, P.A., Barlow, D.H. (1988). *Anxiety Disorders Interview Scale-Revised*. Albany, NY: Center for Phobia and Anxiety Disorders.
- Dragan, M. (2006). Przemoc w dzieciństwie a ryzyko nadużywania substancji psychoaktywnych w okresie adolescencji i dorosłości z perspektywy traumatologii rozwojowej. *Psychologia-Etologia-Genetyka*, 14, 59-80.
- Dragan, M., Gulcz, M., Wójtowicz, S. (2005). Adaptacja Post-traumatic Cognitions Inventory (PTCI): raport ze wstępnego badania walidacyjnego inwentarza pourazowych treści poznawczych. *Przegląd Psychologiczny*, 4, 417-430.
- Dragan, M., Lis-Turlejska, M. (2007a). Prevalence of post-traumatic stress disorder in alcohol dependent patients in Poland. *Addictive Behaviors*, 32, 902-911. <https://doi.org/10.1016/j.addbeh.2006.06.025>
- Dragan, M., Lis-Turlejska, M. (2007b). Lifetime exposure to potentially traumatic events in the sample of alcohol dependent patients in Poland. *Journal of Traumatic Stress*, 6, 1-11. <https://doi.org/10.1002/jts.20259>
- Dragan, W.Ł., Polak, M. (2004). Czynniki genetyczne w etiologii współwystępowania zespołu stresu pourazowego i patologicznego używania substancji psychoaktywnych. *Psychologia-Etologia-Genetyka*, 10, 121-128.

- Draucker, C.B. (1999). The emotional impact of sexual violence research on participants. *Archives of Psychiatric Nursing*, 13, 161-169. [https://doi.org/10.1016/S0883-9417\(99\)80002-8](https://doi.org/10.1016/S0883-9417(99)80002-8)
- Dudek, B. (2003). *Zaburzenie po stresie traumatycznym*. Gdańsk: Gdańskie Wydawnictwo Psychologiczne.
- Dunmore, E., Clark, D.M., Ehlers, A. (1997). Cognitive factors in persistent versus recovered post-traumatic stress disorder after physical or sexual assault: A pilot study. *Behavioural and Cognitive Psychotherapy*, 25, 147-159. <https://doi.org/10.1017/S135246580001835X>
- Dunmore, E., Clark, D.M., Ehlers, A. (1999). Cognitive factors involved in the onset and maintenance of post-traumatic stress disorder (PTSD) after physical or sexual abuse. *Behaviour Research and Therapy*, 37, 809-829. [https://doi.org/10.1016/S0005-7967\(98\)00181-8](https://doi.org/10.1016/S0005-7967(98)00181-8)
- Dunmore, E., Clark, D.M., Ehlers, A. (2001). A prospective investigation of the role of cognitive factors in persistent post-traumatic stress disorder (PTSD) after physical or sexual assault. *Behaviour Research and Therapy*, 39, 1063-1084. [https://doi.org/10.1016/S0005-7967\(00\)00088-7](https://doi.org/10.1016/S0005-7967(00)00088-7)
- Ehlers, A., Clark, D.M. (2000). A cognitive model of post-traumatic stress disorder. *Behaviour Research and Therapy*, 38, 319-345. [https://doi.org/10.1016/S0005-7967\(99\)00123-0](https://doi.org/10.1016/S0005-7967(99)00123-0)
- Ehlers, A., Clark, D.M., Dunmore, E., Jaycox, L., Meadows, E.A., Foa, E.B. (1998). Predicting response to exposure treatment in PTSD: The role of mental defeat and alienation. *Journal of Traumatic Stress*, 11, 457-471. <https://doi.org/10.1023/A:1024448511504>
- Ehlers, A., Maercker, A., Boos, A. (2000). Post-traumatic stress disorder following political imprisonment: The role of mental defeat, alienation, and perceived permanent change. *Journal of Abnormal Psychology*, 109, 45-55. <https://doi.org/10.1037/0021-843X.109.1.45>
- Ehlers, A., Mayou, R.A., Bryant, B. (1998). Psychological predictors of chronic post-traumatic stress disorder after motor vehicle accidents. *Journal of Abnormal Psychology*, 107, 508-519. <https://doi.org/10.1037/0021-843X.107.3.508>
- Etkin, A., Wager, T.D. (2007). Functional neuroimaging of anxiety: a meta-analysis of emotional processing in PTSD, social anxiety disorder, and specific phobia. *American Journal of Psychiatry*, 10, 1476-1488. <https://doi.org/10.1176/appi.ajp.2007.07030504>
- Evren, C., Can, S., Evren, B., Saatcioglu, O., Cakmak, D. (2006). Lifetime post-traumatic stress disorder in Turkish alcohol-dependent inpatients: Relationship with depression, anxiety and erectile dysfunction. *Psychiatry & Clinical Neurosciences*, 60, 77-84. <https://doi.org/10.1111/j.1440-1819.2006.01463.x>
- Farley, M., Golding, J.M., Young, G., Mulligan, M., Minkoff, J.R. (2004). Trauma history and relapse probability among patients seeking substance abuse treatment. *Journal of Substance Abuse Treatment*, 27, 161-167. <https://doi.org/10.1016/j.jsat.2004.06.006>
- First, M.B., Spitzer, R.L., Williams, J.B.W., Gibbon, M. (1997). *Structured Clinical Interview for DSM-IV (SCID)*. Washington, DC: American Psychiatric Association.
- Foa, E.B., Cashman, L., Jaycox, L., Perry, K. (1997). The validation of a self-report measure of post-traumatic stress disorder: The Post-traumatic Diagnostic Scale. *Psychological Assessment*, 9, 445-451. <https://doi.org/10.1037/1040-3590.9.4.445>

Foa, E.B., Ehlers, A., Clark, D.M., Tolin, D.F. (1999). The Post-traumatic Cognitions Inventory (PTCI): Development and validation. *Psychological Assessment*, 11, 303-314. <https://doi.org/10.1037/1040-3590.11.3.303>

Foa, E.B., Kozak, M.J. (1986). Emotional processing of fear: Exposure to corrective information. *Psychological Bulletin*, 99, 20-35. <https://doi.org/10.1037/0033-2909.99.1.20>

Foa, E.B., Rothbaum, B.O. (1998). *Treating the trauma of rape: Cognitive-behavioral therapy for PTSD*. New York: Guilford Press.

Foa, E.B., Steketee, G.S., Rothbaum, B.O. (1989). Behavioural/cognitive conceptualisations of post-traumatic stress disorder. *Behaviour Therapy*, 20, 155-176. [https://doi.org/10.1016/S0005-7894\(89\)80067-X](https://doi.org/10.1016/S0005-7894(89)80067-X)

Foa, E.B. (1995). *Post-traumatic Stress Diagnostic Scale. Manual*. Minneapolis, MN: National Computer Systems.

Foa, E.B., Meadows, E.A. (1997). Psychosocial treatments for post-traumatic stress disorder: A critical review. [W:] J. Spence, J.M. Darley, D.J. Foss (red.). *Annual Review of Psychology*, 48. <https://doi.org/10.1146/annurev.psych.48.1.449>

Palo Alto, CA: Annual Reviews. Foa, E.B., Molnar, C., Cashman, L. (1995). Change in rape narratives during exposure therapy for PTSD. *Journal of Traumatic Stress*, 8, 675-690. <https://doi.org/10.1002/jts.2490080409>

Foa, E.B., Riggs, D.S. (1993). Post-traumatic stress disorder in rape victims. [W:] J. Oldham, M.B. Riba, A. Tasman (red.). *Review of Psychiatry*, 12. Washington, DC: American Psychiatric Association.

Foa, E.B., Riggs, D.S., Dancu, C.B., Rothbaum, B.O. (1993). Reliability and validity of a brief instrument for assessing post-traumatic stress disorder. *Journal of Traumatic Stress*, 6, 459-473. <https://doi.org/10.1002/jts.2490060405>

Franklin, C.L., Sheeran, T., Zimmerman, M. (2002). Screening for trauma histories, post-traumatic stress disorder (PTSD), and subthreshold PTSD in psychiatric outpatients. *Psychological Assessment*, 14, 467-471. <https://doi.org/10.1037/1040-3590.14.4.467>

Fromme, K., D'Amico, E.J. (1999). Neurobiological bases of alcohol's psychological effects. [W:] K.E. Leonard, H.T. Blane (red.). *Psychological theories of drinking and alcoholism*. Second edition. London: Guilford Press.

Fullilove, M.T., Fullilove, R.E., Smith, M., Winkler, K., Michael, C., Panzer, P.G., Wallace, R. (1993). Violence, trauma, and post-traumatic stress disorder among women drug users. *Journal of Traumatic Stress*, 6, 533-543. <https://doi.org/10.1002/jts.2490060409>

Giaconia, R.M., Reinherz, H.Z., Hauf, A.C., Paradis, A.D., Wasserman, M.S., Langhammer, D.M. (2000). Comorbidity of substance use and post-traumatic stress disorders in a community sample of adolescents. *American Journal of Orthopsychiatry*, 70, 253-262. <https://doi.org/10.1037/h0087634>

Giaconia, R.M., Reinherz, H.Z., Silverman, A.B., Pakiz, B., Frost, A.K., Cohen, E. (1995). Trauma and post-traumatic stress disorder in a community population of older adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34, 1369-1380. <https://doi.org/10.1097/00004583-199510000-00023>

Goldberg, D., Williams, P. (2001). Podręcznik dla użytkowników Kwestionariusza Ogólnego Stanu Zdrowia. [W:] Ocena zdrowia psychicznego na podstawie badań kwestionariuszami Davida Goldberga. Podręcznik dla użytkowników kwestionariuszy GHQ-12 i GHQ-28. Łódź: Instytut Medycyny Pracy im. Prof. J. Nofera.

Goldman, M.S., Del Boca, F.K., Darkes, J. (1999). Alcohol expectancy theory: The application of cognitive neuroscience. [W:] K.E. Leonard, H.T. Blane (red.). Psychological theories of drinking and alcoholism. Second edition. London: Guilford Press.

Goodman, L.A., Corcoran, C., Turner, K., Yuan, N., Green, B.L. (1998). Assessing traumatic event exposure: General issues and preliminary findings for the Stressful Life Events Screening Questionnaire. *Journal of Traumatic Stress*, 11, 521-542. <https://doi.org/10.1023/A:1024456713321>

Grant, B.F., Harford, T.C., Dawson, D.A., Chou, P., Dufour, M., Pickering, R. (1997). Rozpowszechnienie nadużywania i uzależnienia od alkoholu rozpoznawanych na podstawie klasyfikacji DSM-IV. [W:] *Kobiety i alkohol*. Warszawa: PARPA.

Greely, J., Oei, T. (1999). Alcohol and tension reduction. [W:] K.E. Leonard, H.T. Blane (red.). Psychological theories of drinking and alcoholism. Second edition. London: Guilford Press.

Green, B.L. (1995). Long-term consequences of disaster. [W:] S.E. Hobfoll, M.W. de Vries (red.). *Extreme stress and communities: Impact and intervention*. Dordrecht: Kluwer Academic Publishers.

Green, B.L. (1996). Trauma History Questionnaire. [W:] B.H. Stamm (red.). *Measurement of stress, trauma, and adaptation*. Lutherville, MD: Sidran Press.

Griffin, M.G., Resick, P.A., Waldrop, A.E., Mechanic, M.B. (2003). Participation in trauma research: Is there evidence of harm? *Journal of Traumatic Stress*, 16, 221-227. <https://doi.org/10.1023/A:1023735821900>

Gulcz, M., Polak, M. (2002). Zastosowanie terapii poznawczo-behawioralnej w leczeniu wybranych zaburzeń lękowych: zespołu lęku napadowego i PTSD. *Psychoterapia*, 3, 77-94.

Habrat, B. (1996). *Szkody zdrowotne spowodowane alkoholizmem*. Warszawa: Springer PWN.

Habrat, B. (2002). *Typologia alkoholizmu - nowsze badania, doświadczenia europejskie*. [W:] *Typologia alkoholizmu*. Warszawa: PARPA.

Hammerberg, M. (1992). Penn Inventory for post-traumatic stress disorder: Psychometric properties. *Psychological Assessment*, 4, 67-76. <https://doi.org/10.1037/1040-3590.4.1.67>

Harvey, B.H., Brand, L., Jeeva, Z., Stein, D.J. (2006). Cortical/hippocampal monoamines, HPA-axis changes and aversive behavior following stress and restress in an animal model of post-traumatic stress disorder. *Physiology of Behaviour*, 5, 881-890. <https://doi.org/10.1016/j.physbeh.2006.01.033>

Hauser, J. (1996). Analiza typologiczna mężczyzn uzależnionych od alkoholu a wyniki rocznych badań katamnesticznych. *Psychiatria Polska*, 30, 835-846.

Heim, C., Nemeroff, C.B. (2001). The role of childhood trauma in the neurobiology of mood and anxiety disorders: Preclinical and clinical studies. *Biological Psychiatry*, 49, 1023-1039. [https://doi.org/10.1016/S0006-3223\(01\)01157-X](https://doi.org/10.1016/S0006-3223(01)01157-X)

Heitzman, J. (1995). Zespół stresu pourazowego - kryteria diagnostyczne, zastosowanie kliniczne i orzecznicze. *Psychiatria Polska*, 29, 751-766.

- Heitzman, J. (2002). *Stres w etiologii przestępstw agresywnych*. Kraków: Wydawnictwo UJ.
- Helzer, J.E., Pryzbeck, T.R. (1987). The co-occurrence of alcoholism with other psychiatric disorders in the general population and its impact on treatment. *Journal of Studies on Alcohol*, 49, 219-224. <https://doi.org/10.15288/jsa.1988.49.219>
- Helzer, J.E., Robins, L.N., McEvoy, L. (1987). Post-traumatic stress disorder in the general population. *New England Journal of Medicine*, 317, 1630-1634. <https://doi.org/10.1056/NEJM198712243172604>
- Hembree, E.A., Foa, E.B. (2000). Post-traumatic stress disorder: psychological factors and psychosocial interventions. *Journal of Clinical Psychiatry*, 61 (suppl. 7), 33-40.
- Herbert, C. (2002). A CBT-based therapeutic alternative to working with complex client problems. *European Journal of Psychotherapy, Counselling and Health*, 5, 135-144. <https://doi.org/10.1080/1364253031000076144>
- Herbert, C., Wetmore, A. (1999). *Overcoming traumatic stress: A self-help guide using Cognitive Behavioural Techniques*. London: Constable & Robinson.
- Herman, J.L. (1999). *Przemoc - uraz psychiczny i powrót do równowagi*. Gdańsk: Gdańskie Wydawnictwo Psychologiczne.
- Herzyk, A. (1999). *Neuropsychologiczne koncepcje emocji*. [W:] A. Herzyk, A. Borkowska (red.). *Neuropsychologia emocji: Poglądy, badania, klinika*. Lublin: Wydawnictwo UMCS.
- Hidalgo, R.B., Davidson, J.R.T. (2000). Post-traumatic stress disorder: Epidemiology and health-related considerations. *Journal of Clinical Psychiatry*, 61 (suppl. 7), 5-13.
- Holahan, Ch.J., Moos, R.H., Holahan, C.K., Cronkite, R.C., Randall, P.K. (2001). Drinking to cope, emotional distress and alcohol use and abuse: A ten-year models. *Journal of Studies on Alcohol*, 62, 190-198. <https://doi.org/10.15288/jsa.2001.62.190>
- Horowitz, M.J. (1976). *Stress response syndromes*. New York: Aronson.
- Horowitz, M.J. (1973). Phase-oriented treatment of stress response syndromes. *American Journal of Psychotherapy*, 27, 506-515. <https://doi.org/10.1176/appi.psychotherapy.1973.27.4.506>
- Horowitz, M.J. (1986). *Stress response syndromes*. Second edition. New York: Aronson.
- Horowitz, M.J. (1997). *Stress response syndromes*. Third edition. New York: Aronson.
- Horowitz, M.J., Wilner, N., Alvarez, W. (1979). Impact of Event Scale: A measure of subjective stress. *Psychosomatic Medicine*, 41, 209-218. <https://doi.org/10.1097/00006842-197905000-00004>
- Hull, C.L. (1943). *Principles of behavior*. New York: Appleton-Century-Crofts.
- Hyer, L., McCranic, E.W., Bondewyns, P.A., Sperr, E. (1996). Models of long-term coping with trauma memories: Relative use and associations with personality among Vietnam veterans with chronic PTSD. *Journal of Traumatic Stress*, 9, 299-316. <https://doi.org/10.1002/jts.2490090211>
- Jacobsen, L.K., Southwick, S.M., Kosten, T.R. (2001). Substance use disorders in patients with post-traumatic stress disorder: A review of the literature. *American Journal of Psychiatry*, 158, 1184-1191. <https://doi.org/10.1176/appi.ajp.158.8.1184>
- Joseph, S. (2000a). Attributional processes, coping and post-traumatic stress disorders. [W:] W. Yule (red.). *Post-traumatic stress disorders. Concepts and therapy*. Chichester: Wiley & Sons.

- Joseph, S. (2000b). Psychometric evaluation of Horowitz's Impact of Event Scale: A review. *Journal of Traumatic Stress*, 13, 101-113. <https://doi.org/10.1023/A:1007777032063>
- Joseph, S., Yule, W., Williams, R., Hodgkinson, P. (1993). The Herald of Free Enterprise disaster: Measuring post-traumatic symptoms thirty months on. *British Journal of Clinical Psychology*, 32, 327-332. <https://doi.org/10.1111/j.2044-8260.1993.tb01063.x>
- Keane, T.M., Caddell, J.M., Taylor, K.L. (1988). Mississippi Scale for Combat-Related Post-traumatic Stress Disorder: Three studies in reliability and validity. *Journal of Consulting and Clinical Psychology*, 56, 85-90. <https://doi.org/10.1037/0022-006X.56.1.85>
- Keane, T.M., Malloy, P.F., Fairbank, J.A. (1984). Empirical development of an MMPI subscale for the assessment of combat-related post-traumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 66, 914-923.
- Keane, T.M., Weathers, F.W., Foa, E.B. (2000). Diagnosis and assessment. [W:] E.B. Foa, T.M. Keane, M.J. Friedman (red.). *Effective treatments for PTSD. Practice guidelines from the International Society for Traumatic Stress Studies*. London: Guilford Press.
- Kendall-Tackett, K.A. (2000). Physiological correlates of childhood abuse: Chronic hyperarousal in PTSD, depression, and irritable bowel syndrome. *Child Abuse and Neglect*, 24, 799-810. [https://doi.org/10.1016/S0145-2134\(00\)00136-8](https://doi.org/10.1016/S0145-2134(00)00136-8)
- Kendler, K.S., Bulik, C.M., Silberg, J., Hettema, J.M., Myers, J., Prescott, C.A. (2000). Childhood sexual abuse and adult psychiatric and substance use disorders in women. *Archives of General Psychiatry*, 57, 953-959. <https://doi.org/10.1001/archpsyc.57.10.953>
- Kendler, K.S., Heath, A.C., Neale, M.C., Kessler, R.C., Eaves, L.J. (1992). A population-based twin study of alcoholism in women. *Journal of American Medical Association*, 268, 1877. <https://doi.org/10.1001/jama.1992.03490140085040>
- Kendler, K.S., Jacobson, K.C., Prescott, C.A., Neale, M.C. (2003). Specificity of genetic and environmental risk factors for use and abuse/dependence of cannabis, cocaine, hallucinogens, sedatives, stimulants, and opiates in male twins. *American Journal of Psychiatry*, 160, 687-695. <https://doi.org/10.1176/appi.ajp.160.4.687>
- Kessler, R.C., McGonagle, K.A., Zhao, S., Nelson, C.B., Hughes, M., Eshelman, S. i in. (1994). Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States: Results from the National Comorbidity Survey. *Archives of General Psychiatry*, 51, 8-19. <https://doi.org/10.1001/archpsyc.1994.03950010008002>
- Kessler, R.C., Sonnega, A., Bromet, E., Hughes, M., Nelson, C.B. (1995). Post-traumatic stress disorder in the National Comorbidity Survey. *Archives of General Psychiatry*, 52, 1048-1060. <https://doi.org/10.1001/archpsyc.1995.03950240066012>
- Khantzian, E.J. (1985). The self-medication hypothesis of addictive disorders: Focus on heroin and cocaine dependence. *American Journal of Psychiatry*, 142, 1259-1264. <https://doi.org/10.1176/ajp.142.11.1259>
- Kiembłowski, P. (2005). *Przemoc seksualna doznawana w dzieciństwie i okresie adolescencji - opis zjawiska i jego następstw*. Niepublikowana rozprawa doktorska. Warszawa: Wydział Psychologii UW.

- Kilpatrick, D.G., Acierno, R., Saunders, B.E., Resnick, H.S., Best, C.L., Schnurr, P.P. (2000). Risk factors for adolescent substance abuse and dependence: Data from a national sample. *Journal of Consulting and Clinical Psychology*, 68, 19-30. <https://doi.org/10.1037/0022-006X.68.1.19>
- King, L.A., King, D.W., Leskin, G., Foy, D.W. (1995). The Los Angeles Symptom Checklist: A self-report measure of post-traumatic stress disorder. *Assessment*, 2, 1-17. <https://doi.org/10.1177/1073191195002001001>
- Kolb, L.C. (1993). The psychobiology of post-traumatic stress disorder: Perspectives and reflections on the past, present and future. *Journal of Traumatic Stress*, 6, 293-304. <https://doi.org/10.1002/jts.2490060302>
- Koniarek, J., Dudek, B., Szymczak, M. (2000). Kwestionariusz do pomiaru zespołu zaburzeń po stresie urazowym (K-PTSD) - zastosowanie PTSD-Interview Ch. Watsona i jego współpracowników w badaniach grupowych. *Przegląd Psychologiczny*, 43, 205-216.
- Kosten, T.R., Krystal, J. (1988). Biological mechanisms in post-traumatic stress disorder: Relevance for substance abuse. [W:] M. Galanter (red.). *Recent developments in alcoholism*. New York: Plenum Press. https://doi.org/10.1007/978-1-4615-7718-8_3
- Kovach, J.A. (1986). Incest as a treatment issue for alcoholic women. *Alcoholism Treatment Quarterly*, 3, 1-15. https://doi.org/10.1300/J020V03N01_01
- Kranzler, H.R., Anton, R.F. (1994). Implications of recent neuropsychopharmacologic research for understanding the etiology and development of alcoholism. *Journal of Consulting and Clinical Psychology*, 62, 1116-1126. <https://doi.org/10.1037/0022-006X.62.6.1116>
- Krystal, J.H., Kosten, T.R., Southwick, S., Mason, J.W., Perry, B.D., Ollier, E.L. (1989). Neurobiological aspects of PTSD: Review of clinical and pre-clinical studies. *Behavior Therapy*, 20, 177-198. [https://doi.org/10.1016/S0005-7894\(89\)80068-1](https://doi.org/10.1016/S0005-7894(89)80068-1)
- Kucińska, M. (1998). Zmiany w funkcjonowaniu pacjentów uzależnionych od alkoholu monitorowane przez okres dwóch lat po zakończeniu terapii. *Przegląd Psychologiczny*, 41, 121-132.
- Kulka, R.A., Schlenger, W.E., Fairbank, J.A., Hough, R.L., Jordan, B.K., Marmar, C.R., Weiss, D.S. (1990). *Trauma and the Vietnam War generation: Report on findings from the National Vietnam Veterans Readjustment Study*. New York: Brunner/Mazel.
- Kushner, M.G., Abrams, K., Borchardt, C. (2000). The relationship between anxiety disorders and alcohol use disorders: A review of major perspectives and findings. *Clinical Psychology Review*, 20, 149-171. [https://doi.org/10.1016/S0272-7358\(99\)00027-6](https://doi.org/10.1016/S0272-7358(99)00027-6)
- Kushner, M.G., Sher, K.J., Erickson, D.J. (1999) Prospective analysis of the relation between DSM-III anxiety disorders and alcohol use disorders. *American Journal of Psychiatry*, 156, 723-732.
- Lang, A.R., Patrick, C.J., Stritzke, W.G.K. (1999). Alcohol and emotional response: A multidimensional-multilevel analysis. [W:] K.E. Leonard, H.T. Blane (red.). *Psychological theories of drinking and alcoholism*. Second edition. London: Guilford Press.
- Lang, P.J. (1979) A bio-informational theory of emotional imagery. *Psychophysiology*, 16, 495-512. <https://doi.org/10.1111/j.1469-8986.1979.tb01511.x>

Lauterbach, D. (2004). Osobowość, przeżycie traumatyczne oraz zespół stresu pourazowego: Wyjście poza jednoczynnikowy model prognostyczny. [W:] J. Strelau (red.). Osobowość a ekstremalny stres. Gdańsk: Gdańskie Wydawnictwo Psychologiczne.

Le Doux, J.E. (1995). Emotion: Clues from the brain. *Annual Review of Psychology*, 46, 209-235.
<https://doi.org/10.1146/annurev.ps.46.020195.001233>

Leonard, K.E., Blane, H.T. (1987). *Psychological theories of drinking and alcoholism*. First edition. London: Guilford Press.

Leonard, K.E., Blane, H.T. (1999). *Psychological theories of drinking and alcoholism*. Second edition. London: Guilford Press.

Leshner, A.I. (1997). Addiction is a brain disease, and its matters. *Science*, 278, 45-47.
<https://doi.org/10.1126/science.278.5335.45>

Lex, B.W. (1997). Nadużywanie alkoholu i innych substancji uzależniających przez kobiety. [W:] *Kobiety i alkohol*. Warszawa: PARPA.

Lisak, D., Miller, P.M. (2003). Childhood trauma, post-traumatic stress disorder, substance abuse, and violence. [W:] P. Ouimette, P.J. Brown (red.). *Trauma and substance abuse. Causes, consequences and treatment of comorbid disorders*. Washington, DC: American Psychological Association.
<https://doi.org/10.1037/10460-004>

Lisansky-Gomberg, E.S. (1997). Czynniki ryzyka picia alkoholu w życiu kobiety. [W:] *Kobiety i alkohol*. Warszawa: PARPA.

Lis-Turlejska, M. (1998). *Traumatyczny stres: Koncepcje i badania*. Warszawa: Wydawnictwo Instytutu Psychologii PAN.

Lis-Turlejska, M. (2000a). Psychologiczne konsekwencje traumatycznego stresu - współczesne kierunki badań. *Nowiny Psychologiczne*, 2, 25-38.

Lis-Turlejska, M. (2000b). Rozpowszechnienie traumatycznych zdarzeń i zespołu stresu pourazowego (PTSD) wśród uzależnionych od alkoholu dorosłych z różnym czasem terapii i abstynencji. Niepublikowany maszynopis.

Lis-Turlejska, M. (2002). *Stres traumatyczny. Występowanie, następstwa, terapia*. Warszawa: Wydawnictwo Akademickie "Żak".

Lis-Turlejska, M. (2004a). Rozpowszechnienie traumatycznych zdarzeń oraz objawów potraumatycznych w nieklinicznej próbie studentów wyższych uczelni. [W:] J. Strelau (red.). *Osobowość a ekstremalny stres*. Gdańsk: Gdańskie Wydawnictwo Psychologiczne.

Lis-Turlejska, M. (2004b). Co oznaczają wysokie wskaźniki rozpowszechnienia PTSD w badaniach prowadzonych w Polsce? Referat przedstawiony na seminarium dotyczącym problematyki stresu traumatycznego na Wydziale Psychologii UW.

Lis-Turlejska, M., Łuszczryńska-Cieślak, A. (2001). Adaptacja cywilnej wersji Kwestionariusza zespołu stresu pourazowego: Mississippi PTSD Scale. *Czasopismo Psychologiczne*, 7, 165-173.

Lis-Turlejska, M., Polak, M. (2002). Prevalence of traumatic events and post-traumatic symptomatology among alcohol dependent women. *Polish Psychological Bulletin*, 33, 13-20.

- Lukas, S.E., Mendelson, J.H., Benedikt, R.A., Jones, B. (1986). EEG alpha activity increases during transient episodes of ethanol-induced euphoria. *Pharmacology, Biochemistry and Behavior*, 25, 889-895. [https://doi.org/10.1016/0091-3057\(86\)90403-X](https://doi.org/10.1016/0091-3057(86)90403-X)
- Lyons, J.S., McGovern, M.P. (1989). Use of mental health services by dually diagnosed patients. *Hospital and Community Psychiatry*, 40, 1067-1069. <https://doi.org/10.1176/ps.40.10.1067>
- MacAndrew, C. (1981). What the MAC scale tells us about men alcoholics: An interpretive review. *Journal of Studies on Alcohol*, 42, 604-625. <https://doi.org/10.15288/jsa.1981.42.604>
- MacAndrew, C., Edgerton, R. (1969). *Drunken comportment: A social explanation*. Chicaco: Aldine.
- Maes, M., Delmeire, L., Mylle, J., Almaturo, C. (2001). Risk and preventive factors of post-traumatic stress disorder (PTSD): Alcohol consumption and intoxication prior to a traumatic event diminishes the relative risk to develop PTSD in response to that trauma. *Journal of Affective Disorders*, 63, 113-121. [https://doi.org/10.1016/S0165-0327\(00\)00173-7](https://doi.org/10.1016/S0165-0327(00)00173-7)
- Makowska, Z., Merecz, D. (2001). Polska adaptacja kwestionariuszy Ogólnego Stanu Zdrowia Davida Goldberga: GHQ-12 i GHQ-28. [W:] Ocena zdrowia psychicznego na podstawie badań kwestionariuszami Davida Goldberga. Podręcznik dla użytkowników kwestionariuszy GHQ-12 i GHQ-28. Łódź: Instytut Medycyny Pracy im. Prof. J. Nofera.
- Marshall, R.D., Garakani, A. (2002). Psychobiology of the acute stress response and its relationship to the psychobiology of post-traumatic stress disorder. *Psychiatry Clinics of North America*, 2, 385-395. [https://doi.org/10.1016/S0193-953X\(01\)00005-3](https://doi.org/10.1016/S0193-953X(01)00005-3)
- Mayfield, D., McLeod, G., Hall, P. (1974). The CAGE questionnaire: Validation of a new alcoholism screening instrument. *American Journal of Psychiatry*, 13, 1121-1123.
- McFarlane, A.C. (1998). Epidemiological evidence about the relationship between PTSD and alcohol abuse: The nature of the association. *Addictive Behaviors*, 23, 813-825. [https://doi.org/10.1016/S0306-4603\(98\)00098-7](https://doi.org/10.1016/S0306-4603(98)00098-7)
- McFarlane, A.C., Papay, P. (1992). Multiple diagnosis in post-traumatic stress disorder in the victims of a natural disaster. *Journal of Nervous and Mental Disease*, 180, 498-504. <https://doi.org/10.1097/00005053-199208000-00004>
- McFarlane, A.C., Weber, D.L., Clark, C.R. (1993). Abnormal stimulus processing in PTSD. *Biological Psychiatry*, 34, 311-320. [https://doi.org/10.1016/0006-3223\(93\)90088-U](https://doi.org/10.1016/0006-3223(93)90088-U)
- McGue, M. (1999). Behavioral genetic models of alcoholism and drinking. [W:] K.E. Leonard, H.T. Blane (red.). *Psychological theories of drinking and alcoholism*. Second edition. London: Guilford Press.
- McLellan, A.T., Kushner, H., Metzger, D., Peters, R., Smith, I., Grissom, G. i in. (1992). The fifth edition of the Addiction Severity Index. *Journal of Substance Abuse Treatment*, 9, 199-213. [https://doi.org/10.1016/0740-5472\(92\)90062-S](https://doi.org/10.1016/0740-5472(92)90062-S)
- McRae, A.L., Brady, K.T., Sonne, S.C. (2001). Alcohol and substance abuse. *Medicine Clinical of North America*, 85, 779-801. [https://doi.org/10.1016/S0025-7125\(05\)70340-0](https://doi.org/10.1016/S0025-7125(05)70340-0)
- Meisler, A.W. (1996). Trauma, PTSD, and substance abuse. *PTSD Research Quarterly*, 7, 1-6. <https://doi.org/10.1037/e572042010-002>
- Mellibruda, J. (1993). Mechanizm nałogowego regulowania uczuć. *Świat Problemów*, 3, 3-5.

Mellibruda, J. (1997). Strategiczno-strukturalna psychoterapia uzależnienia. *Alkoholizm i Narkomania*, 28, 307-324.

Mellibruda, J. (1998). Psychologiczne mechanizmy uzależnienia i koncepcja psychoterapii. *Przegląd Psychologiczny*, 41, 13-60.

Mellibruda, J., Nikodemska, S., Fronczyk, K. (2003). Używanie i nadużywanie alkoholu i innych substancji psychoaktywnych przez polskich studentów. *Medycyna Wieku Rozwojowego*, 7, 135-155.

Merikangas, K.R. (1990). The genetic epidemiology of alcoholism. *Psychological Medicine*, 20, 11-22. <https://doi.org/10.1017/S0033291700013192>

Miller, B.A., Downs, W.R., Testa, M. (1993). Interrelationships between victimization experiences and women's alcohol use. *Journal of Studies on Alcohol (Suppl. 11)*, 109-117. <https://doi.org/10.15288/jsas.1993.s11.109>

Miller, G.A. (1985). *The Substance Abuse Subtle Screening Inventory Manual*. Spencer, IN, USA: Spencer Evening World.

Miller, G.A. (1994). *The Substance Abuse Subtle Screening Inventory Manual: Adult SASSI-2 manual supplement*. Spencer, IN, USA: Spencer Evening World. <https://doi.org/10.1037/t04876-000>

Morgenstern, J., Langenbucher, J., Labouvie, E., Miller, K.J. (1997). The comorbidity of alcoholism and personality disorders in a clinical population: Prevalence rates and relation to alcohol typology variables. *Journal of Abnormal Psychology*, 106, 74-84. <https://doi.org/10.1037/0021-843X.106.1.74>

Murdoch, D., Pihl, R.O., Ross, D. (1990). Alcohol and crimes of violence: Present issues. *International Journal of the Addictions*, 25, 1065-1081. <https://doi.org/10.3109/10826089009058873>

Myerholtz, L.E., Rosenberg, H. (1997). Screening DUI offenders for alcohol problems: Psychometric assessment of the substance abuse Subtle Screening Inventory. *Psychology of Addictive Behaviors*, 11, 155-165. <https://doi.org/10.1037/0893-164X.11.3.155>

Najavits, L.M. (2003). Seeking safety: A new psychotherapy for post-traumatic stress disorder and substance use disorder. [W:] P. Ouimette, P.J. Brown (red.), *Trauma and substance abuse: Causes, consequences, and treatment of comorbid disorders*. Washington, DC: American Psychological Association. <https://doi.org/10.1037/10460-008>

Najavits, L.M., Weiss, R.D., Shaw, S.R., Muenz, L.R. (1998). "Seeking Safety": Outcome of a new cognitive-behavioral psychotherapy for women with post-traumatic stress disorder and substance abuse. *Journal of Traumatic Stress*, 11, 437-456. <https://doi.org/10.1023/A:1024496427434>

Norris, F.H. (1992). Epidemiology of trauma: Frequency and impact of different potentially traumatic events on different demographic groups. *Journal of Consulting and Clinical Psychology*, 60, 409-418. <https://doi.org/10.1037/0022-006X.60.3.409>

Oniszczenko, W., Dragan, W.Ł. (2008). *Genetyka zachowania w psychologii i psychiatrii*. Warszawa: Wydawnictwo Scholar.

Ouimette, P., Brown, P.J. (red.) (2003). *Trauma and substance abuse. Causes, consequences and treatment of comorbid disorders*. Washington, DC: American Psychological Association. <https://doi.org/10.1037/10460-000>

Ouimette, P., Moos, R.H., Brown, P.J. (2003). Substance use disorder - post-traumatic stress disorder comorbidity: A survey of treatments and proposed practice guidelines. [W:] P. Ouimette, P.J. Brown

(red.). Trauma and substance abuse: Causes, consequences, and treatment of comorbid disorders. Washington, DC: American Psychological Association. <https://doi.org/10.1037/10460-005>

Ouimette, P., Moos, R.H., Finney, J.W. (2003). PTSD treatment and 5-year remission among patients with substance use and post-traumatic stress disorders. *Journal of Consulting and Clinical Psychology*, 71, 410-414. <https://doi.org/10.1037/0022-006X.71.2.410>

Ouimette, P.C., Wolfe, J., Chrestman, K.R. (1996). Characteristics of post-traumatic stress disorder - alcohol abuse comorbidity in women. *Journal of Substance Abuse*, 8, 335-346. [https://doi.org/10.1016/S0899-3289\(96\)90188-1](https://doi.org/10.1016/S0899-3289(96)90188-1)

Ozer, E.J., Best, S.R., Lipsey, T.L., Weiss, D.S. (2003). Predictors of post-traumatic stress disorder and symptoms in adults: A meta-analysis. *Psychological Bulletin*, 129, 52-73. <https://doi.org/10.1037/0033-2909.129.1.52>

Państwowa Agencja Rozwiązywania Problemów Alkoholowych (1999). *Picie alkoholu w różnych okresach życia*. Warszawa: PARPA.

Patrick, C.J., Berthot, B., Moore, J.D. (1996). Diazepam blocks fear-potentiated startle in humans. *Journal of Abnormal Psychology*, 105, 89-96. <https://doi.org/10.1037/0021-843X.105.1.89>

Pelcovitz, D., van der Kolk, B.A., Roth, S.H., Mandel, F.S., Kaplan, S.J., Resick, P. (1997). Development of a criteria set and a structured interview for disorders of extreme stress (SIDES). *Journal of Traumatic Stress*, 10, 3-16. <https://doi.org/10.1002/jts.2490100103>

Perreira, K.M., Sloan, F.A. (2001). Life events and alcohol consumption among mature adults: A longitudinal analysis. *Journal of Studies on Alcohol*, 62, 501-508. <https://doi.org/10.15288/jsa.2001.62.501>

Piotrowski, A. (2000). Zaburzenia psychiczne spowodowane używaniem środków psychoaktywnych. [W:] A. Bilikiewicz (red.). *Psychiatria*. Warszawa: Wydawnictwo Lekarskie PZWL.

Pirard, S., Sharon, E., Kang, S.K., Angarita, G.A., Gastfriend, D.R. (2005). Prevalence of physical and sexual abuse among substance abuse patients and impact on treatment outcomes. *Drug and Alcohol Dependence*, 78, 57-64. <https://doi.org/10.1016/j.drugalcdep.2004.09.005>

Pitman, R., Orr, S., Shalev, A. (1993). Once bitten, twice shy: Beyond the conditioning model of PTSD. *Biological Psychiatry*, 33, 145-146. [https://doi.org/10.1016/0006-3223\(93\)90132-W](https://doi.org/10.1016/0006-3223(93)90132-W)

Plomin, R., DeFries, J.C., McClearn, G.E., McGuffin, P. (2001). *Genetyka zachowania*. Warszawa: Wydawnictwo Naukowe PWN.

Pohorecky, L.A. (1991). Stress and alcohol interaction: An update of human research. *Alcoholism: Clinical and Experimental Research*, 15, 438-459. <https://doi.org/10.1111/j.1530-0277.1991.tb00543.x>

Polak, M. (2001). Rozpowszechnienie traumatycznych zdarzeń i PTSD oraz nadawanie sensu traumie wśród kobiet uczestniczących w grupach terapeutycznych dla osób uzależnionych od alkoholu. Niepublikowana praca magisterska napisana pod kierunkiem prof. UW dr hab. M. Lis-Turlejskiej.

Polak, M., Gulcz, M., Wójtowicz, S. (2005). Adaptacja Post-traumatic Cognitions Inventory (PTCI): Raport z badań wstępnych. *Przegląd Psychologiczny*, 48, 417-430.

Poprawa, R. (1998). Zarys psychologicznej koncepcji używania alkoholu jako sposobu radzenia sobie ze stresem. *Przegląd Psychologiczny*, 41, 61-70.

- Post, R.M. (1992). Transduction of psychosocial stress into the neurobiology of recurrent affective disorder. *American Journal of Psychiatry*, 149, 999-1010. <https://doi.org/10.1176/ajp.149.8.999>
- Prescott, C.A., Kendler, K.S. (1999). Genetic and environmental contributions to alcohol abuse and dependence in a population-based sample of male twins. *American Journal of Psychiatry*, 156, 34-40. <https://doi.org/10.1176/ajp.156.1.34>
- Reich, T., Cloninger, R. (1990). Time-dependent model of the familial transmission of alcoholism. [W:] Banbury Report 33: Genetics and biology of alcoholism. Cold Spring Harbour: Cold Spring Harbour Laboratory Press.
- Resnick, H.S., Falsetti, S.A., Kilpatrick, D.G., Freedy, J.R. (1996). Assessment of rape and other civilian trauma-related post-traumatic stress disorder: Emphasis on assessment of potentially traumatic events. [W:] T.W. Miller (red.). *Stressful life events* (2nd ed.). New York: International Universities Press.
- Resnick, H.S., Kilpatrick, D.G., Dansky, B.S., Saunders, B.E., Best, C.L. (1993). Prevalence of civilian trauma and post-traumatic stress disorder in a representative national sample of women. *Journal of Consulting and Clinical Psychology*, 61, 984-991. <https://doi.org/10.1037/0022-006X.61.6.984>
- Reynolds, M., Mezey, G., Chapman, M., Wheeler, M., Drummond, C., Baldacchino, A. (2005). Co-morbid post-traumatic stress disorder in a substance misusing clinical population. *Drug and Alcohol Dependence*, 77, 251-258. <https://doi.org/10.1016/j.drugalcdep.2004.08.017>
- Rice, Ch., Mohr, C.D., Del Boca, F.K., Mattson, M.E., Young, L., Brady, K., Nickless, C. (2001). Self-reports of physical, sexual and emotional abuse in an alcoholism treatment sample. *Journal of Studies on Alcohol*, 62, 114-123. <https://doi.org/10.15288/jsa.2001.62.114>
- Riggs, D.S., Rukstalis, M., Volpicelli, J.R., Kalmanson, D., Foa, E.B. (2003). Demographic and social adjustment characteristics of patients with comorbid post-traumatic stress disorder and alcohol dependence: Potential pitfalls to PTSD treatment. *Addictive Behaviors*, 28, 1717-1730. <https://doi.org/10.1016/j.addbeh.2003.08.044>
- Robins, L.N., Helzer, J.E., Cottler, L., Golding, E. (1989). NIMH Diagnostic Interview Schedule, Version III, Revised. St. Louis, MO: Washington University.
- Robins, L.N., Helzer, J.E., Croughan, J., Ratcliff, K.S. (1981). National Institute of Mental Health Diagnostic Interview Schedule: Its history, characteristics, and validity. *Archives of General Psychiatry*, 38, 318-389. <https://doi.org/10.1001/archpsyc.1981.01780290015001>
- Roediger, H.L. (1990). Implicit memory: Retention without remembering. *American Psychologist*, 43, 151-160. <https://doi.org/10.1037/0003-066X.45.9.1043>
- Rothbaum, B.O., Foa, E.B., Riggs, D.S., Murdock, T., Walsh, W. (1992). A prospective examination of post-traumatic stress disorder in rape victims. *Journal of Traumatic Stress*, 5, 455-475. <https://doi.org/10.1002/jts.2490050309>
- Rothschild, B. (2000). *The body remembers*. New York: Norton.
- Ruzek, J.I. (2003). Concurrent post-traumatic stress disorder and substance use disorder among veterans: Evidence and treatment issues. [W:] P. Ouimette, P.J. Brown (red.), *Trauma and substance abuse*. Washington: APA. <https://doi.org/10.1037/10460-010>

- Ruzek, J.I., Polusny, M.A., Abueg, F.R. (1998). Assessment and treatment of concurrent post-traumatic stress disorder and substance abuse. [W:] V.M. Follette, J.I. Ruzek, F.R. Abueg (red.). Cognitive behavioral therapies for trauma. New York: Guilford Press.
- Saladin, M.E., Brady, K.T., Dansky, B.S., Kilpatrick, D.G. (1995). Understanding comorbidity between PTSD and substance use disorders: Two preliminary investigations. *Addictive Behaviors*, 20, 643-655. [https://doi.org/10.1016/0306-4603\(95\)00024-7](https://doi.org/10.1016/0306-4603(95)00024-7)
- Samochowicz, J. (2002). Genetyka molekularna uzależnienia alkoholowego. [W:] J. Rybakowski, J. Hauser (red.). Genetyka molekularna zaburzeń psychicznych. Kraków: Biblioteka Psychiatrii Polskiej.
- Samson, H.H., Harris, R.A. (1992). Neurobiology of alcohol abuse. *Trends in Pharmacological Science*, 13, 206-211. [https://doi.org/10.1016/0165-6147\(92\)90065-E](https://doi.org/10.1016/0165-6147(92)90065-E)
- Sayette, M.A. (1999). Cognitive theory and research. [W:] K.E. Leonard, H.T. Blane (red.). Psychological theories of drinking and alcoholism. Second edition. London: Guilford Press.
- Schmidt, L. (1991). Specialization in alcoholism and mental health residential treatment: The "dual diagnosis" problem. *The Journal of Drug Issues*, 21, 859-874. <https://doi.org/10.1177/002204269102100412>
- Seligman, M.E.P., Walker, E.F., Rosenhan, D.L. (2003). *Psychopatologia*. Poznań: Wydawnictwo Zysk i S-ka.
- Selzer, M.L. (1971). The Michigan Alcohol Screening Test: The quest for a new diagnostic screening instrument. *American Journal of Psychiatry*, 127, 1653-1658. <https://doi.org/10.1176/ajp.127.12.1653>
- Shalev, A.Y., Freedman, S., Peri, T., Brandes, D., Sahar, T., Orr, S.P., Pitman, R.K. (1998). Prospective study of post-traumatic stress disorder and depression following trauma. *American Journal of Psychiatry*, 155, 630-637. <https://doi.org/10.1176/ajp.155.5.630>
- Shalev, A.Y., Yehuda, R. (1998). Longitudinal development of traumatic stress disorders. [W:] R. Yehuda (red.) *Psychological trauma*. Washington, DC: American Psychiatric Press.
- Shea, A., Walsh, Ch., MacMillan, H., Steiner, M. (2004). Child maltreatment and HPA axis dysregulation: Relationship to major depressive disorder and post-traumatic stress disorder in females. *Psychoneuroendocrinology*, 30, 162-178. <https://doi.org/10.1016/j.psyneuen.2004.07.001>
- Sher, K.J. (1987). Stress-response dampening. [W:] K.E. Leonard, H.T. Blane (red.). Psychological theories of drinking and alcoholism. London: Guilford Press.
- Sher, K.J., Trull, T.J., Bartholow, B.D., Vieth, A. (1999). Personality and alcoholism: Issues, methods, and etiological processes. [W:] K.E. Leonard, H.T. Blane (red.). Psychological theories of drinking and alcoholism. Second edition. London: Guilford Press.
- Sheridan, Ch.L., Radmacher, S.A. (1998). *Psychologia zdrowia*. Warszawa: Instytut Psychologii Zdrowia PTP.
- Sierosławski, J. (2004a). Substancje psychoaktywne - postawy i zachowania Polaków. [W:] Postawy i zachowania Polaków wobec alkoholu i problemów alkoholowych. Warszawa: PARPA.
- Sierosławski, J. (2004b). Zmiany w piciu alkoholu po obniżeniu akcyzy na napoje spirytusowe. [W:] Postawy i zachowania Polaków wobec alkoholu i problemów alkoholowych. Warszawa: PARPA.

SPSS Inc. (1999). SPSS Base 10.0 for Windows User's Guide. Chicago: SPSS Inc.

Stein, M.B., Walker, J.R., Hazen, A.L., Forde, D.R. (1997). Full and partial post-traumatic stress disorder: Findings from a community survey. *American Journal of Psychiatry*, 154, 1114-1119. <https://doi.org/10.1176/ajp.154.8.1114>

Stewart, S.H. (1996). Alcohol abuse in individuals exposed to trauma: A critical review. *Psychological Bulletin*, 120, 83-112. <https://doi.org/10.1037/0033-2909.120.1.83>

Stewart, S.H. (1997). Trauma memory and alcohol abuse: Drinking to forget? [W:] J.D. Read, D.S. Lindsay (red.). *Recollections of trauma: Scientific evidence and clinical practice*. New York: Plenum. https://doi.org/10.1007/978-1-4757-2672-5_25

Stewart, S.H., Conrod, P.J. (2003). Psychosocial models of functional associations between post-traumatic stress disorder and substance use disorder. [W:] P. Ouimette, P.J. Brown (red.). *Trauma and substance abuse. Causes, consequences and treatment of comorbid disorders*. Washington, DC: American Psychological Association. <https://doi.org/10.1037/10460-002>

Stewart, S.H., Israeli, A.L. (2002). Substance abuse and co-occurring psychiatric disorders in victims of intimate violence. [W:] C. Wekerle, A.M. Wall (red.). *The violence and addiction equation: Theoretical and clinical issues in substance abuse and relationship violence*. New York: Brunner/Routledge.

Stewart, S.H., Mitchell, T.L., Wright, K.D., Loba, P. (2004). The relations of PTSD symptoms to alcohol use and coping drinking in volunteers who responded to the Swissair Flight 111 airline disaster. *Journal of Anxiety Disorders*, 18, 51-68. <https://doi.org/10.1016/j.janxdis.2003.07.006>

Stewart, S.H., Pihl, R.O., Conrod, P.J., Dongier, M. (1998). Functional associations among trauma, PTSD, and substance-related disorders. *Addictive Behaviors*, 23, 797-812. [https://doi.org/10.1016/S0306-4603\(98\)00070-7](https://doi.org/10.1016/S0306-4603(98)00070-7)

Strelau, J. (1996). Temperament a stres: Temperament jako czynnik moderujący stresory, stan i skutki stresu oraz radzenie sobie ze stresem. [W:] I. Heszen-Niejodek, Z. Ratajczak (red.). *Człowiek w sytuacji stresu: problemy teoretyczne i metodologiczne*. Katowice: Wydawnictwo UŚ.

Strelau, J., Zawadzki, B., Oniszczenko, W., Sobolewski, A. (2002). Kwestionariusz PTSD - wersja czynnikowa (PTSD-C): Konstrukcja narzędzia do diagnozy głównych wymiarów zespołu stresu pourazowego. *Przegląd Psychologiczny*, 45, 149-176.

Strelau, J., Zawadzki, B., Oniszczenko, W., Sobolewski, A., Pawłowski, P. (2004). Temperament i style radzenia sobie ze stresem jako moderatory zespołu stresu pourazowego w następstwie przeżytej katastrofy. [W:] J. Strelau (red.). *Osobowość a ekstremalny stres*. Gdańsk: Gdańskie Wydawnictwo Psychologiczne.

Stritzke, W.G., Patrick, C.J., Lang, A.R. (1995). Alcohol and human emotion: A multidimensional analysis incorporating startle probe methodology. *Journal of Abnormal Psychology*, 104, 114-122. <https://doi.org/10.1037/0021-843X.104.1.114>

Terr, L. (1994). *Unchained memories*. New York: Basic Books. Torres, J.M., Ortega, E. (2004). Alcohol intoxication increases allopregnanolone levels in male adolescent humans. *Psychopharmacology*, 172, 352-355. <https://doi.org/10.1007/s00213-003-1662-0>

Triffleman, E.G., Marmar, C.R., Delucchi, K.L., Ronfeldt, H. (1995). Childhood trauma and post-traumatic stress disorder in substance abuse inpatients. *Journal of Nervous and Mental Disease*, 183, 172-176. <https://doi.org/10.1097/00005053-199503000-00008>

- True, W.J., Rice, J., Eisen, S.A., Heath, A.C., Goldberg, J., Lyons, M.J., Nowak, J. (1993). A twin study of genetic and environmental contributions to liability for post-traumatic stress symptoms. *Archives of General Psychiatry*, 50, 257-264. <https://doi.org/10.1001/archpsyc.1993.01820160019002>
- Tupala, E., Tiihonen, J. (2004). Dopamine and alcoholism: Neurobiological basis of ethanol abuse. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 28, 1221- 1247. <https://doi.org/10.1016/j.pnpbp.2004.06.022>
- van der Kolk, B. (2000). Post-traumatic stress disorder and the nature of trauma. *Dialogues in Clinical Neuroscience*, 2, 7-22.
- van der Kolk, B. (2001). The psychobiology and psychopharmacology of PTSD. *Human Psychopharmacology Clinical and Experimental*, 16, 49-64. <https://doi.org/10.1002/hup.270>
- van der Kolk, B.A. (1996). The psychobiology of PTSD. [W:] B.A. van der Kolk, A.C. McFarlane, L. Weisaeth (red.). *Traumatic stress: The effects of overwhelming experience on mind, body, and society*. New York: Guilford Press.
- van der Kolk, B.A., McFarlane, A.C., Weisaeth, L. (red.) (1996). *Traumatic stress: The effects of overwhelming experience on mind, body, and society*. New York: Guilford Press.
- Vedantham, K., Brunet, A., Neylan, T.C., Weiss, D.S., Marmar, Ch.R. (2000). Neurobiological findings in post-traumatic stress disorder: A review. *Dialogues in Clinical Neuroscience*, 2, 23-29.
- Volpicelli, J., Balarman, G., Hahn, J., Wallace, H., Bux, D. (2000). The role of uncontrollable trauma in the development of PTSD and alcohol addiction. *Alcohol Research and Health*, 23, 256-262.
- Vrana, S.R., Lauterbach, D. (1994). Prevalence of traumatic events and post-traumatic psychological symptoms in nonclinical sample of college students. *Journal of Traumatic Stress*, 7, 289-302. <https://doi.org/10.1002/jts.2490070209>
- Vreven, D.L., Gudanowski, D.M., King, L.A., King, D.W. (1995). The civilian version of the Mississippi PTSD Scale: A psychometric evaluation. *Journal of Traumatic Stress*, 8, 91-109. <https://doi.org/10.1002/jts.2490080107>
- Walsh, K. (2000). *Neuropsychologia kliniczna*. Warszawa: Wydawnictwo Naukowe PWN.
- Watson, Ch.G., Juba, M.P., Manifold, V., Kucala, T., Anderson, P.E. (1991). The PTSD Interview: Rationale, description, reliability, and concurrent validity of a DSM-III-based technique. *Journal of Clinical Psychology*, 47, 179-188. [https://doi.org/10.1002/1097-4679\(199103\)47:2<179::AID-JCLP2270470202>3.0.CO;2-P](https://doi.org/10.1002/1097-4679(199103)47:2<179::AID-JCLP2270470202>3.0.CO;2-P)
- Weiss, F., Porrino, L.J. (2002). Behavioral neurobiology of alcohol addiction: recent advances and challenges. *Journal of Neuroscience*, 22, 3332-3337 <https://doi.org/10.1523/JNEUROSCI.22-09-03332.2002>
- Widom, C.S. (1999). Post-traumatic stress disorder in abused and neglected children grown up. *American Journal of Psychiatry*, 156, 1223-1229.
- Widom, C.S., Ireland, T., Glynn, P.J. (1995). Alcohol abuse in abused and neglected children followed up. Are they at increased risk? *Journal of Studies on Alcohol*, 56, 207-217. <https://doi.org/10.15288/jsa.1995.56.207>
- Williams, R. (2000). *Personality and post-traumatic stress disorders*. [W:] W. Yule (red.). *Post-traumatic stress disorders. Concepts and therapy*. Chichester: Wiley & Sons.

- Wilsnack, S.C., Vogeltanz, N.D., Klassen, A.D., Harris, T.R., (1997). Childhood sexual abuse and women's substance abuse: national survey findings. *Journal of Studies on Alcohol*, 58, 264-271. <https://doi.org/10.15288/jsa.1997.58.264>
- Wilsnack, S.C., Wilsnack, R.W., Hiller-Sturmhofel, S. (1997). Jak piją kobiety? *Epidemiologia picia alkoholu oraz picia problemowego wśród kobiet*. [W:] *Kobiety i alkohol*. Warszawa: PARPA.
- Windle, M., Davies, P.T. (1999). *Developmental theory and research*. [W:] K.E. Leonard, H.T. Blane (red.). *Psychological theories of drinking and alcoholism*. London: Guilford Press.
- World Health Organization (1998). *Klasyfikacja zaburzeń psychicznych i zaburzeń zachowania w ICD-10. Badawcze kryteria diagnostyczne*. Kraków-Warszawa: Uniwersyteckie Wydawnictwo Medyczne "Versalius", Instytut Psychiatrii i Neurologii.
- World Health Organization (2000). *Klasyfikacja zaburzeń psychicznych i zaburzeń zachowania w ICD-10. Opisy kliniczne i wskazówki diagnostyczne*. Kraków-Warszawa: Uniwersyteckie Wydawnictwo Medyczne "Versalius", Instytut Psychiatrii i Neurologii.
- World Health Organization (2002). *Europejski raport zdrowia*. Warszawa: PARPA.
- Woronowicz, B.T. (1998). *Alkoholizm jest chorobą*. Warszawa: PARPA.
- Woronowicz, B.T. (2003). *Bez tajemnic o uzależnieniach i ich leczeniu*. Warszawa: Instytut Psychiatrii i Neurologii.
- Yehuda, R. (2000). Biology of post-traumatic stress disorder. *Journal of Clinical Psychiatry*, 61 (suppl. 7), 14-21.
- Yehuda, R., Halligan, S.L., Grossman, R. (2001). Childhood trauma and risk for PTSD: Relationship to intergenerational effects of trauma, parental PTSD, and cortisol exertion. *Development and Psychopathology*, 13, 733-753. <https://doi.org/10.1017/S0954579401003170>
- Yehuda, R., Levengood, R.A., Schmeidler, J., Wilson, S., Guo, L.S., Gerber, D. (1996). Increased pituitary activation following metyrapone administration in post-traumatic stress disorder. *Psychoneuroendocrinology*, 21, 1-16. [https://doi.org/10.1016/0306-4530\(95\)00055-0](https://doi.org/10.1016/0306-4530(95)00055-0)
- Yehuda, R., Southwick, S., Giller, E.L., Ma, X., Mason, J.W. (1991). Low urinary cortisol excretion in PTSD. *Journal of Nervous and Mental Disorders*, 178, 366-369. <https://doi.org/10.1097/00005053-199006000-00004>
- Yehuda, R., Spertus, I.L., Golier, J.A. (2001). Relationship between childhood traumatic experiences and PTSD in adults. [W:] S. Eth (red.). *PTSD in children and adolescents. Review of psychiatry*. Washington, DC: American Psychiatric Association.
- Yule, W. (red.) (2000). *Post-traumatic stress disorders. Concepts and therapy*. Chichester: Wiley & Sons.
- Yule, W., Williams, R., Joseph, S. (2000). *Post-traumatic stress disorders in adults*. [W:] W. Yule (red.). *Post-traumatic stress disorders. Concepts and therapy*. Chichester: Wiley & Sons.
- Zagrodzka, J. (1999). *Mechanizmy emocji i zaburzeń afektywnych w świetle badań neurologicznych*. [W:] A. Herzyk, A. Borkowska (red.). *Neuropsychologia emocji: Poglądy, badania, klinika*. Lublin: Wydawnictwo UMCS.

Zawadzki, B., Strelau, J., Bieniek, A., Oniszczenko, W., Sobolewski, A. (2002). Kwestionariusz PTSD - wersja kliniczna (PTSD-K): Konstrukcja narzędzia do diagnozy zespołu stresu pourazowego. *Przełęcz Psychologiczny*, 45, 289-315.

Zawadzki, B., Strelau, J., Oniszczenko, W., Sobolewski, A., Bieniek, A. (2004). Diagnoza zespołu stresu pourazowego: Charakterystyka psychometryczna wersji czynnikowej i wersji klinicznej kwestionariusza PTSD. [W:] J. Strelau (red.). *Osobowość a ekstremalny stres*. Gdańsk: Gdańskie Wydawnictwo Psychologiczne.

Zimmerman, M., Sheeran, T., Chelminski, I., Young, D. (2004). Screening for psychiatric disorders in outpatients with DSM-IV substance use disorders. *Journal of Substance Abuse Treatment*, 26, 181-188. [https://doi.org/10.1016/S0740-5472\(03\)00207-1](https://doi.org/10.1016/S0740-5472(03)00207-1)

Ziółkowski, M. (1998). Zaburzenia lękowe w uzależnieniu alkoholowym. *Lęk i Depresja*, 3, 62-71.

Ziółkowski, M. (2004). Wybrane aspekty występowania zaburzeń depresyjnych u osób uzależnionych od alkoholu. *Dyskusje o Depresji*, 24, 2-4.

Zvolensky, M.J., Schmidt, N.B. (2004). Anxiety and substance use disorders: Introduction to the special series. *Journal of Anxiety Disorders*, 18, 1-6. <https://doi.org/10.1016/j.janxdis.2003.07.002>

Zvolensky, M.J., Schmidt, N.B., Stewart, S.H. (2003). Panic disorder and smoking. *Clinical Psychology: Science and Practice*, 10, 29-51. <https://doi.org/10.1093/clipsy.10.1.29>

Żulewska-Sak, J. (2004). Agresja, przemoc i alkohol. [W:] *Postawy i zachowania Polaków wobec alkoholu i problemów alkoholowych*. Warszawa: PARPA.