

Adrianov, A.V., & Malakhov, V.V. 1996. Priapulidy (Priapulida): stroenie, razvitie, filogenija i sistema. 266 pp. KMK Ltd., Moskva.

Aleev, J.G. 1976. Nekton. 392 pp. Naukova Dumka, Kijów.

Allison, C.W., & Hilgert, J.W. 1986. Scale microfossils from the Early Cambrian of northwest Canada. *Journal of Paleontology* 60, 973-1015. <https://doi.org/10.1017/S0022336000022538>

Baumler, N., Haszprunar, G., & Ruthensteiner, B. 2012. Development of the excretory system in a polyplacophoran mollusc: stages in metanephridial system development. *Frontiers in Zoology* 9: 23. <https://doi.org/10.1186/1742-9994-9-23>

Bininda-Emonds, O.R.P., Cardillo, M., Jones, K.E., MacPhee, R.D.E., Beck, R.M.D., Grenyer, R., Price, S.A., Vos, R.A., Gittleman, J.L., & Purvis, A. 2007. The delayed rise of present-day mammals. *Nature* 446, 507-512. <https://doi.org/10.1038/nature05634>

Blanke, A., Koch, M., Wipfler, B., Wilde, F., & Misof, B. 2014. Head morphology of *Tricholepidion gertschi* indicates monophyletic *Zygentoma*. *Frontiers in Zoology* 11:16. <https://doi.org/10.1186/1742-9994-11-16>

Blaxter, M.L., De Ley, P., Garey, J.R., Liuk, L.X., Scheldeman, P., Vierstraete, A., Vanfleteren, J.R., Mackey, L.Y., Dorris, M., Frisse, L.M., Vida, J.T., & Thomas, W.K. 1998. A molecular evolutionary framework for the phylum Nematoda. *Nature* 392, 71-75. <https://doi.org/10.1038/32160>

Bone, Q., Carre, C., & Chang P. 2003. Tunicate feeding filters. *Journal of the Marine Biology Association of the U.K.* 83, 907-919. <https://doi.org/10.1017/S002531540300804Xh>

Bouckaert, R., Lemey, P., Dunn, M., Greenhill, S.J., Alekseyenko, A.V., Drummond, A.J., Gray, R.D., Suchard,

M.A., & Atkinson, Q.D. 2012. Mapping the Origins and Expansion of the Indo-European Language Family. *Science* 337, 957-960. <https://doi.org/10.1126/science.1219669>

Bourlat, S.J., Nielsen, C., Economou, A.D., Telford, M.J. 2008. Testing the new animal phylogeny: A phylum level molecular analysis of the animal kingdom. *Molecular Phylogenetics and Evolution* 49, 23-31. <https://doi.org/10.1016/j.ympev.2008.07.008>

Boury-Esnault, N., Efremova, S., Bézac, C., & Vacelet, J. 1999. Reproduction of a hexactinellid sponge: first description of gastrulation by cellular delamination in the Porifera. *Invertebrate Reproduction and Development* 35, 187-201. <https://doi.org/10.1080/07924259.1999.9652385>

Brazeau, M.D., & Ahlberg, P.E. 2006. Tetrapod-like middle ear architecture in a Devonian fish. *Nature* 439, 318-321. <https://doi.org/10.1038/nature04196>

Cannon, J.T., Rychel, A.L., Eccleston, H., Halanych, K.M., Swalla, B.J. 2009. Molecular phylogeny of Hemichordata, with updated status of deep-sea enteropneusts. *Molecular Phylogenetics and Evolution* 52, 17-24. <https://doi.org/10.1016/j.ympev.2009.03.027>

Ciancio, M.R., Vieytes E.C., & Carlini, A.A. 2014. When xenarthrans had enamel: insights on the evolution of their hypsodonty and paleontological support for independent evolution in armadillos. *Naturwissenschaften* 101,715-725. <https://doi.org/10.1007/s00114-014-1208-9>

Colgan, D.J., Ponder, W.F., Beacham, E., Macaranas, J. 2007. Molecular phylogenetics of Caenogastropoda (Gastropoda: Mollusca). *Molecular Phylogenetics and Evolution* 42, 717-737. <https://doi.org/10.1016/j.ympev.2006.10.009>

Conway Morris, S. & J.-B. 2014. A primitive fish from the Cambrian of North America. *Nature* 523, 419-422. <https://doi.org/10.1038/nature13414>

Dabert, M., Witaliński, W., Kaźmierski, A., Olszanowski, Z., & Dabert, J. 2010. Molecular phylogeny of acariform mites (Acari, Arachnida): Strong conflict between phylogenetic signal and long-branch attraction artifacts. *Molecular Phylogenetics and Evolution* 56, 222-241. <https://doi.org/10.1016/j.ympev.2009.12.020>

Dettai, A., & Lecointre, G. 2005. Further support for the clades obtained by multiple molecular phylogenies in the acanthomorph bush. *Comptes Rendus Biologies* 328, 674-689. <https://doi.org/10.1016/j.crv.2005.04.002>

Diogo, R. 2009. Origin, evolution and homologies of the Weberian apparatus: a new insight. *International Journal of Morphology* 27, 333-354. <https://doi.org/10.4067/S0717-95022009000200008>

Ebersberger, I., de Matos Simoes, R., Kupczok, A., Gube, M., Kothe, E., Voigt, K., & von Haeseler, A. 2012. A Consistent Phylogenetic Backbone for the Fungi. *Molecular Biology and Evolution* 29, 1319-1334. <https://doi.org/10.1093/molbev/msr285>

Edgecombe, G.D. 2004. Morphological data, extant Myriapoda, and the myriapod stem-group. *Contributions to Zoology* 73: 3. <https://doi.org/10.1163/18759866-07303002>

Flynn, J.J., Finarelli, J.A., Zehr, S., Hsu J., & Nedbal, M.A. 2005. Molecular phylogeny of the Carnivora (Mammalia): Assessing the impact of increased sampling on resolving enigmatic relationships. *Systematic Biology* 54, 317-337. <https://doi.org/10.1080/10635150590923326>

Friedman, M. 2008. The evolutionary origin of flatfish asymmetry. *Nature* 454, 209-212. <https://doi.org/10.1038/nature07108>

Friedrich, B.M., & Jülicher, F. 2012. Flagellar synchronization independent of hydrodynamic interactions. *Physical Review Letters* 109, 138102. <https://doi.org/10.1103/PhysRevLett.109.138102>

Geisen, M., Billard, C., Broerse, A., Cros, L., Probert, I., & Young, J., 2002. Life-cycle associations involving pairs of holococcolithophorid species: intraspecific variation or cryptic speciation? *European Journal of Phycology* 37, 531-550. <https://doi.org/10.1017/S0967026202003852>

Giribet, G., Edgecombe, G.D., Wheeler, W.C., & Babbitt, C. 2002. Phylogeny and systematic position of Opiliones: A combined analysis of chelicerate relationships using morphological and molecular data. *Cladistics* 18, 5-70. <https://doi.org/10.1006/clad.2001.0185>

Gissi, C., San Mauro, D., Pesole, G., & Zardoya, R. 2006. Mitochondrial phylogeny of Anura (Amphibia): A case study of congruent phylogenetic reconstruction using amino acid and nucleotide characters. *Gene* 366, 228-237. <https://doi.org/10.1016/j.gene.2005.07.034>

Göbbeler, K., & Klussmann-Kolb, A. 2011. Molecular phylogeny of the Euthyneura (Mollusca, Gastropoda) with special focus on Opisthobranchia as a framework for reconstruction of evolution of diet. *Thalassas* 27, 121-154.

Göhlich, U.B., & Chiappe, L.M. 2006. A new carnivorous dinosaur from the Late Jurassic Solnhofen archipelago. *Nature* 440, 329-332. <https://doi.org/10.1038/nature04579>

Golovatch, S.I., Geoffroy, J.-J., Stoev, P., Vanden Spiegel, D. 2013. Review of the millipede family Opisetretidae (Diplopoda, Polydesmida), with descriptions of new species. *ZooKeys* 302, 13-77.

Gravlunda, P., Aris-Sørensen, K., Hofreiter, M., Meyer, M., Bollback, J.P., Noe-Nygaard, N. 2012. Ancient DNA extracted from Danish aurochs (*Bos primigenius*): Genetic diversity and preservation. *Annals of Anatomy* 194, 103-111. <https://doi.org/10.1016/j.aanat.2011.10.011>

Guillon, J.-M., Guéry, L., Hulin, V., & Girondot, M. 2012. A large phylogeny of turtles (Testudines) using molecular data. *Contributions to Zoology* 81, 147-158. <https://doi.org/10.1163/18759866-08103002>

Hackett, S.J., Kimball, R.T., Reddy, S., Bowie, R.C.K., Braun, E.L., Braun, M.J., Chojnowski, J.L., Cox, W.A., Han, K.-L., Harshman, J., Huddleston, C.J., Marks, B.D., Miglia, K.J., Moore, W.S., Sheldon, F.H., Steadman, D.W., Witt, C.C., & Yuri, T. 2008. A phylogenomic study of birds reveals their evolutionary history. *Science* 320, 1763-1768. <https://doi.org/10.1126/science.1157704>

Haig J.A., & Rouse, G.W. 2008. Larval development of the featherstar *Aporometra wilsoni* (Echinodermata: Crinoidea). *Invertebrate Biology* 127, 460-469. <https://doi.org/10.1111/j.1744-7410.2008.00134.x>

Hedges, S.B., Simmons, M.D., Van Dijk, M.A.M., Caspers, G.-J., De Jongt, W.W., & Sibley, C.G. 1995. Phylogenetic relationships of the hoatzin, an enigmatic South American bird. *Proceedings of the National Academy of Sciences of the USA* 92, 11662-11665. <https://doi.org/10.1073/pnas.92.25.11662>

Heidelberg, K.B., Nelson, W.C., Holm, J.B., Eisenkolb, N., Andrade, K., & Emerson, J.B. 2013. Characterization of eukaryotic microbial diversity in hypersaline Lake Tyrrell, Australia. *Frontiers of Microbiology* <https://doi.org/10.3389/fmicb.2013.00115>

Higham, T., Douka, K., Wood, R., Ramsey, C.B., Brock, F., Basell, L., Camps, M., Arrizabalaga, A., Baena, J., Barroso-Ruiz, C., Bergman, C., Boitard, C., Boscato, P., Caparrós, M. N., Conard, J., Draily, C., Froment, A., Galván, B., Gambassini, P., Garcia-Moreno, A., Grimaldi, S., Haesaerts, P., Holt, B., Iriarte-Chiapusso, M.-J., Jelinek, A., Jordá Pardo, J.F., Maíllo-Fernández, J.-M., Marom, A., Maroto, J., Menéndez, M., Metz, L., Morin, E., Moroni, A., Negrino, F., Panagopoulou, E., Peresani, M., Pirson, S., de la Rasilla, M., Riel-Salvatore, J., Ronchitelli, A., Santamaria, D., Semal, P., Slimak, L., Soler, J., Soler, N., Villaluenga, A., Pinhasi, R., & Jacobi, R. 2014. The timing and spatiotemporal patterning of Neanderthal disappearance. *Nature* 512, 306-309. <https://doi.org/10.1038/nature13621>

Hill, M.S., Hill, A.L., Lopez, J., Peterson, K.J., Pomponi, S., et al. 2013. Reconstruction of family-level phylogenetic relationships within Demospongiae (Porifera) using nuclear encoded housekeeping genes. *PLoS ONE* 8(1): e50437. <https://doi.org/10.1371/journal.pone.0050437>

Holterman, M., van der Wurff, A., van den Elsen, S., van Megen, H., Bongers, T., Holovachov, O., Bakker, J., & Helder, J. 2006. Phylum-wide analysis of SSU rDNA reveals deep phylogenetic relationships among nematodes and accelerated evolution toward crown clades. *Molecular Biology and Evolution* 23, 1792-1800. <https://doi.org/10.1093/molbev/msl044>

Holzinger, A., & Karsten, U. 2013. Desiccation stress and tolerance in green algae: consequences for ultrastructure, physiological and molecular mechanisms. *Frontiers of Plant Sciences* 4, 327. <https://doi.org/10.3389/fpls.2013.00327>

Horný, R.J. 2005. Muscle scars, systematics and mode of life of the Silurian family Drahomiridae (Mollusca, Tergomya). *Sborník Národního muzea v Praze, řada B - Přírodní vědy* 61, 53-76.

Huchon, D., Madsen, O., Sibbald, M.J.J.B., Ament, K., Stanhope, M.J., Catzeflis, F., de Jong, W.W., & Douzery, E.J.P. 2002. Rodent phylogeny and a timescale for the evolution of Glires: evidence from an

- extensive taxon sampling using three nuclear genes. *Molecular Biology and Evolution* 19, 1053-1065. <https://doi.org/10.1093/oxfordjournals.molbev.a004164>
- Hughes, C.L. & Kaufman, T.C. 2002. Exploring the myriapod body plan: expression patterns of the ten Hox genes in a centipede. *Development* 129, 1225-1238.
- Jager, M., Murienne, J., Clabaut, C., Deutsch, J., Le Guyader, H., & Manual, M. 2006. Homology of arthropod anterior appendages revealed by Hox gene expression in a sea spider. *Nature* 441, 506-508. <https://doi.org/10.1038/nature04591>
- Janssen, R., Le Gouar, M., Pechmann, M., Poulin, F., Bolognesi, R., Schwager, E.E., Hopfen, C., Colbourne, J.K., Budd, G.E., Brown, S.J., Prpic, N.M., Kosiol, C., Vervoort, M., Damen, W.G., Balavoine, G., & McGregor, A.P. 2010. Conservation, loss, and redeployment of Wnt ligands in protostomes: implications for understanding the evolution of segment formation. *BMC Evolutionary Biology* 10, 374. <https://doi.org/10.1186/1471-2148-10-374>
- Janssen, R., Prpic, N-M., & Damen, W.G.M. 2006. A review of the correlation of tergites, sternites, and leg pairs in diplopods. *Frontiers in Zoology* 3, 2. <https://doi.org/10.1186/1742-9994-3-2>
- Joffe, B., Peichl, L., Hendrickson, A., Leonhardt, H., & Solovei, I. 2014. Diurnality and nocturnality in primates: An analysis from the rod photoreceptor nuclei perspective. *Evolutionary Biology* 41, 1-11. <https://doi.org/10.1007/s11692-013-9240-9>
- Jones, K.E., Purvis, A., MacLarnon, A., Bininda-Emonds, O.R.P., & Simmons, N.B. 2002. A phylogenetic supertree of the bats (Mammalia: Chiroptera). *Biological Reviews* 77, 223-259. <https://doi.org/10.1017/S1464793101005899>
- Kadler, K.E., Holmes, D.F., Trotter, J.A., & Chapman, J.A. 1996. Collagen fibril formation. *Biochemical Journal* 316, 1-11. <https://doi.org/10.1042/bj3160001>
- Kaim, A. 2004. The evolution of conch ontogeny in Mesozoic open sea gastropods. *Palaeontologia Polonica* 62, 3-183.
- Kan, X.-Z., Yang, J.-K., Li, X.-F., Chen, L., Lei, Z.-P., Wang, M., Qian, C.-J., Gao, H., & Yang, Z.-Y. 2010. Phylogeny of major lineages of galliform birds (Aves: Galliformes) based on complete mitochondrial genomes. *Genetics and Molecular Research* 9, 1625-1633. <https://doi.org/10.4238/vol9-3gmr898>
- Kantor, Y.I., & Puillandre, N. 2012. Evolution of the radular apparatus in Conoidea (Gastropoda: Neogastropoda) as inferred from a molecular phylogeny. *Malacologia* 55, 55-90. <https://doi.org/10.4002/040.055.0105>
- Kaul-Strehlow, S., & Stach, T. 2013. A detailed description of the development of the hemichordate *Saccoglossus kowalevskii* using SEM, TEM, histology and 3D-reconstructions. *Frontiers in Zoology* 10, 53. <https://doi.org/10.1186/1742-9994-10-53>
- Kayal, E., Roure, B., Philippe, H., Collins, A.G., & Lavrov, D.V. 2013. Cnidarian phylogenetic relationships as revealed by mitogenomics. *BMC Evolutionary Biology* 13: 5. <https://doi.org/10.1186/1471-2148-13-5>
- Kimble, J.E. & White, J.G. 1981. On the control of germ cell development in *Caenorhabditis elegans*. *Developmental Biology* 81, 208-219. [https://doi.org/10.1016/0012-1606\(81\)90284-0](https://doi.org/10.1016/0012-1606(81)90284-0)

- Kitahara, M.V., Cairns, S.D., Stolarski, J. Blair, D., & Miller, D.J. 2010. A comprehensive phylogenetic analysis of the Scleractinia (Cnidaria, Anthozoa) based on mitochondrial CO1 sequence data. PLoS ONE 5(7): e11490. <https://doi.org/10.1371/journal.pone.0011490>
- Klompen, H., Lekveishvili, M., Black, W.C. IV 2007. Phylogeny of parasitiform mites (Acari) based on rRNA. Molecular Phylogenetics and Evolution 43, 936-951. <https://doi.org/10.1016/j.ympev.2006.10.024>
- Krabberød, A.K., Bråte, J., Dolven, J.K., Ose, R.F., Klaveness, D, Kristensen, T., Bjørklund, K.R., & Shalchian-Tabrizi, K. 2011. Radiolaria divided into Polycystina and Spasmaria in combined 18S and 28S rDNA phylogeny. PLoS ONE 6(8): e23526. <https://doi.org/10.1371/journal.pone.0023526>
- Kuchta, R., & Caira, J.N. 2010. Three new species of Echinobothrium (Cestoda: Diphyllidea) from Indo-Pacific stingrays of the genus Pastinachus (Rajiformes: Dasyatidae). Folia Parasitologica 57, 185-196. <https://doi.org/10.14411/fp.2010.025>
- Kuznetsova, M.V., & Kholodova, M.V. 2002. Molecular Support for the Placement of Saiga and Procrapra in Antilopinae (Artiodactyla, Bovidae). Journal of Mammalian Evolution 9, 271-280.
- Lacey, K.M.J., Grace, C., McCormack, P., Keegan B.F., & Powell, C. R. 2005. Phylogenetic relationships within the class Holothuroidea, inferred from 18S rRNA gene data. Marine Biology 147, 1149-1154. <https://doi.org/10.1007/s00227-005-0009-2>
- Leander, B.S. 2008. Marine gregarines: evolutionary prelude to the apicomplexan radiation? Trends in parasitology 24, 60-66. <https://doi.org/10.1016/j.pt.2007.11.005>
- Leander, B.S., Esson, H.J., & Breglia, S.A. 2007. Macroevolution of complex cytoskeletal systems in euglenids. Bio-Essays 29, 987-1000. <https://doi.org/10.1002/bies.20645>
- Leys, S.P., & Eerkes-Medrano, D. 2005. Gastrulation in calcareous sponges: in search of Haeckel's Gastraea. Integrative and Comparative Biology 45, 342-351. <https://doi.org/10.1093/icb/45.2.342>
- Leys, S.P., & Ereskovsky, A.V. 2006. Embryogenesis and larval differentiation in sponges. Canadian Journal of Zoology 84, 262-287. <https://doi.org/10.1139/z05-170>
- Leys, S.P., & Ereskovsky, A.V. 2006. Embryogenesis and larval differentiation in sponges. Canadian Journal of Zoology 84, 262-287. <https://doi.org/10.1139/z05-170>
- Leys, S.P., & Ereskovsky, A.V. 2006. Embryogenesis and larval differentiation in sponges. Canadian Journal of Zoology 84, 262-287. <https://doi.org/10.1139/z05-170>
- Leys, S.P., Nichols, S.A., & Adams, E.D.M. 2009. Epithelia and integration in sponges. Integrative and Comparative Biology 49, 167-177. <https://doi.org/10.1093/icb/icp038>
- Lin, Y.-C., Campbell, T., Chung, C.-C., Gong, G.-C., Chiang, K.-P., & Worden, A.Z. 2012. Distribution patterns and phylogeny of marine stramenopiles in the North Pacific Ocean. Applied Environmental Microbiology 78(9): 3387. <https://doi.org/10.1128/AEM.06952-11>
- Lins, L.S.F., Hol, S.Y.W., Wilson, G.D.F., & Lo, N. 2012. Evidence for Permo-Triassic colonization of the deep sea by isopods. Biology Letters 8, 979-982. <https://doi.org/10.1098/rsbl.2012.0774>
- Lister, A.M., & Sher, A.V. 2001. The origin and evolution of the woolly mammoth. Science 294, 1094-1097. <https://doi.org/10.1126/science.1056370>

- Lovejoy, N. R. 2000. Reinterpreting recapitulation: systematics of needlefishes and their allies (Teleostei: Beloniformes). *Evolution* 54, 1349-1362. <https://doi.org/10.1111/j.0014-3820.2000.tb00567.x>
- M.V., Sanchez-Puerta, & Delwiche, C.F. 2008. A hypothesis for plastid evolution in chromalveolates. *Journal of Phycology* 44, 1097-1107. <https://doi.org/10.1111/j.1529-8817.2008.00559.x>
- Mah, C.L., & Blake, D.B. 2012. Global diversity and phylogeny of the Asterozoa (Echinodermata). *PLoS ONE* 7(4): e35644. <https://doi.org/10.1371/journal.pone.0035644>
- Marin, B., Palm, A., Klingberg, M., & Melkonian, M. 2003. Phylogeny and taxonomic revision of plastid-containing euglenophytes based on SSU rDNA sequence comparisons and synapomorphic signatures in the SSU rRNA secondary structure. *Protist* 154, 99-145. <https://doi.org/10.1078/143446103764928521>
- Martin-Cereceda, M., Roberts, E.C., Wootton, E.C., Bonaccorso, E., Dyal, P., Guinda, A., Rogers, D., Wright, C.J., & Novarino, G. 2010. Morphology, ultrastructure, and small subunit rDNA phylogeny of the marine heterotrophic flagellate *Goniomonas* aff. *amphinema*. *Journal of Eukaryotic Microbiology* 57, 159-170. <https://doi.org/10.1111/j.1550-7408.2009.00449.x>
- Maslakova, S. 2010. The invention of the pilidium larva in an otherwise perfectly good spiralian phylum Nemertea. *Integrative and Comparative Biology* 2010, 1-10. <https://doi.org/10.1093/icb/icq096>
- McFadden, C.S., & van Ofwegen, L.P. 2013. Molecular phylogenetic evidence supports a new family of octocorals and a new genus of Alcyoniidae (Octocorallia, Alcyonacea). *ZooKeys* 346, 59-83. <https://doi.org/10.3897/zookeys.346.6270>
- Min, M.S., Yang, S.Y., Bonett, R.M., Vieites, D.R., Brandon, R.A., & Wake, D.B. 2005. Discovery of the first Asian plethodontid salamander. *Nature* 435, 87-90. <https://doi.org/10.1038/nature03474>
- Morton, B. 1987. The functional morphology of *Neotrigonia margaritacea* (Bivalvia: Trigoniacea), with a discussion of phylogenetic affinities. *Records of the Australian Museum* 39, 339-354. <https://doi.org/10.3853/j.0067-1975.39.1987.173>
- Morton, B. 2012. The biology and functional morphology of *Nucula pusilla* (Bivalvia: Protobranchia: Nuculidae) from Western Australia, Australia: primitive or miniature simplicity? *Records of the Western Australian Museum* 27, 85-100. [https://doi.org/10.18195/issn.0312-3162.27\(2\).2012.085-100](https://doi.org/10.18195/issn.0312-3162.27(2).2012.085-100)
- Müller, K.J., & Walossek, D. 1986. *Martinsonia elongata* gen. et sp. n., a crustacean-like euarthropod from the Upper Cambrian of Sweden. *Zoologica Scripta* 15, 73-92. <https://doi.org/10.1111/j.1463-6409.1986.tb00211.x>
- Nakatani, M., Miya, M., Mabuchi, K., Saitoh, K., & Nishida, M. 2011. Evolutionary history of Otophysi (Teleostei), a major clade of the modern freshwater fishes: Pangaeian origin and Mesozoic radiation. *BMC Evolutionary Biology* 11:177. <https://doi.org/10.1186/1471-2148-11-177>
- Near, T.J., Eytan, R.I., Dornburg, A., Kuhn, K.L., Moore, J.A., Davis, M.P., Wainwright, P.C., Friedman, M., & Smith, W.L. 2012. Resolution of ray-finned fish phylogeny and timing of diversification. *Proceedings of the National Academy of Sciences of the USA* 109, 13698-13703. <https://doi.org/10.1073/pnas.1206625109>

- Nützel, A. 2014. Larval ecology and morphology in fossil gastropods. *Palaeontology* 57, 1-25. <https://doi.org/10.1111/pala.12104>
- Orr, R.J.S., Murray, S.A., Stüken, A., Rhodes, L., & Jakobsen, K.S. 2012. When Naked Became Armored: An Eight-Gene Phylogeny Reveals Monophyletic Origin of Theca in Dinoflagellates. *PLoS ONE* 7(11): e50004. <https://doi.org/10.1371/journal.pone.0050004>
- Pawlowski, J. 2008. The twilight of Sarcodina: a molecular perspective on the polyphyletic origin of amoeboid protists. *Protistology* 5, 281-302.
- Perelman, P., Johnson, W.E., Roos, C., Seuánez, H.N., Horvath, J.E., Moreira, M.A.M., Kessing, B., Pontius, J., Roelke, M., Rumppler, Y., Schneider, M.P.C., Silva, A., O'Brien, S.J., & Pecon-Slattery, J. 2011. A molecular phylogeny of living primates. *PLOS Genetics* 7(3), e1001342. <https://doi.org/10.1371/journal.pgen.1001342>
- Perseke, M., Golombek, A., Schlege, M., Struck T. H. 2013. The impact of mitochondrial genome analyses on the understanding of deuterostome phylogeny. *Molecular Phylogenetics and Evolution* 66, 898-905. <https://doi.org/10.1016/j.ympev.2012.11.019>
- Purnell, M.A., & Donoghue, P.C.J., 1997. Architecture and functional morphology of the skeletal apparatus of ozarkodinid conodonts. *Philosophical Transactions of the Royal Society of London*, 352B, 1545-1564. <https://doi.org/10.1098/rstb.1997.0141>
- Renzaglia, K.S., Duff, R.J., Nickrent, D.L., & Garbary D.J. 2000. Vegetative and reproductive innovations of early land plants: implications for a unified phylogeny. *Philosophical Transactions of the Royal Society of London B* 355, 769-793. <https://doi.org/10.1098/rstb.2000.0615>
- Richter, S., Braband, A., Aladin, N., & Scholtz, G. 2001. The phylogenetic relationships of "predatory water-fleas" (Cladocera: Onychopoda, Haplopoda) inferred from 12S rDNA. *Molecular Phylogenetics and Evolution* 19, 105-113. <https://doi.org/10.1006/mpev.2000.0901>
- Rowe, T.B., Eiting, T.P., Macrini, T.E., & Ketcham, R.A. 2005. Organization of the olfactory and respiratory skeleton in the nose of the gray short-tailed opossum *Monodelphis domestica*. *Journal of Mammalian Evolution* 12, 303-336. <https://doi.org/10.1007/s10914-005-5731-5>
- Schmidt-Rhaesa, A 2012. 3. Nematomorpha. in A. Schmidt-Rhaesa (ed.) *Handbook of Zoology Gastrotricha, Cycloneuralia and Gnathifera*. Vol. 1 Nematomorpha, Priapulida, Kinorhyncha, Loricifera. 29-145. De Gruyter, Berlin. <https://doi.org/10.1515/9783110272536>
- Schoch, R.R. & Sues, H.-D. 2015. A Middle Triassic stem-turtle and the evolution of the turtle body plan. *Nature* 523, 584-587. <https://doi.org/10.1038/nature14472>
- Siddall, M.E., Apakupakul, K., Burreson, E.M., Coates, K.A., Erséus, C., Gelder, S.R., Källersjö, M., & Trapido-Rosenthal, H. 2001. Validating Livanow: Molecular data agree that leeches, branchiobdellidans, and *Acanthobdella peledina* form a monophyletic group of oligochaetes. *Molecular Phylogenetics and Evolution* 21, 346-351. <https://doi.org/10.1006/mpev.2001.1021>
- Siefker, B., Kroiher, M., & Berking, S. 2000. Induction of metamorphosis from the larval to the polyp stage is similar in Hydrozoa and a subgroup of Scyphozoa (Cnidaria, Semaestomeae). *Helgolander Marine Research* 54, 230-236. <https://doi.org/10.1007/s101520000053>
- Simone, L.R.L. 2009. Comparative morphology among representatives of main taxa of Scaphopoda and basal protobranch Bivalvia (Mollusca). *Papéis Avulsos de Zoologia Museu de Zoologia da Universidade de São Paulo* 49, 405-457. <https://doi.org/10.1590/S0031-10492009003200001>

- Sluiman, H.J. 1983. The flagellar apparatus of the zoospore of the filamentous green alga *Coleochaete pulvinata*: absolute configuration and phylogenetic significance. *Protoplasma* 115, 160-175. <https://doi.org/10.1007/BF01279807>
- Snoeyenbos-West, O.L.O., Cole, J., Campbell, A., Coats, D.W., & Katzld, L.A. 2004. Molecular phylogeny of phyllopharyngean ciliates and their group I introns. *Journal of Eukaryotic Microbiology* 51, 441-450. <https://doi.org/10.1111/j.1550-7408.2004.tb00392.x>
- Spears, T., DeBry, R.W., Abele, L.G., & Chodyla, K. 2005. Peracarid monophyly and interordinal phylogeny inferred from nuclear small-subunit ribosomal DNA sequences (Crustacea: Malacostraca: Peracarida). *Proceedings of the Biological Society of Washington* 118, 117-157. [https://doi.org/10.2988/0006-324X\(2005\)118\[117:PMAIPI\]2.0.CO;2](https://doi.org/10.2988/0006-324X(2005)118[117:PMAIPI]2.0.CO;2)
- Stach, T. 2007. Ontogeny of the appendicularian *Oikopleura dioica* (Tunicata, Chordata) reveals characters similar to ascidian larvae with sessile adults. *Zoomorphology* 126, 203-214. <https://doi.org/10.1007/s00435-007-0041-5>
- Stolarski, J., Kitahara, M.V., Miller, D.J., Cairns, S.D., Mazur, M., & Meibom, A. 2011. The ancient evolutionary origins of Scleractinia revealed by azooxanthellate corals. *BMC Evolutionary Biology* 11: 316. <https://doi.org/10.1186/1471-2148-11-316>
- Storch, V. 1991. Priapulida. In F.H. Harrison, & E.E. Ruppert (eds) *Microscopic Anatomy of Invertebrates* Volume 4, Aschelminthes. 333-350.
- Symonds, M.R.E. 2005. Phylogeny and life histories of the 'Insectivora': Controversies and consequences. *Biological Reviews* 80, 93-128. <https://doi.org/10.1017/S1464793104006566>
- Tsagkogeorga, G., Turon, X., Hopcroft, R.R., Tilak, M.-K., Feldstein, T., Shenkar, N., Loya, Y., Huchon, D., Douzery, E.J.P., & Delsuc, F. 2009. An updated 18S rRNA phylogeny of tunicates based on mixture and secondary structure models. *BMC Evolutionary Biology*, 9:187. <https://doi.org/10.1186/1471-2148-9-187>
- Turner, F.R. 1968. An ultrastructural study of plant spermatogenesis. *Spermatogenesis in Nitella*. *Journal of Cell Biology* 37, 370-93. <https://doi.org/10.1083/jcb.37.2.370>
- Underwood, C.J. 2006. Diversification of the Neoselachii (Chondrichthyes) during the Jurassic and Cretaceous. *Paleobiology* 32, 215-235. <https://doi.org/10.1666/04069.1>
- Vélez-Zuazo, X., & Agnarsson I. 2011. Shark tales: A molecular species-level phylogeny of sharks (Selachimorpha, Chondrichthyes). *Molecular Phylogenetics and Evolution* 58, 207-217. <https://doi.org/10.1016/j.ympev.2010.11.018>
- Vitt, L.J., & Pianka, E.R. 2005. Deep history impacts presentday ecology and biodiversity. *Proceedings of the National Academy of Sciences of the USA* 102, 7877-7881. <https://doi.org/10.1073/pnas.0501104102>
- Waeschenbach, A., Webster, B.L., Bray, R.A., Littlewood, D.T.J. 2007. Added resolution among ordinal level relationships of tapeworms (Platyhelminthes: Cestoda) with complete small and large subunit nuclear ribosomal RNA genes. *Molecular Phylogenetics and Evolution* 45, 311-325. <https://doi.org/10.1016/j.ympev.2007.03.019>
- Whittington, H.B., & Almond, J.E. 1987. Appendages and habits of the Upper Ordovician trilobite *Triarthrus eatoni*. *Philosophical Transactions of the Royal Society of London B* 317, 1-46. <https://doi.org/10.1098/rstb.1987.0046>

Wiens, J., Hutter, C.R., Mulcahy, D.G., Noonan, B.P., Townsend, T.M., Sites, J.W.Jr., & Reader, T.W. 2012. Resolving the phylogeny of lizards and snakes (Squamata) with extensive sampling of genes and species *Biology Letters* 8, 1043-1046. <https://doi.org/10.1098/rsbl.2012.0703>

Wildman, D.E., Jameson, N.M., Opazo, J.C., & Yi, S.V. 2009. A fully resolved genus level phylogeny of neotropical primates (Platyrrhini). *Molecular Phylogenetics and Evolution* 53, 694-702. <https://doi.org/10.1016/j.ympev.2009.07.019>

Wiltchko, R., & Wiltchko W. 2006. Magnetoreception. *Bio-Essays* 28,157-168. <https://doi.org/10.1002/bies.20363>

Wörheide, G., Dohrmann, M., Erpenbeck, D., Larroux, C., Maldonado, M., Voigt, O., Borchiellini, C., & Lavrov, D.V. 2012. Deep phylogeny and evolution of sponges (Phylum Porifera). *Advances in Marine Biology* 61 ISSN 0065-2881, <https://doi.org/10.1016/B978-0-12-387787-1.00007-6>

Wright, K.A. 1991. Nematoda. In F.H. Harrison, & E.E. Ruppert (eds) *Microscopic Anatomy of Invertebrates*, Volume 4, Aschelminthes. 111-195.

Zollikofer, C.P.E., Ponce de León, M.S., Vandermeersch, B., & Lévêque, F. 2002. Evidence for interpersonal violence in the St. Césaire Neanderthal. *Proceedings of the National Academy of Sciences of the USA* 99, 6444-6448. <https://doi.org/10.1073/pnas.082111899>